

Precision, **Quality**, Innovation

## PTA AND HAND TOOLS

**Hole** Saws

Hand **Hacksaw Blades** 

Jigsaw **Blades** 

**Reciprocating** Saw Blades

**Measuring** Tapes

Utility **Knives** 

**Spirit** Levels

**Chalk** Lines

**Protractors** 

Shop **Tools** 





#### HOLE SAWS

Our new line includes the Fast Cut and Deep Cut bi metal saws, and application-specific hole saws engineered specifically for certain materials, power tools and jobs. A full line of accessories, including Quick-Hitch™ arbors, pilot drills and protective cowls, enables you to optimise each job with safe, cost efficient solutions.

#### HACKSAWS

Safe-Flex®, Redstripe and Grey-Flex® blades and frames, bi metal and Redstripe® power hack blades, compass and PVC saws to assist you with all of your sawing needs.

#### JIG SAWS


Our Unified Shank® jig saws are developed for wood, metal and multi-purpose cutting. The Starrett bi-metal unique® saw technology provides our blades with 170% greater resistance to breakage than standard bi metal blades, Starrett blades will also cut faster and last longer than other saws. Our Dual Cut® blades are an exclusive saw design to provide burr-free cutting on both sides of the material.

#### RECIPROCATING SAWS

General purpose reciprocating blades provide a comprehensive set of sawing solutions to professional trades people and do-it-yourselfers. Our offering includes pneumatic blades for pallet dismantling, King Cut® rescue and demolition and general purpose blades.

#### MEASURING TAPES

Our measuring tapes and Measure Stix<sup>TM</sup> are offered in a wide range of styles and sizes. Graduations are available in Metric and Imperial to meet virtually every requirement for accurate tape measurement. Introducing the new series of Starrett, Starrett Exact® and Starrett Exact® Plus.



### PTA AND HAND TOOLS



#### **UTILITY KNIVES**

A whole new line of utility knives to suit the cutting needs of mechanics, carpenters, maintenance workers and do-it-yourselfers. We have the utility knife for your need.

#### LEVELS

A variety of levels are offered in various lengths and styles. Whether you are looking for aluminium or plastic, they are all accurate and excellent quality. Also introducing the new Starrett, Starrett Exact® and Starrett Exact® Plus.

#### $CH \land LK$

Our chalk lines are produced with high impact-resistant cases. The chalk line is secured with a stainless steel hook. Meet the new series.

### RULES AND SQUARES

Our rules and squares are made from fine quality materials and produced to the highest precision standards, making them the most accurate and readable rules on the market. Offered in a practical variety of styles to suit the needs of the individual, whether it be a toolmaker, mechanic, carpenter, or a do-it-yourself homeowner.

#### **PROTRACTORS**

The ProSite® Protractor takes error-prone calculations out of the process of mitre cuts. The tool is ideal for carpenters, plumbers and all building trades that require the measuring and transferring of angles.



		BI METAL H	OLE SAWS		TUNGSTEN SAWS	CARBIDE TIPI	PED HOLE	DIAMOND G HOLE SAWS	
Material Thickn Application	ess and	Starrett ZUCCO Fast Cut	Starrett Deep Cut	Cordless Smooth Cutting Hole Saw	Fast Cut Multi Purpose Hole Saw	Stainless Steel Hole Saw	Carbide Tipped Hole Saw	Ceramic and Abrasive Material Tile Drill and Hole Saw	Brick and Masonry Dri Core Drill
Hole Saw Depth	١	41mm 1.5/8"	51mm 2"	13mm 1/2"	54mm 2.1/8"	13mm 1/2"	41mm 1.5/8"	Diameter dependent	Diameter dependent
	<3mm	1		1	/	1	/	1	
Recommended Cutting Depths	3-13mm		1		/		1	/	
	>13mm		1		/		/	1	
<ul><li>Metal</li><li>Inox (Stainless)</li></ul>		**	**	**		**			
<ul> <li>Non Ferrous Materials</li> </ul>		**	**	**		**			
Cast iron	10	*	*				**		
Wood		*	*	*	**		*		
Nail Embedded Wood							**		
Veneer		*	*	*	**		**		
MDF					**				
Plastic	3	*	*	*	**		*		
Acrylic		*	*	*	**		*		
Ceramic	4				*		*	**	
Porcelain / Glass / Stone								**	
Fibreglass		*	*		*		**	**	
Formica		*	*	*	**		**		
Plaster		*	*	*	**		**		
Suspended Floors		*	*				**		
Brick and Masonry	3						*	**	**
Cutting Perfor	mance						For hole recommen	saw cutti	ng speed ease see
Excellent			Satisfactor	у				One on page	





FAST CUT BI METAL HOLE SAWS

The Fast Cut saw combines a new tooth material, with enhanced heat and wear resistance, and a new tooth design, providing a smoother,



faster cut on a wide range of materials, when compared against the previous Constant Pitch saw.

Specifically suited to cutting stainless and mild steel sheet, the Fast Cut will also cut through tubes with a wall thickness of up to 3mm (1/8").

- New tooth material for enhanced heat and wear resistance and greater product life.
- Ideal for stainless and mild steel sheet and tubes with wall thickness of up to 3mm (1/8").
- New 5.5 TPI / 25mm tooth form provides a smoother, faster cut in all materials.
- Hole saw depth of 41mm (1.5/8").

	Diameter	
Cat. No.	Inch	mm
FCH0096	9/16"	14mm
FCH0058	5/8"	16mm
FCH1016	11/16"	17mm
FCH0034	3/4"	19mm
FCH2532	25/32"	20mm
FCH1036	13/16"	21mm
FCH0078	7/8"	22mm
FCH1056	15/16"	24mm
FCH0100	1"	25mm
FCH0116	1.1/16"	27mm
FCH0118	1.1/8"	29mm
FCH0136	1.3/16"	30mm
FCH0114	1.1/4"	32mm
FCH0156	1.5/16"	33mm
FCH0138	1.3/8"	35mm
FCH0176	1.7/16"	37mm
FCH0112	1.1/2"	38mm
FCH0196	1.9/16"	40mm

	Diameter	
Cat. No.	Inch	mm
FCH0158	1.5/8"	41mm
FCH1116	1.11/16"	43mm
FCH0134	1.3/4"	44mm
FCH1136	1.13/16"	46mm
FCH0178	1.7/8"	48mm
FCH0200	2"	51mm
FCH0216	2.1/16"	52mm
FCH0218	2.1/8"	54mm
FCH056M	2.3/16	56mm
FCH0214	2.1/4"	57mm
FCH0256	2.5/16"	59mm
FCH0238	2.3/8"	60mm
FCH0212	2.1/2"	64mm
FCH0296	2.9/16"	65mm
FCH0258	2.5.8"	67mm
FCH068M	2.11/16"	68mm
FCH0234	2.3/4"	70mm
FCH0278	2.7/8"	73mm

Hole Saw Depth		41mm 1.5/8"
Rec. Cutting Depth	<3mm	<b>/</b>
<ul><li>Metal</li><li>Inox (Stainless)</li></ul>	A	**
<ul><li>Non Ferrous Materials</li></ul>	$\Delta$	**
Cast iron	100	*
Wood	4	*
Veneer		*
Plastic	3	*
Acrylic		*
Fibreglass		*
Formica		*
Plaster		*
Suspended Floors		*
Cutting Pe	rformance	
Excellent		**
Satisfactor	У	*

	Diameter	r
Cat. No.	Inch	mm
FCH0300	3"	76mm
FCH0318	3.1/8"	79mm
FCH0314	3.1/4"	83mm
FCH0338	3.3/8"	86mm
FCH0312	3.1/2"	89mm
FCH0358	3.5/8"	92mm
FCH0334	3.3/4"	95mm
FCH0378	3.7/8"	98mm
FCH0400	4"	102mm
FCH0418	4.1/8"	105mm
FCH0414	4.1/4"	108mm
FCH0438	4.3/8"	111mm
FCH0412	4.1/2"	114mm
FCH0434	4.3/4"	121mm
FCH0500	5″	127mm
FCH0514	5.1/4"	133mm
FCH0512	5.1/2"	140mm
FCH0600	6"	152mm





### BI METAL

NEW!

### DEEP CUT BI METAL HOLE SAWS

The Deep Cut saw combines the tried and tested tooth form from the previous Dual Pitch product, with a new tooth material for enhanced heat and wear resistance.



The Deep Cut saw also features an increased hole saw depth of 51mm (2"), and is ideal for cutting metal of more than 3mm thickness, tubes with a wall thickness of greater than 3mm and wood up to 51mm (2") thick.

- Aggressive material penetration and kerf clearance.
- Ideal for solid materials or tubes of a wall thickness greater than 3mm.
- 51mm hole saw depth improves cutting performance on tubes, particularly where there is a need to cut through both sides of the tube.
- New tooth material for enhanced heat and wear resistance and greater product life.
- Hole saw depth of 51mm (2").

	Diameter	
Cat. No.	Inch	mm
DCH0034	3/4"	19mm
DCH2532	25/32"	20mm
DCH1036	13/16"	21mm
DCH0078	7/8"	22mm
DCH1056	15/16"	24mm
DCH0100	1"	25mm
DCH0116	1.1/16"	27mm
DCH0118	1.1/8"	29mm
DCH0136	1.3/16"	30mm
DCH0114	1.1/4"	32mm
DCH0156	1.5/16"	33mm
DCH0138	1.3/8"	35mm
DCH0176	1.7/16"	37mm
DCH0112	1.1/2"	38mm
DCH0196	1.9/16"	40mm
DCH0158	1.5/8"	41mm
DCH1116	1.11/16"	43mm
DCH0134	1.3/4"	44mm
DCH1136	1.13/16"	46mm

	Diameter	
Cat. No.	Inch	mm
DCH0178	1.7/8"	48mm
DCH0200	2"	51mm
DCH0216	2.1/16"	52mm
DCH0218	2.1/8"	54mm
DCH056M	2.3/16"	56mm
DCH0214	2.1/4"	57mm
DCH0256	2.5/16"	59mm
DCH0238	2.3/8"	60mm
DCH0212	2.1/2"	64mm
DCH0296	2.9/16"	65mm
DCH0258	2.5/8"	67mm
DCH068M	2.11/16"	68mm
DCH0234	2.3/4"	70mm
DCH0278	2.7/8"	73mm
DCH0300	3"	76mm
DCH0318	3.1/8"	79mm
DCH0314	3.1/4"	83mm
DCH0338	3.3/8"	86mm

Hole Saw Depth		51mm 2"
Rec. Cutting	3-13mm	/
Depth	>13mm	/
<ul><li>Metal</li><li>Inox (Stainless)</li></ul>		**
<ul><li>Non Ferrous Materials</li></ul>		**
Cast iron	No.	*
Wood	4	*
Veneer		*
Plastic	3	*
Acrylic		*
Fibreglass		*
Formica		*
Plaster		*
Suspended Floors		*
Cutting Pe	rformance	
Excellent		**
Satisfactor	у	*

	Diameter	
Cat. No.	Inch	mm
DCH0312	3.1/2"	89mm
DCH0358	3.5/8"	92mm
DCH0334	3.3/4"	95mm
DCH0378	3.7/8"	98mm
DCH0400	4"	102mm
DCH0418	4.1/8"	105mm
DCH0414	4.1/4"	108mm
DCH0438	4.3/8"	111mm
DCH0412	4.1/2"	114mm
DCH0434	4.3/4"	121mm
DCH0500	5"	127mm
DCH0514	5.1/4"	133mm
DCH0512	5.1/2"	140mm
DCH0600	6"	152mm
DCH160M	6.5/16"	160mm
DCH168M	6.5/8"	168mm
DCH177M	6.31/32"	177mm
DCH210M	8.9/32"	210mm

### BI METAL CORDLESS **SMOOTHCUT**

### HOLE SAWS FOR BATTERY OPERATED POWER TOOLS

Complete hole saw assembly including arbor, pilot drill and ejector spring, specifically for cordless power tools. Heat resistant high speed steel edge, with alloy backing and constant pitch of 8 TPI for stainless and mild sheet steel, plasterboard, wood and thin non-metallics.



#### **FEATURES**

- Ideal for cutting stainless, tool and mild steel sheeting plasterboard, wood and plastics.
- Safety stop at the base of the hole saw prevents saw travel beyond the hole saw depth - 13mm (1/2").
- Complete assembly arbor, pilot drill and ejector spring included.
- Constant pitch teeth provide exceptionally smooth cuts. Pitch 8 teeth per 25mm / inch.
- Recommended cutting depth 2mm.

Hole Saw Depth		13mm 1/2"		
Rec. Cutting Depth	<3mm	<b>/</b>		
<ul><li>Metal</li><li>Inox</li><li>(Stainless)</li></ul>	A	**		
<ul><li>Non</li><li>Ferrous</li><li>Materials</li></ul>		**		
Cast iron	40	*		
Wood		*		
Veneer		*		
Plastic	3	*		
Acrylic		*		
Formica		*		
Plaster		*		
Cutting Performance				
Excellent		**		
Satisfactor	у	*		





### CARBIDE TIPPED

## HIGH PERFORMANCE TRIPLE CHIP TUNGSTEN CARBIDE

CT Hole Saws offer a cost effective solution for cutting nail embedded wood, or virtually any wood and metal combination, reinforced concrete and fibreglass. This saw is particularly suitable where there is a requirement for a high quality surface finish on the entry and exit hole and it also provides a smooth cut when cutting traditional lathe and plaster.



#### **FEATURES**

- A cost effective solution for cutting nail embedded wood, any wood and metal combination, reinforced concrete and fibreglass.
- Leaves high quality surface finish on entry and exit and provides a smooth cut.
- Tungsten carbide tipped teeth for outstanding cutting performance and product durability.
- Suitable for use in electric and battery operated tools.
- Hole saw depth of 41mm (1-5/8").

Hole Saw D	epth	1.5/8"
	<3mm	/
Rec. Cutting Depth	3-13mm	/
- 1	>13mm	/
Cast iron	10	**
Wood		*
Nail Embedded Wood	4	**
Veneer		**
Plastic	3	*
Acrylic		*
Ceramic	A	*
Fibreglass		**
Formica		**
Plaster		**
Suspended Floors		**
Brick and Masonry	3	*
Cutting Pe	rformance	
Excellent		**
Satisfacto	ry	*

41mm

	Diameter	
Cat. No.	mm	Inch
CT034	19mm	3/4"
CT078	22mm	7/8"
CT100	25mm	1″
CT118	29mm	1.1/8"
CT114	32mm	1.1/4"
CT138	35mm	1.3/8"
CT112	38mm	1.1/2"
CT196	40mm	1.9/16"
CT158	41mm	1.5/8"

	Diameter	
Cat. No.	mm	Inch
CT134	44mm	1.3/4"
CT178	48mm	1.7/8"
CT200	51mm	2"
CT218	54mm	2.1/8"
CT214	57mm	2.1/4"
CT238	60mm	2.3/8"
CT212	64mm	2.1/2"
CT258	67mm	2.5/8"
CT234	70mm	2.3/4"

	Diameter	
Cat. No.	mm	Inch
СТ300	76mm	3″
CT318	79mm	3.1/8"
CT314	83mm	3.1/4"
CT338	86mm	3.3/8"
CT312	89mm	3.1/2"
CT358	92mm	3.5/8"
CT334	95mm	3.3/4"
CT378	98mm	3.7/8"
CT400	102mm	4"

	Diameter	
Cat. No.	mm	Inch
CT418	105mm	4.1/8"
CT414	108mm	4.1/4"
CT438	111mm	4.3/8"
CT412	114mm	4.1/2"
CT434	121mm	4.3/4"
CT500	127mm	5"
CT512	140mm	5.1/2"
CT600	152mm	6"



### CARBIDE TIPPED

#### TUNGSTEN CARBIDE TIPPED MULTI PURPOSE

MPH Hole Saws will power through wood, MDF, plastics, plasterboard and ceramic wall tiles. Cutting speeds will be up to five times faster than a bi metal hole saw cutting the same material. For installers, our range of kits provide the perfect solution to all your cutting needs.

- Rapid, heat free stock removal of wood, MDF, plastics, plasterboard, and ceramic tiles.
- Carbide tipped teeth for outstanding cutting performance and product durability.
- Smooth cutting with minimal heat build up.
- Suitable for use in electric and battery powered tools.
- Hole saw depth of 54mm (2.1/8").
- Special arbors featuring extended length pilot drills are available, alternatively fit the longer A014CE pilot drill to our standard Starrett arbors.





	Diameter	
Cat. No.	mm	Inch
MPH0034	19mm	3/4"
MPH2532	20mm	25/32"
MPH0078	22mm	7/8"
MPH0100	25mm	1"
MPH0116	27mm	1.1/16"
MPH0118	29mm	1.1/8"
MPH0136	30mm	1.3/16"
MPH0114	32mm	1.1/4"
MPH0138	35mm	1.3/8"
MPH0112	38mm	1.1/2"
MPH0196	40mm	1.9/16"
MPH0158	41mm	1.5/8"
MPH0134	44mm	1.3/4"
MPH0178	48mm	1.7/8"
MPH0200	51mm	2"

	Diameter	
Cat. No.	mm	Inch
MPH0218	54mm	2.1/8"
MPH0214	57mm	2.1/4"
MPH0238	60mm	2.3/8"
MPH0212	64mm	2.1/2"
MPH0296	65mm	2.9/16"
MPH0258	67mm	2.5/8"
MPH0234	70mm	2.3/4"
MPH0278	73mm	2.7/8"
MPH0300	76mm	3"
MPH0318	79mm	3.1/8"
MPH0314	83mm	3.1/4"
MPH0338	86mm	3.3/8"
MPH0312	89mm	3.1/2"
MPH0358	92mm	3.5/8"

	Diamete	r
Cat. No.	mm	Inch
MPH0334	95mm	3.3/4"
MPH0378	98mm	3.7/8"
MPH0400	102mm	4"
MPH0418	105mm	4.1/8"
MPH0414	108mm	4.1/4"
MPH0456	109mm	4.5/16"
MPH0438	111mm	4.3/8"
MPH0412	114mm	4.1/2"
MPH0458	118mm	4.5/8"
MPH0434	121mm	4.3/4"
MPH0500	127mm	5"
MPH0512	140mm	5.1/2"
MPH0600	152mm	6"
MPH0614	159mm	6.1/4"



Excellent Satisfactory		**
Cutting Performance		
Plaster		**
Formica		**
Fibreglass		*
Ceramic		*
Acrylic		**
Plastic	3	**
MDF		**
Veneer		**
Wood	-	**
Берит	>13mm	/
Rec. Cutting Depth	3-13mm	/
	<3mm	/
Cutting De	Cutting Depth	



### CARBIDE TIPPED

### TUNGSTEN CARBIDE TIPPED STAINLESS STEEL SHEET METAL

Ideal for cutting stainless and high alloy steels, non ferrous light metals and reinforced fabrics, at a much faster speed than is possible with a bi metal hole saw.

The tough tungsten carbide tipped teeth have a positive cutting angle which provides fast and efficient removal of chips and swarf, recommended cutting depth is 2mm (1/8").

Satisfactory *	
Excellent	**
Cutting Performance	
• Non Ferrous Materials	**
• Metal • Inox (Stainless)	**
Rec. Cutting <3mm Depth	/
Hole Saw Depth	13mm 1/2"



- Ideal for production cutting, and particularly suitable for use in drills with limited speed control.
- Tungsten carbide tipped teeth provide superb product life and cutting performance.
- Replacement pilot drills are available.
- Complete assembly there is no requirement to purchase a separate arbor and pilot drill.
- Safety stop at the base of the hole saw prevents saw travel beyond the hole saw depth 13mm (1/2").
- Recommended cutting depth 2mm (1/8").

	Diameter	
Cat. No.	mm	Inch
SM15	15mm	19/32"
SM16	16mm	5/8"
SM17	17mm	11/16"
SM18	18mm	23/32"
SM19	19mm	3/4"
SM20	20mm	25/32
SM21	21mm	13/16"
SM22	22mm	7/8"
SM23	23mm	29/32"
SM24	24mm	15/16"

	Diameter	
Cat. No.	mm	Inch
SM25	25mm	1″
SM26	26mm	1.1/32"
SM27	27mm	1.1/16"
SM28	28mm	1.3/32"
SM29	29mm	1.1/8"
SM30	30mm	1.3/16"
SM31	31mm	1.7/32"
SM32	32mm	1.1/4"
SM33	33mm	1.5/16"
SM34	34mm	1.11/32"

	Diameter	
Cat. No.	mm	Inch
SM35	35mm	1.3/8"
SM36	36mm	1.13/32"
SM37	37mm	1.7/16"
SM38	38mm	1.1/2"
SM39	39mm	1.17/32"
SM40	40mm	1.9/16"
SM45	45mm	1.25/32"
SM50	50mm	1.31/32"
SM51	51mm	2
SM55	55mm	2.5/32"

	Diameter	
Cat. No.	mm	Inch
SM60	60mm	2.3/8"
SM65	65mm	2.9/16"
SM70	70mm	2.3/4"
SM75	75mm	2.15/16"
SM80	80mm	3.5/32"
SM85	85mm	3.11/32"
SM90	90mm	3.17/32"
SM95	95mm	3.3/4"
SM100	100mm	3.15/16"

20mm



### 

### DIAMOND TILE DRILLS



High performance hole saws for drilling small diameter holes in many non-metallics. These diamond edge hole saws are produced with a uniform coating of synthetic diamond grit bonded to a durable steel platform. Diamond edge saws produce clean, accurate cuts on brick, glass, ceramic tiles and stone.

	Size	
Cat. No.	mm	Inch
D0005	5mm	3/16"
D0006	6mm	15/64"
D0065	6.5mm	1/4"

	Size	
Cat. No.	mm	Inch
D0008	8mm	5/16"
D0010	10mm	3/8"
D0012	12mm	1/2"

Satisfacto	rv	*
Excellent		**
Cutting P	erformance	
Brick and Masonry	8	**
Fibreglass		**
Porcelain / Glass / Stone		**
Ceramic		**
	>13mm	
Rec. Cutting Depth	3-13mm	
	<3mm	
Hole Saw Depth		25/32"

#### **FEATURES**

- Able to cut rapidly through porcelain, glass, ceramics, brick and stone.
- Perfect for kitchen and bathroom installations.
- Smooth surface finish.
- Drive arbor and drill not required.
- Maximum cutting depth of 20mm (25/32").

#### TILE DRILL WATER BOTTLE



### DIAMOND TILE DRILL GUIDE

Used in place of a pilot bit to eliminate hole saw 'walking' and prevent damage to work surfaces. The guide is manufactured with rubber feet, allowing user to secure it in place without scratching work surface.





### 

### DIAMOND GRIT

High performance saws for non-metallics. Synthetic diamond grit bonded over a durable steel platform. Capable of cutting through porcelain, glass, ceramics, brick and stone, these hole saws are the ideal solution in the toughest of cutting situations.



#### **FEATURES**

- Small diameter hole saws are perfect for kitchen and bathroom installations.
- Smooth surface finish, ideal when cutting glass and porcelain.
- Drive arbors with carbide tipped pilot drills available.
- Hole saw depth of 41mm (1.5/8").

Hole Saw Depth		41mm 1.5/8"
	<3mm	
Rec. Cutting Depth	3-13mm	/
	>13mm	
Ceramic		**
Porcelain / Glass / Stone		**
Fibreglass		**
Brick and Masonry		**
Cutting Performance		
Excellent **		
Satisfactory		*

Diamond tile drills and hole saws must always be cooled with water!



	Diameter	
Cat. No.	mm	Inch
D0096	14mm	9/16"
D0058	16mm	5/8"
D1016	17mm	11/16"
D0034	19mm	3/4"
D2532	20mm	25/32"
D1036	21mm	13/16"
D0078	22mm	7/8"
D1056	24mm	15/16"
D0100	25mm	1"
D0116	27mm	1.1/16"
D0118	29mm	1.1/8"
D0136	30mm	1.3/16"
D0114	32mm	1.1/4"
D0156	33mm	1.5/16"

	Diameter	
Cat. No.	mm	Inch
D0138	35mm	1.3/8"
D0176	37mm	1.7/16"
D0112	38mm	1.1/2"
D0196	40mm	1.9/16"
D0158	41mm	1.5/8"
D1116	43mm	1.11/16"
D0134	44mm	1.3/4"
D1136	46mm	1.13/16"
D0178	48mm	1.7/8"
D0200	51mm	2"
D0216	52mm	2.1/16"
D0218	54mm	2.1/8"
D56MM	56mm	2.3/16"
D0214	57mm	2.1/4"

	Diameter	
Cat. No.	mm	Inch
D0256	59mm	2.5/16"
D0238	60mm	2.3/8"
D0212	64mm	2.1/2"
D0296	65mm	2.9/16"
D0258	67mm	2.5/8"
D68MM	68mm	2.11/16"
D0234	70mm	2.3/4"
D0278	73mm	2.7/8"
D0300	76mm	3"
D0318	79mm	3.1/8"
D0314	83mm	3.1/4"
D0338	86mm	3.3/8"
D0312	89mm	3.1/2"
D0358	92mm	3.5/8"

	Diameter	
Cat. No.	mm	Inch
D0334	95mm	3.3/4"
D0378	98mm	3.7/8"
D0400	102mm	4"
D0418	105mm	4.1/8"
D0414	108mm	4.1/4"
D0438	111mm	4.3/8"
D0412	114mm	4.1/2"
D0434	121mm	4.3/4"
D0500	127mm	5"
D0512	140mm	5.1/2"
D0600	152mm	6"

### 

## DIAMOND CORE DRILLS

Designed for intensive dry cutting on brickwork and blockwork, and particularly suitable for plumbers, electricians and other installation engineers, our dri core drills will be invaluable in the construction of flues, air vents and plumbing or electrical channels.

Satisfactory		*
Excellent		**
Cutting Pe	erformance	
Brick and Masonry	8	**
Rec. Cutting Depth	>13mm	
Hole Saw Depth		Diameter dependent





- Faster rate of cut than TCT alternatives with less pressure required.
- 300mm saw length on 22 and 28mm diameter saws. 150mm saw length on all other diameters.
- Note: not for use on reinforced concrete.

	Size	
Cat. No.	mm	Inch
BMC22	22mm	7/8
ВМС28	28mm	1.3/32
ВМС38	38mm	1.1/2
BMC42	42mm	1.21/32
BMC48	48mm	1.7/8
BMC52	52mm	2.1/16
BMC65	65mm	2.9/16
ВМС78	78mm	3.1/16
BMC102	102mm	4
BMC107	107mm	4.7/32
BMC117	117mm	4.19/32
BMC127	127mm	5
BMC152	152mm	6

Description	Cat. No.
SDS Adapter	BMA2
Hex Adapter	BMA1
240mm SDS Adapter	BMA2240
240mm Hex Adapter	BMA1240
Pilot Drill - 13 x 200mm	BMA3200
Pilot Drill - 13 x 350mm	BMA3350
150 mm Extension	BMA4150
250mm Extension	BMA4250
Drift Key	ВМА5









### HOLE SAW KITS

Starrett offer a comprehensive range of kits to support our hole saw range. Suitable for tradesmen, installation engineers, industry generally and the d-i-y enthusiast, our kits feature a range of saws with sizes selected specifically to suit the relevant application. Packed in sturdy carrying cases, the kits will be an invaluable addition to any toolbox.



### FAST CUT BI METAL HOLE SAW KITS

Description	Cat No	Hole Saw Sizes	Arbors and Accessories
General Purpose Kit	KFC06023	22mm, 29mm, 35mm, 44mm, 51mm & 64mm	A1 & A10 Arbors
Electricians Kit	KFC06022	16mm, 20mm, 25mm, 29mm, 44mm & 51mm	A1 & A10 Arbors
Electricians Kit 1	KFC06021	16mm, 20mm, 25mm, 32mm, 40mm & 51mm Starrett	A1 & A10 Arbors
Ulti Mate Electricians Kit	KFC06071	16mm, 20mm, 25mm, 32mm, 40mm & 51mm	A3 Ulti Mate Arbor 6 Ulti Mate Arbor Adapters
Deluxe Electricians Kit	KFC11021	16mm, 20mm, 22mm, 25mm, 29mm, 35mm, 44mm, 51mm, 64mm, 68mm & 76mm	A1 & A2 Arbors
Plumbers Kit	KFC07021	19mm, 22mm, 29mm, 38mm, 44mm, 51mm & 57mm	A1 & A10 Arbors
Deluxe Plumbers Kit	KFC11022	16mm, 19mm, 22mm, 29mm, 35mm, 38mm, 44mm, 51mm, 57mm, 65mm & 68mm	A1 & A2 Arbors
Plumbers and Electricians Kit	KFC12021	16mm, 20mm, 22mm, 29mm, 35mm, 38mm, 40mm, 44mm, 51mm, 57mm, 65mm & 68mm	A1 & A2 Arbors
Universal Kit	KFC14021	16mm, 20mm, 22mm, 25mm, 29mm, 32mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm, 68mm & 76mm	A1 & A2 Arbors
Universal Kit 2	KFC11031	19mm, 22mm, 25mm, 32mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm & 76mm	A1 & A2 Arbors A5 Extension

### DEEP CUT BI METAL HOLE SAW KITS

Description	Cat No	Hole Saw Sizes	Arbors and Accessories
General Purpose Kit	KDC06021	22mm, 29mm, 35mm, 44mm, 51mm & 64mm	A1 & A10 Arbors
Electricians Kit	KDC05021	20mm, 25mm, 29mm, 44mm & 51mm	A1 & A10 Arbors
Deluxe Electricians Kit	KDC10021	20mm, 22mm, 25mm, 29mm, 35mm, 44mm, 51mm, 64mm, 68mm & 76mm	A1 & A2 Arbors
Plumbers Kit	KDC07021	19mm, 22mm, 29mm, 38mm, 44mm, 51mm & 57mm	A1 & A10 Arbors
Deluxe Plumbers Kit	KDC10022	19mm, 22mm, 29mm, 35mm, 38mm, 44mm, 51mm, 57mm, 65mm & 68mm	A1 & A2 Arbors
Universal Kit	KDC13021	20mm, 22mm, 25mm, 29mm, 32mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm, 68mm & 76mm	A1 & A2 Arbors

### CORDLESS SMOOTH CUT BI METAL HOLE SAW KITS

Description	Cat No	Hole Saw Sizes	Arbors and Accessories
General Purpose Kit	KCS07011	16mm, 20mm, 25mm, 29mm, 30mm, 32mm & 38mm	A18 Dual Hex Chuck
General Purpose Kit 1	KCS06001	16mm, 20mm, 22mm, 25mm, 32mm & 40mm	
Electricians Kit	KCS03001	20mm, 25mm, & 32mm	



### TCT STAINLESS STEEL HOLE SAW KITS

Description	Cat No	Hole Saw Sizes
TCT Stainless Steel Hole Saw Kit	KSM07001	16mm, 20mm, 22mm, 25mm, 32mm, 40mm & 50mm

### MULTI PURPOSE HOLE SAW KITS

Description	Cat No	Hole Saw Sizes	Arbors and Accessories
General Purpose Kit 1	KMP09021	19mm, 22mm, 29mm, 35mm, 44mm, 51mm, 57mm, 64mm & 68mm	A1E & A17-38E FREE XA014C
General Purpose Kit 2	KMP11021	19mm, 22mm, 29mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm, 68mm & 76mm	A1E & A17-38E FREE XA014C
Downlight Hole Saw Kit	KMP12011	35mm, 40mm, 44mm, 51mm, 60mm, 65mm, 70mm, 73mm, 76mm, 83mm, 86mm, & 92mm	XA17-38 (supplied with carbide tipped pilot drill)



DIAMOND BRICK AND MASONRY DRI CORE DRILL KIT

Description	Cat No	Core Drill Sizes	Arbors	Accessories
Diamond Dri-Core	BMKIT1	38mm, 52mm, 65mm,	BMA1, BMA2, BMA1240	BMA3200 Pilot Drill &
Drill Kit		117mm & 127mm	& BMA2240	BMA5 Drift Key



### DIAMOND TILE DRILL KITS

Description	Cat No	Tlile Drill Sizes	Accessories
Diamond Tile Drill Kit 2	KD2000TD1	5mm, 6mm, 6.5mm, 8mm, 10mm &12mm	Core Ejector Pin







### ARBORS AND ACCESSORIES ULTI MATE RAPID RELEASE ARBOR **SYSTEM**

SUPER FAST TOOL FREE CHANGES BETWEEN DIFFERENT DIAMETERS AND TYPES OF HOLE SAW AND EASIER CORE **EJECTION!** 

Ulti-Mate from Starrett offers super fast, tool free changes between different diameters and types of hole saw, without adjustment of the drill chuck. Removal of cores from a hole saw after a cut is also much improved by the rapid release of the hole saw from the arbor.



Cat. No.	Description
A3	ULTI-MATE hole saw arbor with pilot drill
A3-6	ULTI-MATE hole saw arbor with pilot drill and one of each of the standard hole saw adapters
A3-3	Three ULTI-MATE hole saw adapters, suitable for hole saws from 14mm - 30mm / 9/16" - 1.3/16"
A3-4	Three ULTI-MATE hole saw adapters, suitable for hole saws from 32mm - 102mm / 1.1/4" - 4"
A3-5	ULTI-MATE hole saw adapter, suitable for heavy duty cutting on large diameter saws (102mm / 4" and greater)
A3-7	ULTI-MATE hole saw arbor with pilot drill, 20mm / 25/32" and 25mm / 1" Fast Cut Hole Saws and hole saw adapters.
A3-8	ULTI-MATE hole saw arbor with pilot drill, 20mm / 25/32" and 25mm / 1" Deep Cut Hole Saws and hole saw adapters.















#### USING THE ULTI-MATE!

ATTACHING A HOLE SAW

Screw the appropriate adapter on to the hole saw and push the hole saw and adapter down the drill (1). When the hole saw and adapter can be pushed no further, turn the hole saw and the collar will click on

(2).

## LOCKING $\wedge$

To lock a hole saw on to the ULTI-MATE, turn the collar on the arbor so that the arrow on the base of the arbor and the arrow on the collar are not aligned. (1). This will then lock the saw and the arbor together, and ensure that the hole saw cannot be accidentally released whilst drilling.



### RELEASING A HOLE SAW

To release the hole saw, align the arrow on the collar and the arrow on the base of the arbor (1) and pull the collar back (2). The saw will then be released. The release is spring loaded so please take care when releasing the saw!

### REUSING THE HOLE SAW ADAPTERS

Once the hole saw has come to the end of its useful life, the arbor adapters can be reused, even if intensive use has resulted in the adapters becoming very firmly attached to the hole saw. Place the complete assembly in a vice, using the flats on either side of the arbor to hold the assembly still (1). The used hole saw can then be unscrewed from the adapter using a pair of grips or similar tool.



## ARBORS AND ACCESSORIES KWIK CHANGE ARBOR SYSTEM

FAST, TOOL FREE CHANGES BETWEEN
DIFFERENT SIZES AND TYPES OF HOLE SAW,
PLUS A SIMPLE METHOD OF CORE EJECTION
AND HOLE ENLARGEMENT.

The new Kwik Change arbor system from Starrett offers fast, tool free changes between different sizes and types of hole saws, plus a simple method of core ejection and hole enlargement. Suitable for the standard Starrett hole saw range up to 152mm / 6" diameter, Kwik Change will be an invaluable addition for any regular hole saw user.

Kwik Change Arbor and Hole Saw System			
Cat No	Description		
A6	Kwik Change Chuck - Hex Shank		
A6-1	Kwik Change Chuck - SDS Shank		
A6-2	Kwik Change Arbor for 14-30mm hole saws		
A6-3	Kwik Change Arbor for 32-152mm hole saws		
A015C	Kwik Change High Speed Steel Pilot Drill		
XA015C	Kwik Change Carbide Tipped Pilot Drill		

KWIK-CHANGE BETWEEN HOLE SAWS!

KWIK-CHANGE PILOT DRILL!

CORE EJECTION & HOLE ENLARGEMENT!

Kwik Change Kits   Hex Shank Chuck			
Cat No	Description	Kit Contents	
A6-4	Kwik Change Arbor Kit with High Speed Steel Drill	Kwik Change Chuck, one A6-2 Arbor, one A6-3 Arbor, one A015C Pilot Drill	
A6-5	Kwik Change Arbor Kit with Carbide Tipped Drill	Kwik Change Chuck, one A6-2 Arbor, one A6-3 Arbor, one XA015C Pilot Drill	
A6-8	Kwik Change Arbor Kit with Fast Cut hole Saws	Kwik Change Chuck, two A6-2 Arbors, one A6-3 Arbor, one A015C Pilot Drill, one 20mm (25/32"), one 25mm (1") and one 32mm / (1.1/4") Fast Cut Bi Metal Hole Saws	
A6-10	Kwik Change Arbor Kit with Deep Cut Hole Saws	Kwik Change Chuck, two A6-2 Arbors, one A6-3 Arbor, one A015C Pilot Drill, one 20mm (25/32"), one 25mm (1") and one 32mm (1.1/4") Deep Cut Bi Metal Hole Saws	

Kwik Change Chuck   SDS Shank Chuck			
A6-6	Kwik Change Arbor Kit with High Speed Steel Drill	Kwik Change Chuck, one A6-2 Arbor, one A6-3 Arbor, one A015C Pilot Drill	
A6-7	Kwik Change Arbor Kit with Carbide Tipped Drill	Kwik Change Chuck, one A6-2 Arbor, one A6-3 Arbor, one XA015C Pilot Drill	
A6-9	Kwik Change Arbor Kit with Fast Cut hole Saws	Kwik Change Chuck, two A6-2 Arbors, one A6-3 Arbor, one A015C Pilot Drill, one 20mm (25/32"), one 25mm (1") and one 32mm (1.1/4") Fast Cut Bi Metal Hole Saws	
A6-11	Kwik Change Arbor Kit with Deep Cut Hole Saws	Kwik Change Chuck, two A6-2 Arbors, one A6-3 Arbor, one A015C Pilot Drill, one 20mm (25/32"), one 25mm (1") and one 32mm (1.1/4") Deep Cut Bi Metal Hole Saws	

#### KWIK-CHANGE | ARBOR


- Attach the arbors to all regularly used hole saws.
- Change between different sizes of saw at the push of a button!



Push the button on the arbor and pull the hole saw down the pilot drill. To use a new hole saw, push the button on the arbor and slide the hole saw forward to remove it.

#### KWIK-CHANGE | PILOT DRILL

- Pull back the chrome collar on the chuck to change the pilot drill.
- No tools required!
- Caution: Pilot drills may be hot after use.



Pull back the collar on the chuck to remove the pilot drill, to insert a new drill pull back the collar on the chuck and insert the new drill.

#### KWIK-CHANGE | HOLE ENLARGEMENT

- Attach arbors to hole saws of the same size as the existing hole and the same size as the required hole.
- Attach the larger diameter hole saw to the Kwik-Change chuck.
- Attach the smaller diameter hole saw to the drill and slide it down inside the larger diameter saw.
- Drill the hole. This system is recommended for overhead or vertical surfaces only.



#### KWIK-CHANGE | CORE EJECTION

• If the core is stuck in the hole saw after drilling a hole, press the arbor button and slide the hole saw and attached arbor off the

drill.

- The pilot drill can then be used to push the core out of the saw using the side flutes or the holes in the base of the saw.
- Caution: Cores may be hot and sharp.



If the core is still stuck in the saw, the pilot drill can be used to push the core out of the saw using the holes in the base of the hole saw.





### ARBORS AND ACCESSORIES



### STANDARD ARBORS

WITH HIGH SPEED STEEL PILOT DRILL

Arbor suitable for use with FCH and CT hole saws. (Diamond hole saw applications will always require an arbor with a carbide tipped pilot drill).

Cat. No.	Fits Hole Saw Diameter Inch/mm	Shank Size mm (inch)
A1	14 - 30mm	8.75mm (11/32") Hex
A4	(9/16" - 1.3/16")	6.5mm (1/4") Hex
A2 - Quick-Hitch	32 - 210mm (1.1/4" - 8.9/32")	11mm (7/16") Hex
A10 - Quick-Hitch	32 - 152mm (1.1/4" - 6")	8.75mm (11/32") Hex

### WITH CARBIDE DRILL

Cat. No.	Fits Hole Saw Diameter mm (inch)	Shank Size mm (inch)
XA1	14 - 30mm (9/16" - 1.3/16")	8.75mm (11/32") Hex
XA2 - Quick-Hitch	32 - 210mm (1.1/4" - 8.9/32")	11mm (7/16") Hex
XA10 - Quick-Hitch	32 - 152mm (1.1/4" - 6")	8.75mm (11/32") Hex

### EXTENDED LENGTH

Arbor suitable for use with DCH and MPH hole saws.

Cat. No.	Fits Hole Saw Diameter mm (inch)	Shank Size mm (inch)
A1E	14 - 30mm (9/16" - 1.3/16")	8.75mm (11/32") Hex
A4E		6.5mm (1/4") Hex
A2E - Quick-Hitch	32 - 210mm (1.1/4" - 8.9/32")	11mm (7/16") Hex
A10E - Quick-Hitch	32 - 152mm (1.1/4" - 6")	8.75mm (11/32") Hex

### LOCKING ARBOR

Cat. No.	Fits Hole Saw Diameter mm (inch)	Shank Size mm (inch)
A17-38	32mm - 210mm (1-1/4" - 8.9/32")	
A17-38E**	32mm - 210mm (1-1/4" - 8.9/32")	8.75mm ** With Extended (11/32") Length HSS Pilot Hex Drill
XA17-38 Carbide Tipped	32mm - 210mm (1-1/4" - 8.9/32")	





### SDS PLUS SHANK

WITH PILOT DRILL



The SDS-plus shank allows the arbors to be used in SDS-plus rotary hammer drills with the hammer action turned off.

Cat. No.	Fits Hole Saw Diameter Inch/mm	Shank Size (Inch/mm)
A1-1	14 - 30mm (9/16" - 1.3/16")	8.75mm (11/32") Hex
A2-1	32 - 210mm (1.1/4" - 8.9/32")	11mm (7/16") Hex

### ARBOR EXTENSION



300mm (12") extension bar.

Cat. No.	For Arbor	Fits Chuck Size
A5	A2, A2E or 'X' equivalents	13mm - 1/2"
A15	A1, A1E, A10, A10E, A17-38, A17- 38E or 'X' equivalents	9.5mm - 3/8"

### ARBOR PILOT DRILL



#### HIGH SPEED STEEL

Cat. No.	Fits Starrett Arbor Nos.	For Use with Saw Types
A014C	All Arbors	For All FCH Series Saws
A014CE	Extended Length Pilot Drill Fits All Starrett Arbors except A3 Ulti Mate	For DCH and MPH Hole Saws
SMD6	-	Replacement drill for SM series hole saws
A014M	Fits Starrett A3 Ulti Mate Arbor	For all FCH, DCH, CT and MPH hole saws
A015C	Fits Starrett A6 Kwik Change Arbor System	For all FCH, DCH, CT and MPH hole saws

#### CARBIDE TIPPED

Cat. No.	Fits Starrett Arbor Nos.	For Use with Saw Types
XA014C	All Arbors	For all CT, MPH and D Series Saws
XA015C	Fits Starrett A6 Kwik Change Arbor System	For all CT, MPH and D Series Saws

### ARBOR ADAPTOR

Allows use of hole saws up to 152mm (6").

Cat. No.	Description
A12	Adaptor screws on to arbors with a 1/2"- 20 screw thread and allows use of hole saws up to 152mm (6")

### 'OOPS ARBOR'

#### HOLE ENLARGEMENT ARBOR

Replacing the pilot drill, the A19 allows diameters to be enlarged by attaching a saw of the same size to that of the existing hole. This saw then acts as the pilot for the larger diameter saw that is attached to the arbor.









	Regular Arbor That Fits Outer Hole Saw and
Cat. No.	Size of Enlarging Diameter

A1 21mm - 30mm (13/16" - 1-3/16") A2 or A10 32mm - 152mm (1-1/4" - 6")

Pilot Hole Saw Diameter that Fits A19 Arbor

14mm - 140mm (9/16" - 5.1/2") Minimum hole enlargement is 4.7mm (3/16") between pilot hole saw and cutting saw diameter

### DEBRIS COLLECTOR

### NO CLEAN UP NO DRILL DAMAGE, NO DEBRIS SPREAD

#### FEATURES:

- Bowl flexes with minimal pressure as the hole is sawn.
- Huge potential time saving there is no need to mask at risk areas prior to sawing or clean up after sawing.
- Keeps dust and other debris out of the motor of the drill.
- Suitable for hole saws up to and including 121mm (4 3/4").
- **STAGE ONE** | Pass the shank of the arbor through the hole at the bottom of the DB2 and attach to the drill in the normal way. Always ensure that the Debris Collector spins freely prior to use.
- **STAGE TWO** | Site the saw for cutting the hole. The Debris Collector can be pulled down to provide a better view of the work area.
- **STAGE THREE** | Drill the hole!
- STAGE FOUR | All the dirt and debris from the cut hole is collected inside the Debris Collector!







Debris Collector Cat No

DB2

Description

Debris Collector





### **CORE EJECTOR**

### A SIMPLE, BUT HIGHLY EFFECTIVE METHOD OF EJECTING THE CORE FROM A HOLE SAW AFTER COMPLETION OF THE CUT

- Select the appropriate size of ejector for the hole saw.
- Where it is necessary to assemble the two parts of the core ejector, twist the spring on to the ejector plate until it locks in place.
- Twist the spring on the assembled core ejector over the pilot drill until the pilot drill is protruding from the plate.
- Drill the hole.
- Please note that using the core ejector will reduce the cutting depth of the saw. The table below lists the recommended optimum maximum material thickness for each type of hole saw. The core ejector will function at greater material thicknesses than those listed, however its effectiveness will diminish.



Assembled core ejector attached to a hole saw.



After the hole has been drilled, the core can clearly be seen at the end of the pilot drill.

Core Ejector	
Cat No	Description
KA8-1	Core Ejector   suitable for 20 - 24mm hole saws
KA8-2	Core Ejector   suitable for 25 - 38mm hole saws
KA8-3	Core Ejector   suitable for 40 - 60mm hole saws
KA8-4	Core Ejector   suitable for 64 - 86mm hole saws
KA8-5	Core Ejector   suitable for 89 - 127mm hole saws
KA8-6	Core Ejector   suitable for 133 - 210mm hole saws

Recommended Maximum Material Thickness
7mm
5mm

#### PLEASE NOTE

In some applications it is possible that the core may be ejected from the saw at high speed. Please always use safety goggles and glasses and take extra care if drilling vertically.





## WHEN WINNING MATTERS.

Starrett Video Borescopes are ideal for inspection of inaccessible areas.

Applications include viewing hard-to-see areas during machining operations, inspection of internal parts of engines and machinery, A/C systems, and interior structures of walls.









### HACKSAW FRAMES

### 140

#### **CLOSED GRIP**

Light duty hacksaw frame accepting 300mm (12") blades. The blades can be tensioned by a single wing nut in the front of frame.



#### **FEATURES**

• 300mm (12") Starrett bi-metal unique, high speed steel Safe-Flex hacksaw blade included.

Cat. No.	Description
K140	Non-Adjustable Light Duty Hacksaw Frame, Closed Grip

### 145

#### **CLOSED GRIP - HIGH TENSION**

Easy to use high tension heavy duty hacksaw frame with a closed grip and an efficient adjustment lever.



- 300mm (12") Starrett bi-metal unique, high speed steel Safe-Flex hacksaw blade included.
- The handle is covered by rubber overmould for comfortable grip.
- Six turns of the tensioning handle will tension the blade to the recommended point.

Cat. No.	Description
K145	High-Tension Heavy-Duty Hacksaw Frame, Closed Grip



### HACKSAW FRAMES

### 147

#### BI-METAL COMPASS SAW

The ideal tool for cutting plasterboard, featuring a heavy-duty, variable pitch, bi-metal blade to cut most materials and provide an extra-long cutting life.

#### **FEATURES**

- 225mm (9") Starrett bi-metal unique blade included.
- Heavy duty plastic handle for ideal comfort and the best cutting leverage provides easy cutting.
- The blade rotates full 360° to easily cut at any angle.



Cat. No.	Description
K147	Compass Saw, Bi-Metal

### 148

#### PVC SAWS

Used for cutting PVC and ABS materials. Also used for cutting plasterboard, plywood and general-purpose cutting.

#### **FEATURES**

- It is shipped with a 300mm (12") or 450mm (18") blade length.
- Featuring cast aluminium handle.



Cat. No.	Description
148-12	Handle with 300mm (12") Blade
148-18	Handle with 450mm (18") Blade

#### REPLACEMENT BLADE FOR 147

#### **FEATURES**

Heavy-duty, variable pitch, bi-metal blade cuts most materials and has extra-long cutting life.

Cat. No.	Description
PT26689	225mm (9)" replacement blade for 147 compass saw

### REPLACEMENT BLADE FOR 148

#### **FEATURES**

Used for cutting plasterboard, plywood and general purpose cutting.

Cat. No.	Dimensions
PVC-12	300mm(12")
PVC-18	450mm (18")

### HACKSAW BLADES

The comprehensive range of hand hacksaw blades from Starrett are manufactured to the most exacting standards to offer optimum cutting performance across the broadest range of materials.

## BI-METAL UNIQUE HIGH SPEED STEEL SAFE-FLEX

A patented solid state diffusion process produces the industry's most advanced bi metal hacksaw blade.



#### **FEATURES**

- Massive increase in tooth strength and reduction in tooth breakage and fracture when compared against traditional bi metal blades.
- Excellent for interrupted cuts in cramped places or where the blade is subject to bending or twisting stresses.

2 Blades on card	10-Blade Pack	50 Blade Tube Pack	Dimensions	TPI
Cat. No.	Cat. No.	Cat. No.	Length x Width x Thickness	(25mm)
KBS1218-2	KBS1218-10	BS1218		18
KBS1224-2	KBS1224-10	BS1224	300mm x 13mm x 0.65mm 12" x 1/2" x .025"	24
KBS1232-2	KBS1232-10	BS1232	TE NIZ NIGES	32

### REDSTRIPE

HIGH SPEED STEEL BLADES



- Ideal when the blade is not subject to bending and twisting stresses.
- Uniformly hardened blade holds the edge when cutting hard-to-machine alloys, maintaining the straightness of the cut.

2 Blades on card	10-Blade Pack	50 Blade Tube Pack	Dimensions	TPI
Cat. No.	Cat. No.	Cat. No.	Length x Width x Thickness	(25mm)
KRS1218-2	KRS1218-10	RS1218		18
KRS1224-2	KRS1224-10	RS1224	300mm x 13mm x 0.65mm 12" x 1/2" x 025"	24
KRS1232-2	KRS1232-10	RS1232	. 12 x 1/2 x 1023	32



### HACKSAW BLADES

### **GREY-FLEX**

#### HIGH CARBON STEEL

These all-purpose blades are an economical alternative when cutting mild steel, copper, brass, aluminium and other similar materials. The blades feature an all carbon construction with a hardened cutting edge and flexible back.



2 Blades on card	10-Blade Pack	50 Blade Tube Pack	Dimensions	TPI
Cat. No.	Cat. No.	Cat. No.	Length x Width x Thickness	(25mm)
KGF1218-2	KGF1218-10	GF1218		18
KGF1224-2	KGF1224-10	GF1224	300mm x 13mm x 0.65mm 12" x 1/2" x .025"	24
KGF1232-2	KGF1232-10	GF1232	TE KINE KINES	32

## CARBIDE GRIT HEAVY DUTY CUTTING



- Durable steel construction with a uniform application of carbide grit bonded to the cutting edge.
- An ideal tool for cutting ceramic, fibreglass, plastics, glass resins and other abrasive materials that cannot be effectively cut by conventional blades.

Cat. No.	Length x Width x Thickness	Tooth Type
X1258	300mm x 16mm x .80mm 12" x 5/8" x .032"	Grit

## CARBIDE GRIT ROD SAW CERAMICS AND FIBREGLASS CUTTING

An ideal tool for cutting ceramics, fibreglass, plastics, glass resins or any other abrasive materials that cannot be effectively cut by conventional blades.



- Constructed of a tough steel alloy rod that has been coated by carbide grit.
- This unique rod saw blade effectively cuts abrasive materials.

Cat. No.	Length x Width x Thickness	Tooth Type
X1200	300mm x 2.4mm 12" x 3/32"	Grit








### POWER HACKSAW BLADES





Starrett power hacksaw blade lengths as listed below are measured as the distance between the centre of the two pin holes.

### BI-METAL HSS HIGH SPEED STEEL TEETH

The bi-metal construction of these power hacksaw blades provides exceptional cutting action in a wide variety of applications. The high speed steel teeth and durable alloy steel backing resist breakage and can handle irregular shaped work pieces and interrupted cuts.

Cat No.	Length x Width x Thickness (mm)	TPI TP/25mm	Pinhole Diameter (mm)	Pack Quantity
BS1210-5	- 300 x 28 x 1.25	10		
BS1214-5	300 X 26 X 1.23	14		
BS1410-5	- 350 x 28 x 1.25	10		
BS1414-5	- 330 X 26 X 1.23	14	- 8.5	
BS1406-6	- 350 x 34 x 1.60	6	0.5	
BS1410-6	- 330 X 34 X 1.00	10		
BS1606-6	- 400 x 34 x 1.60	6		
BS1610-6	400 X 34 X 1.00	10		5 blades per pack
BS1606-7	- 400 x 41 x 2.00	6		
BS1610-7	-400 X 41 X 2.00	10		
BS1806-6	- 450 x 34 x 1.60	6		
BS1810-6	- 450 x 34 x 1.60	10	10.5	
BS1804-7	450 x 41 x 2.00	4		
BS1806-7		6		
BS1810-7		10		

Cat No.	Length x Width x Thickness (mm)	TPI TP/25mm	Pack Quantity
BS350-6	- 350 x 34 x 2.00	6	
BS350-10	- 330 X 34 X 2.00	10	
BS400-4		4	
BS400-6	400 x 34 x 2.00	6	5 blades
BS400-10		10	per pack
BS450-4		4	
BS450-6	450 x 41 x 2.00	6	
BS450-10		10	
BS500-6	500 x 54 x 2.5	6	
BS550-6	550 x 54 x 2.5	6	
BS575-4	- 575 x 54 x 2.50	4	
BS575-6	- 373 X 34 X Z.30	6	1 blade per pack
BS600-4	- 600 x 54 x 2.5	4	
BS600-6	000 X 34 X Z.3	6	
BS650-6	650 x 54 x 2.5	6	





### HACKSAW HSS POWER

### REDSTRIPE HSS

### SOLID HIGH SPEED STEEL POWER

The solid, fully hardened molybdenum high speed steel composition of Redstripe power hacksaw blades delivers extended life and efficient cutting action in a broad range of materials. These blades can withstand heavier feed pressures and provide faster cut rates than blades made from composite designs. Redstripe power hacksaw blades will effectively cut tough alloys such as stainless steels.



Cat No.	Length x Width x Thickness (mm)	TPI TP/25mm	Pinhole Diameter (mm)	Pack Quantity
RS1210-5	- 300 x 25 x 1.25	10	8.5	
RS1214-5	300 X 23 X 1.23	14	8.5	
RS1410-5	- 350 x 25 x 1.25	10	8.5	
RS1414-5	- 330 X Z3 X 1.Z3	14	8.5	
RS1406-6		6	8.5	
RS1410-6	350 x 32 x 1.60	10	8.5	
RS1414-6		14	8.5	
RS1606-6	- 400 x 32 x 1.60	6	8.5	
RS1610-6	-400 X 32 X 1.60	10	8.5	
RS1604-7	- 400 x 38 x 2.00	4	8.5	
RS1606-7	400 x 36 x 2.00	6	8.5	5 blades per pack
RS1706-6	- 425 v 22 v 1 60	6	8.5	
RS1710-6	- 425 x 32 x 1.60	10	8.5	
RS1806-6	- 450 x 32 x 1.60	6	10.5	
RS1810-6	430 X 32 X 1.00	10	10.5	
RS1804-7		4	10.5	
RS1806-7	450 x 38 x 2.00	6	10.5	
RS1810-7		10	10.5	
RS2006-7	- 500 x 38 x 2.00	6	10.5	
RS2010-7	300 X 36 X 2.00	10	10.5	
RS2004-8	500 x 45 x 2.25	4	10.5	
RS2110-7	525 x 38 x 2.00	10	10.5	
RS2104-8	- 525 x 45 x 2.25	4	10.5	
RS2106-8	525 X 45 X 2.25	6	10.5	
RS2404-8	- 600 x 45 x 2.25	4	12.5	
RS2406-8	000 X 43 X 2.23	6	12.5	1 blade per pack
RS2404-0	- 600 x 50 x 2.50	4	12.5	
RS2406-0	000 A 30 A 2.30	6	12.5	
RS2604-0	650 x 50 x 2.50	4	12.5	
RS3004-0	750 x 63 x 2.50	4	12.5	

Cat No.	Length x Width x Thickness (mm)	TPI TP/25mm	Pack Quantity		
RS300-6	- 300 x 32 x 2.00	6			
RS300-10	300 X 32 X 2.00	10			
RS350-6	- 350 x 32 x 2.00	6			
RS350-10	- 330 X 32 X 2.00	10			
RS400-4		4			
RS400-6	400 x 32 x 2.00	6			
RS400-10		10	5 blades per pack		
RS450-4		4			
RS450-6	450 x 38 x 2.00	6			
RS450-10		10			
RS500-4		4			
RS500-6	500 x 45 x 2.00	6			
RS500-10		10			
RS550-4		4			
RS550-6	550 x 45 x 2.00	6			
RS550-10		10			
RS575-4	- 575 x 50 x 2.50	4			
RS575-6	- 5/5 X 50 X 2.50	6			
RS600-4	600 x 50 x 2.50	4			
RS600-6	000 X 50 X 2.50	6	1 blade		
RS650-4	- 650 x 55 x 2.50	4	per pack		
RS650-6	050 X 55 X 2.50	6			
RS700-4	700 x 55 x 2.50	4			
RS700-6	700 X 55 X 2.50	6			
RS850-4	050 60 3 .00	4			
RS850-6	- 850 x 60 x 3.00	6			
RS1000-2.1/2	1000 x 126 x 3.50	2.5			



# NO CONTACT IS THE SOLUTION.



Profile360™ is an in-line, real-time, non-contact solution for continuously monitoring key profile dimensions in complex shapes such as rubber, ceramic, plastic, and wood-plastic composite extrusions, roll-formed metal profiles, and profiled wire.



Starrett

**00 44 (0)1835 863501 •** www.starrett.co.uk



### BI-METAL UNIQUE JIG SAW BLADES

#### UNIFIED SHANK

Starrett Unified Shank jig saw blades incorporate the Starrett exclusive bi-metal unique process technology. Blades made from this process resist breakage, cut faster and last longer than conventional saws. Unified Shank jig saws are available in two-blade packs, five-blade packs, twenty-blade packs and in various assortment packs.





	2 Blades per Pack	5 Blades per Pack	20 Blades per Pack	100 Blades per Pack	Dimensions*	TPI		
	Cat. No.	Cat. No.	Cat. No.	Cat. No.	Length x Width x Thickness	(25mm)	Tooth	Set
WOOD CUTTING	BU36T-2	BU36T	BU36T-20	-	75mm x 7.5mm x 1.3mm 75mm x 7.5mm x 1.3mm 3" x 5/16" x .050"	6	Ground	Tapered
	BU36-2	BU36	BU36-20	-		6	Skip	Alternate
	BU38-2	BU38	BU38-20	-		8	Regular	Alternate
	BU310T-2	BU310T	BU310T-20	BU310T-100		10	Ground	Tapered
	BU310DT-2	BU310DT	BU310DT-20	-		10	Ground	Tapered, Downstroke Cut
	BU46-2	BU46	BU46-20	BU46-100	100mm x 9.5mm x 1.3mm 4" x 3/8" x .050"	6	Skip	Alternate
	BU56-2	BU56	BU56-20	BU56-100	125mm x 9.5mm x 1.3mm 5" x 3/8" x .050"	6	Skip	Alternate
	BU214-2	BU214	BU214-20	BU214-100	50mm x 7.5mm x 1mm 2" x 5/16" x .040"	14	Regular	Wavy
MULTI-PURPOSE	BU218-2	BU218	BU218-20	BU218-100	50mm x 9.5mm x 1mm 2" x 3/8" x .040"	18	Regular	Wavy
	BU214S-2	BU214S	BU214S-20	-	50mm x 4.5mm x 1mm 2" x 3/16" x .040"	14	Scroll	Wavy
	BU41014-2	BU41014	BU41014-20	-	100mm x 9.5mm x 1mm 4" x 3/8" x .040"	10-14	Varipitch	Wavy
	BU418-2	BU418	BU418-20	BU418-100		18	Regular	Wavy
	BU224-2	BU224	BU224-20	-	50mm x 7.5mm x 1mm 2" x 5/16" x .040"	24	Regular	Wavy
	BU232-2	BU232	BU232-20	-		32	Regular	Wavy
METAL CUTTING	BU224S-2	BU224S	BU224S-20	-	50mm x 4.5mm x 1mm 2" x 3/16" x .040"	24	Scroll	Wavy
METAL (	BU424-2	BU424	BU424-20	-	100mm x 9.5mm x 1mm 4" x 3/8" x .040"	24	Regular	Wavy
Ī	CTU218-2	-	-	-	50mm x 7.5mm x 1mm 2" x 5/16" x .040"	18	Carbide Tipped	Alternate
	CTU224-2	-	-	-		2	Carbide Tipped	Alternate
MULTI-PURPOSE CARBIDE GRIT	BU230X-2	BU230X	BU230X-20	-	50mm x 7.5mm x 1mm 2" x 5/16" x .040"	Coarse CG	Cont. Grit	-

 $<sup>* \</sup> Length \ dimension \ references \ tooth \ bearing \ section \ of \ jig \ saws. \ The \ total \ length, \ including \ blade \ shank, \ is \ approximately \ 25mm \ (1'') \ longer.$ 



## DUAL CUT JIG SAW BLADES


#### UNIFIED SHANK

The two new wood-cutting saw designs with teeth in both directions offer a burr-free cut on both sides. Bi-metal unique saw technology provides 170% greater resistance to tooth breakage, longer life and a lower cost per cut than other blade manufacture techniques.









2 Blade Pack	Dimensions*		
Cat. No.	Length x Width x Thickness	Description	
BU3DC-2	75mm x 8mm x 1.5mm 3" x 5/16" x .060"	75mm (3") Dual Cut Jig Saw Blade	
BU2DCS-2	50mm x 5mm x 1.3mm 2" x 3/16" x .050"	50mm (2") Scroll-Cutting Dual Cut Jig Saw Blade	

<sup>\*</sup> Length dimension references tooth bearing section of jig saws. The total length, including blade shank, is approximately 25mm (1") longer.


## 

## JIG S/W KITS

#### UNIFIED SHANK JIG SAW BLADE ASSORTMENT PACK



Cat. No.	Description
BU1	Wood Cutting Assortment Pack: Includes one each: BU36, BU46, BU38, BU310T and BU214S
BU2	Multi-Purpose Assortment Pack: Includes one each: BU46, BU310T, BU214, BU224S and BU232
BU3	Metal Cutting Assortment Pack: Includes one each: BU41014, BU214, BU224, BU224S and BU232
BU4	Unified Shank Assortment Pack: Includes one each: BU36T, BU36, BU46, BU56, BU38 BU310T, BU310DT, BU2DCS, BU3DC, BU41014, BU214, BU214S, BU218, BU418, BU230X, BU224, BU224S, BU424, BU232
BU5	New Unified Shank Assortment Pack: Includes one each: BU36, BU46, BU310T, BU41014 and BU214
BU6	New Unified Shank Assortment Pack: Includes one each: BU36, BU46, BU310T, BU3DC, BU2DCS, BU41014,BU214, BU214S, BU218, BU418, BU224, BU224S, BU424 and BU232









## RECIPROCATING BLADES

## STRAIGHT SHAPE

GENERAL PURPOSE

Fastcut general purpose reciprocating blades provide a comprehensive set of sawing solutions.





2 Blade Packs Cat. No.	5 Blade Packs Cat. No.	20 Blade Packs	Dimensions Length x Width x Thickness	TPI (25mm)
B414-2	B414-5	B414-20		14
B418-2	B418-5	B418-20	100mm x 19mm x 0.90mm 4" x 3/4" x .035"	18
B424-2	B424-5	B424-20	_ 4	24
B66-2	B66-5	B66-20		6
B610-2	B610-5	B610-20		10
B614-2	B614-5	B614-20	152mm x 19mm x 0.90mm 6" x 3/4" x .035"	14
B618-2	B618-5	B618-20	18	
B624-2	B624-5	B624-20		24
B818-2	B818-5	B818-20	203mm x 19mm x 0.90mm 8" x 3/4" x .035"	18

## TAPERED SHAPE







2 Blade Packs	5 Blade Packs	20 Blade Packs	Dimensions	TPI (25mm)	
Cat. No.	Cat. No.	Cat. No.	Length x Width x Thickness	171 (25111111)	
BT63-2	BT63-5	BT63-20		3	
BT66-2	BT66-5	BT66-20	152mm x 19mm x 1.30mm 6" x 3/4" x .050"	6	
BT6610-2	BT6610-5	BT6610-20		6-10	
BT96-2	BT96-5	BT96-20	228mm x 19mm x 1.30mm	6	
BT910-2	BT910-5	BT910-20	9" x 3/4" x .050"	10	
BT123-2	BT123-5	BT123-20		3	
BT126-2	BT126-5	BT126-20	300mm x 19mm x 1.30mm	6	
BT12610-2	BT12610-5	BT12610-20	12" x 3/4" x .050"	6-10	
BT121014-2	BT121014-5	BT121014-20		10-14	



## RECIPROCATING BLADES

## KING CUT

## FIRE RESCUE AND DEMOLITION



2 Blade Packs	5 Blade Packs	20 Blade Packs	Dimensions	TPI	Shape
Cat. No.	Cat. No.	Cat. No.	Length x Width x Thickness	(25mm)	зпаре
BR618-2	BR618-5	BR618-20	152mm x 19mm x 0.90mm	18	Charlet
BR61014-2	BR61014-5	BR61014-20	6" x 3/4" x .035"	10-14	Straight
BTR61014-2	BTR61014-5	BTR61014-20	152mm x 25mm x 1.60mm	10-14	Tananad
BTR6610-2	BTR6610-5	BTR6610-20	6" x 1" x .063"	6-10	Tapered
BR818-2	BR818-5	BR818-20	203mm x 19mm x 0.90mm 8" x 3/4" x .035"	18	Straight
BR81014-2	BR81014-5	BR81014-20	203mm x 19mm x 1.30mm 8" x 3/4" x .050"	10-14	Straight
BTR81014-2	BTR81014-5	BTR81014-20	203mm x 25mm x 1.60mm	10-14	Tapered
BTR8610-2	BTR8610-5	BTR8610-20	8" x 1" x .063"	6-10	
BR91014-2	BR91014-5	BR91014-20	228mm x 19mm x 1.30mm 9" x 3/4" x .050"	10-14	Straight
BTR91014-2	BTR91014-5	BTR91014-20	228mm x 25mm x 1.60mm	10-14	Tanarad
BTR9610-2	BTR9610-5	BTR9610-20	9" x 1" x .063"	6-10	Tapered
BR121014-2	BR121014-5	BR121014-20	300mm x 19mm x 1.30mm 12" x 3/4" x .050"	10-14	Straight
BTR121014-2	BTR121014-5	BTR121014-20	300mm x 25mm x 1.60mm	10-14	- Tapered
BTR12610-2	BTR12610-5	BTR12610-20	12" x 1" x .063"	6-10	- iapeieu

## SPECIAL PURPOSE SCROLL CUTTING



2 Blade Packs	5 Blade Packs	20 Blade Packs	Dimensions Length x Width x Thickness	TDI (25mm)	Shape
Cat. No.	Cat. No.	Cat. No.			
SB414-2	SB414-5	SB414-20	100mm x 8mm x 0.90mm 4" x 5/16" x .035"	14	Scroll
SB424-2	SB424-5	SB424-20		24	Scroll

#### PLASTER CUTTING



2 Blade Packs	5 Blade Packs	Dimensions Length x Width x Thickness	TPI (25mm)	Shape
Cat. No.	Cat. No.			
VB66-2	VB66-5	152mm x 19mm x 0.90mm 6" x 3/4" x .035"	6V	Straight

#### CARBIDE CUTTING



1 Blade Pack	20 Blade Packs	Dimensions	TPI (25mm)	Shape
Cat. No.	Cat. No.	Length x Width x Thickness	,	
XR6-1	XR6-20	152mm x 19mm x 0.90mm 6" x 3/4" x .035"	#30 Coarse	Straight

## RECIPROCATING BLADES

### PNEUMATIC

Starrett now offers a line of bi-metal unique saw blades for pneumatic (or air) reciprocating saws. The line includes three blades for metal and a variable pitch multi-purpose blade for composites, steel sheets and wood.





	5 Blades per Pack	20 Blades per Pack	Dimensions	
	Cat. No.	Cat. No.	Length x Width x Thickness	TPI (25mm)
ی ر	BS226-5	BS226-20		32
METAL	BS227-5	BS227-20		24
- 5	BS228-5	BS228-20	92mm x 13mm x .65mm	18
MULTI- PURPOSE	BS229-5	BS229-20	3.5/8" x 1/2" x .025"	14-18

## PALLET DISMANTLING

This bi-metal reciprocating blade is ideal for pallet dismantling and comes with a low price tag with no print or paint. Instead, the identifying information is engraved directly on the blade. The rounded tip prevents the blade from catching while cutting nails and damaged pallets. This blade is packed in bulk boxes of 250 blades.

250 Blade Box	Dimensions
Cat. No.	Length x Width x Thickness
B810P-250	203mm x 19mm x 0.90mm 8" x 3/4" x .035"



## RECIPROCATING BLADE KIT

ASSORTMENT PACK

Cat. No.	Description
SB6-A	Includes one each of B66, B610, B614, B618, B624

150mm (6") general purpose blade assortment pack.





## TAPE MEASURES

## Starrett

## **STARRETT**

Produced of yellow high visibility ABS plastic, these value priced tape measures are easy to locate and difficult to damage. Their ergonomic design provides a comfortable fit in the hand and incorporates industry standard standout and positive blade lock.

#### **FEATURES**

- Positive lock holds blade firmly in place.
- Steel belt clip.



Cat. No.	Blade Size	Graduation*
KTS12-12ME-N	13mm (1/2") x 3.5m (12')	Metric / Imperial
KTS12-3.5M-N	13mm (1/2") x 3.5m	Metric
KTS34-16ME-N	19mm (3/4") x 5m (16')	Metric / Imperial
KTS34-5M-N	19mm (3/4") x 5m	Metric

Cat. No.	Blade Size	Graduation*
KTS1-26ME-N	25mm (1") x 8m (26')	Metric / Imperial
KTS1-8M-N	25mm (1") x 8m	Metric

\*Blade Graduation Style:
Metric: Graduated in Millimetres

Metric: Graduated in Millimetres
Metric / Imperial: Graduated Millimetres and 1/16"



## TAPE MEASURES

## STARRETT EXACT

Produced of high impact resistent ABS plastic for extended case life, these tape measures offer overmould for improved grip. Their ergonomic design fits comfortably in the hand and incorporates industry standard standout and improved blade protection.

#### **FEATURES**

- Nylon coated blade provides twice the abrasion resistance of other tapes.
- High impact resistent ABS plastic case and rubber plastic overmoulding.
- Includes a steel belt clip.





Cat. No.	Blade Size	Graduation*
KTX12-12ME-N	13mm (1/2") x 3.5m (12')	Metric / Imperial
KTX12-3.5M-N	13mm (1/2") x 3.5m	Metric
KTX34-16ME-N	19mm (3/4") x 5m (16')	Metric / Imperial

Cat. No.	Blade Size	Graduation*
KTX1-16ME-N	25mm (1") x 5m (16')	Metric / Imperial
KTX1-5M-N	25mm (1") x 5m	Metric
KTX1-26ME-N	25mm (1") x 8m (26')	Metric / Imperial
KTX1-8M-N	25mm (1") x 8m	Metric

\*Blade Graduation Style: Metric: Graduated in Millimetres

Metric / Imperial: Graduated Millimetres and 1/16"



## MEASURING TAPES



## STARRETT EXACT PLUS

High impact resistant PC-ABS plastic for superior case life. These tape measures incorporate heavy overmoulding for improved grip.

## NEW!

#### **FEATURES**

- Wider blade providing a 2.7m (9') standout.
- Nylon coated blade provides 6X abrasion resistance of standard blades.
- PC-ABS plastic case and heavy overmoulding.
- Positive lock holds blade firmly in place.
- Black anodized steel belt clip.



Cat. No.	Blade Size	Graduation*
KTXP106-16ME-N	27mm (1.06") x 5m (16')	Metric / Imperial
KTXP106-5M-N	27mm (1.06") x 5m	Metric
KTXP106-26ME-N	27mm (1.06") x 8m (26')	Metric / Imperial
KTXP106-8M-N	27mm (1.06") x 8m	Metric

Cat. No.	Blade Size	Graduation*
KTXP106-33ME-N	27mm (1.06") x 10m (33')	Metric / Imperial
KTXP106-10M-N	27mm (1.06") x 10m	Metric

\*Blade Graduation Style:
Metric: Graduated in Millimetres
Metric / Imperial: Graduated Millimetres and 1/16"



### MEASURE STIX

Starrett Measure Stix are manufactured from high quality precision steel. They have a permanent adhesive backing providing convenient, at-a-glance measurements. Can be mounted on work benches, saw tables, drafting tables, etc.



#### **FEATURES**

- High quality precision steel for extended service use.
- Sticks to most work surfaces.
- Easily cut to size with scissors.
- Available in left-to-right or right-to-left.

Cat. No.	Reading	Blade Size	Graduation*
SM44W	Imperial – left-to-right	1/2" x 4'	S1 (Imperial)
SM46WRL	Imperial – right-to-left	1/2" x 6'	S1 (Imperial)
SM412ME	Metric/Imperial – left-to-right	13mm x 4m (1/2" x 12')	S12 (Metric/Imperial)
SM412WRL	Imperial – right-to-left	1/2" x 12'	S1 (Imperial)
SM412WMERL	Metric/Imperial – right-to-left	13mm x 4m (1/2" x 12')	S12 (Metric/Imperial)
SM66ME	Metric/Imperial – left-to-right	19mm x 2m (3/4" x 6')	S12 (Metric/Imperial)

<sup>\*</sup> See tape line illustrations below

#### **Short-Line Tape Graduations and Numbering Styles**



#### **S1** Imperial

- Graduated in 1/16" on both edges.
- Graduated 1/32" for the first foot of 1/2" and 3/4" wide blades only.
- Numbered in consecutive inches to 1' and repeat on one edge and consecutive inches on the other edge.
- Blades have stud marks every 16" on Imperial lines.



#### **S12 Metric / Imperial**

- Lower edge graduated in millimetres and numbered in consecutive centimetres to each decimetre and repeat.
- Top edge graduated in 16ths of an inch and numbered in consecutive inches and numbered at each foot.

## KEY CADDY

Heavy-duty die-cast case with a 53cm (21") stainless steel chain and large key ring. Returns keys and other articles automatically.

Available with regular belt clip.



Cat. No.	Description
SK1	Key Caddy with regular belt clip

## LONG TAPES

## Starrett

## STARRETT STEEL BLADE

510 SERIES - CLOSED REEL

The closed reel long tapes are produced with yellow high visibility ABS plastic. These value priced long tape measures are easy to locate and difficult to damage. The steel blade provides a precise measurement of up to 30m (100'). The blade has an uncluttered line and numbering style.



## FEATURES Produced with

- Produced with easy-to-read graduations.
- Includes a folding hook.

\*Blade Graduation Style: Metric: Graduated in mm

Metric/Imperial: Millimetres and graduated 1/8"

Cat. No.	Blade Size	Graduation*
KTS510-15M-N	9mm (3/8") x 15m	Metric
KTS510-50ME-N	9mm (3/8") x 15m (50')	Metric / Imperial
KTS510-30M-N	9mm (3/8") x 30m	Metric
KTS510-100ME-N	9mm (3/8") x 30m (100')	Metric / Imperial

# STARRETT FIBREGLASS BLADE 538 SERIES - CLOSED REEL

Closed reel fibreglass long tapes are produced with a unique design with rubber plastic overmoulded on an ABS plastic case, providing a durable, comfortable, and highly visible measuring tool. Graduations are printed on both sides of the tape for user convenience.

#### **FEATURES**

- Rubber plastic overmoulded on ABS plastic case.
- Graduations on both sides of tape.
- Folding hook ring with snap for storage.







Cat. No.	Blade Size	Graduation*
KTS538-30M-N	13mm (1/2") x 30m	Metric
KTS538-100ME-N	13mm (1/2") x 30m (100')	Metric / Imperial

\*Blade Graduation Style:

Metric: Graduated in 2mm

Metric/Imperial: Graduation in 1/8" and 2mm



## LONG TAPES

## **STARRETT** EXACT STEEL BLADE

530 SERIES - CLOSED REEL



The closed reel steel long tape features a rugged rewind mechanism. Nylon rollers at case opening to reduce blade wear through sustained field use. Blades are produced with high visibility, easy-to-read graduations.

#### **FEATURES**

- Vinyl clad steel case.
- Nylon rollers to reduce blade wear.

Cat. No.	Blade Size	Graduation*
530-15CM	9mm x 15m	Metric
530-20CM	9mm x 20m	Metric
530-30CM	9mm x 30m	Metric





## REPLACEMENT BLADE 530 SERIES



Cat. No.	Blade Size	Graduation*
LHY530-15CM	3/8" x 15m	Metric
LHY530-20CM	3/8" x 20m	Metric
LHY530-30CM	3/8" x 30m	Metric

<sup>\*</sup>Blade Graduation Style: Metric: Graduated in Millimetres



## LONG TAPES

# STARRETT FIBREGLASS BLADE 537 SERIES - OPEN REEL

Open reel fibreglass long tapes are produced with steel exit rollers, permitting the user to measure in adverse environments. The extended rewind handle and rotating knob allow the user to quickly retract the tape into the frame after use.

#### **FEATURES**

- Long rewind handle with rotating knob.
- Easy-grip handle accommodates large hands.
- Waterproof ABS frame and case makes cleanup fast and easy.



Cat. No.	Blade Size	Graduation*
KTS537-30M-N	13mm (1/2") x 30m	Metric
KTS537-100ME-N	13mm (1/2") x 30m (100')	Metric/Imperial
KTS537-50M-N	13mm (1/2") x 50m	Metric
KTS537-200ME-N	13mm (1/2") x 50m (200')	Metric/Imperial
KTS537-100M-N	13mm (1/2") x 100m	Metric
KTS537-300ME-N	13mm (1/2") x 100m (300')	Metric/Imperial

\*Blade Graduation Style:

Metric: Graduated in 2 millimetres

Metric/Imperial: Graduated 2 millimet



#### **UTILITY KNIVES**

#### NEW!



Cat. No.	Blade Width	Description
KUS055-N	9mm (3/8")	Small Plastic Slide Locking



Cat. No.	Blade Width	Description	
KUS045-N	18mm (.710")	Large Plastic Slide Locking	

## **STARRETT**

#### SMALL SIZE SLIDE LOCKING

Small ABS plastic utility knife features a slide locking system.

#### **FEATURES**

- This utility knife works with 9mm (3/8") blade (S05R).
- Blade with 13 break-away segments.

#### LARGE SIZE SLIDE LOCKING

Large ABS plastic utility knife with a slide locking system.

#### **FEATURES**

- This utility knife works with 18mm (.710") blade (S06R).
- Blade with 8 break-away segments.

### STARRETT EXACT









Cat. No.	Blade Width	Description
KUX035-N	9mm (3/8")	Small Plastic Automatic Locking

Cat. No.	Blade Width	Description
KUX040-N	9mm (3/8")	Small Plastic Screw Locking

Cat. No.	Blade Width	Description
KUX025-N	.18mm (.710")	Large Plastic - Automatic Locking

### AUTOMATIC LOCKING METAL BLADE GUIDE

Small plastic utility knife with automatic locking, metal blade guide.

#### **FEATURES**

- This utility knife works with 9mm (3/8") blade (S05R).
- ABS plastic body and rubber plastic overmoulded.
- Blade with 13 break-away segments.

## SCREW LOCKING METAL BLADE GUIDE

Small plastic utility knife with screw locking, metal blade guide.

#### **FEATURES**

- This utility knife works with 9mm (3/8") blade (S05R).
- ABS plastic body and rubber plastic overmoulded.
- Blade with 13 break-away segments.

### AUTOMATIC LOCKING METAL BLADE GUIDE

Large plastic utility knife with automatic locking metal blade guide.

- This utility knife works with 18mm (.710") blade (S06R).
- ABS plastic body and rubber plastic overmoulded.
- Blade with 8 break-away segments.





## **STARRETT** EXACT PLUS SERIES

### S011 HIDDEN EDGE -RETRACTABLE BLADE

The blade stays safely tucked away when not in use. Simply release the safety lock and squeeze the lever to use. With quick release blade change and storage for spares in the body, blade changes are fast and tool-free.

#### **FEATURES**

- This utility knife is supplied with trapezoidal blade (SO1R).
- It also works with hook blades (SH01R).
- Easy to use safety lock and lever allows the blade to be exposed instantly.
- Thumb wheel accurately adjusts cutting depth.
- Fast, tool-free blade changes.

### ALUMINIUM DIE-CAST BODY FOLDING KNIFE

A die-cast folding knife using trapezoidal or hook blade.



Cat. No.	Blade Type	Description
KUXP010-N	Standard Trapezoidal	Aluminium Die-Cast Body Folding

#### **FEATURES**

- This utility knife works with trapezoidal (S01R) or hook blades (SH01R).
- Supplied with 1 blade and a dispenser with 3 spare trapezoidal blades.









Cat. No.	Blade Type	Description
S011	Standard Trapezoidal	Hidden Edge Utility Knife







#### 968 HOLSTER FOR SO11

Safely and conveniently houses the S011 Hidden Edge Utility Knife.



Cat. No.	Description
968	Hidden Edge Leather Belt Holster

## **UTILITY KNIVES**



### **ALUMINIUM BODY** *AUTOMATIC LOCKING*





Small extruded aluminium utility knife with automatic locking features break-away blades.

#### **FEATURES**


- This utility knife works with 9mm (3/8") blade (S05R).
- Aluminium body overmoulded with rubber.
- Internal dispenser with 4 blades.
- Automatic locking blade.



Cat. No.	Blade Width	Description
KUXP020-N	3/8" (9mm)	Small Extruded Aluminium Automatic Locking

## REPLACEMENT BLADES

Safe and easy handling dispenser with blades.



Cat. No.	Blade Type	Dispenser Description	Fits
S01R	Standard Trapezoidal	10 high carbon steel trapezoidal blades	S011
SH01R	Hook	10 high carbon steel hook blades	KUXP010-N
S05R	Break-away 3/8" (9mm)	10 high carbon steel break-away blades.	KUS055-N KUX035-N KUX040-N KUXP020-N
S06R	Break-away .710" (18mm)	10 high carbon steel break-away blades.	KUS045-N KUX025-N







## TORPEDO LEVELS





#### STARRETT TORPEDO

Manufactured with 225mm (9") extruded aluminium frames with high visibility yellow and red ABS plastic construction for impact resistance.



#### **FEATURES**

- Vertical, horizontal, and 45° vials.
- V-grooved top surface and magnetic bottom surface.

Cat. No.	Length	Magnetic Model
KLTS9-N	225mm / 9"	Χ

#### STARRETT EXACT TORPEDO

Manufactured with 240mm (9.1/2") extruded aluminium frames and finished with red high visibility powder coat paint, including impact resistant ABS grey plastic end caps.







#### **FEATURES**

- Vertical, horizontal, and 45° vials.
- Milled top surface finished with a V-groove and a magnetic bottom surface.
- Includes impact resistant ABS plastic end caps.

Cat.	No.	Length	Magnetic Model
KLT>	(95-N	240mm (9-1/2")	X

Starrett

EXACT® PLUS

#### STARRETT EXACT PLUS TORPEDO

Starrett Exact Plus torpedo levels are manufactured with a 250mm (10") sturdy die cast enclosed aluminium frame and finished with durable powder coat paint.



- Vertical, horizontal, and 45° vials.
- Includes a milled top surface finished with a V-groove and a magnetic bottom surface.

Cat. No.	Length	Magnetic Model
KLTXP10-N	250mm (10")	Χ



## **ALUMINIUM LEVELS**

Starrett

## **STARRETT**



#### BOX BEAM

Produced with aluminium special box shape cross section frame for improved strength and rigidity.



#### **FEATURES**

- Two vertical vials and one horizontal vial with ABS plastic vial holders.
- Shock-absorbing end caps to protect working edges and preserve accuracy.

Cat. No.	Length
KLBS24-N	600mm (24")
KLBS48-N	1200mm (48")
KLBS72-N	1800mm (72")

## STARRETT EXACT

#### BOX BEAM

Manufactured of heavy duty aluminium with special box shape cross section frame for improved strength. The levels are designed with comfortable hand grips with soft touch.







- Two vertical vials and one horizontal vial with ABS plastic vial holders accurate to 0.001mm / 25mm (0.00005" / inch).
- Shock-absorbing end caps to protect working edges and preserve accuracy.
- Available with milled only or milled and magnetic bottom surface.

Cat. No.	Length	Magnetic
KLBX24-N	600mm (24")	
KLBX48-N	1200mm (48")	
KLBX78-N	1950mm (78")	
KLBX16-1-N	400mm (16")	Χ
KLBX24-1-N	600mm (24")	Χ
KLBX48-1-N	1200mm (48")	Χ
KLBX78-1-N	1950mm (78")	X



## **ALUMINIUM LEVELS**

## STARRETT EXACT PLUS



Manufactured from professional quality aluminium with special box shape cross section frame for improved strength. This level includes two milled surfaces, one of which is magnetic.



#### **FEATURES**

- Vertical and horizontal vials.
- Vial holders accurate to 0.001mm / 25mm (0.00005" / inch).
- Rubber plastic shock-absorbing end caps to protect working edges and preserve accuracy.
- Comfortable soft touch hand grips.

Cat. No.	Length	Magnetic
KLBXP24-1-N	600mm (24")	X
KLBXP48-1-N	1200mm (48")	X
KLBXP78-1-N	1950mm (78")	X

## STARRETT EXACT SERIES



This level is produced with a heavy duty aluminium I-Beam cross section frame. The unique design includes impact resistant end caps and comfortable soft touch hand grips.



- Large 360° anti-shock vial sites allow maximum visibility and accuracy of 0.03mm per 25mm (0.001" / inch).
- Available with milled bottom surface.

Cat. No.	Length
KLIX24-N	600mm (24")
KLIX48-N	1200mm (48")
KLIX72-N	1800mm (72")



## **ALUMINIUM LEVELS**



## STARRETT EXACT PLUS

I-BE∧M

Professional duty aluminium I-Beam cross section frame. Unique design includes special rubberized plastic impact resistant end caps.



#### **FEATURES**

- Large 360° anti-shock vial sites allow maximum visibility and accuracy of 0.02mm per 25mm (0.00075" / inch).
- Comfortable soft touch hand grips.
- Milled top surface and magnetic bottom surface.

Cat. No.	Length	Magnetic Model
KLIXP24-1-N	600mm (24")	X
KLIXP48-1-N	1200mm (48")	X
KLIXP72-1-N	1800mm (72")	X


## POCKET LEVELS


## 135 SERIES

SATIN NICKEL-PLATED FINISH

	Size		
Cat. No.	Inch	Millimetre	Description
135A	2-1/2"	63mm	With
135B	3-1/2"	88mm	Main Vial







## SPECIALITY

## ANGLE METRE

MAGNETIC ANGLE METER, 0 TO 90°

Large readable scale for accurate readings from 0 to  $90^{\circ}$  in any quadrant. Integral magnetic base frees hands when used on ferrous surfaces.

#### **FEATURES**

- Measures any angle for pitch or slope.
- Handy rise, run, angle and pitch information on back of the tool.



Cat. No.	Description
AM-2	Magnetic Angle Metre, 0 to 90°

## BE-1 BULL'S-EYE CIRCULAR LEVEL

Circular bull's-eye level has full 360° large sight for easy viewing. Each level features sturdy plastic construction and is ideal for home, workshop and industry use.

Cat. No.	Description
BE-1	44mm / 1-3/4" Circular Level



## **CROSS TEST LEVELS**

## 134

#### **FEATURES**

- Cast iron with a satin nickel finish, all working surfaces are flat and true.
- Level has two vials at right angles for cross test levelling without moving the tool, and a plumb level at the top for checking squareness.
- Accurate, well-made and reliable tool.
- Very light and compact and can be easily carried in the pocket.

	Size		
Cat. No.	Inch	mm	Description
134	2" x 3"	50 x 75mm	With Cross Test Vials and Plumb Vial




### 136

- Cast iron with a satin nickel finish, all working surfaces are flat and true.
- Level has two vials at right angles for cross test levelling without moving the tool, and a plumb level at the top for checking squareness.
- Level is light and compact, with an attractive black wrinkle finish and a ground reference surface.

	Size		
Cat. No.	Inch	mm	Description
136	2-3/4" x 2-3/4"	70 x 70mm	With Cross Test Vials









## CHALK LINES

## Starrett

### ST/RRETT

High impact-resistant ABS plastic cases that hold 120g (4 oz) of chalk. Each chalk box line includes 30m (100') of line with a press-to-release feature and is manufactured with 3.5X faster line rewind. The chalk line is secured with a stainless steel hook.

#### **FEATURES**

- High impact resistant ABS plastic case.
- Holds 120g (4 oz) of chalk.
- 30m (100') press to release line.
- 3.5X faster line rewind.
- Stainless steel hook.

Cat. No.	Size	Feet	Metres
KCS001-N	120g (4 oz)	100′	30m

#### NEW!



## STARRETT EXACT

High impact-resistant ABS plastic cases with soft touch overmoulding that hold 120g (4 oz) of chalk. Each chalk line includes 30m (100') of line with a press-to-release feature and 6X faster line rewind.

- High impact-resistant case.
- Rubber plastic soft touch overmoulding.
- Holds 120g (4 oz) of chalk.
- 30m (100') press to release line and includes 50% stronger line than standard chalk lines.
- 6X faster line rewind.
- Stainless steel hook.
- Easy feed window.

Cat. No.	Size	Feet	Metres
KCX001-N	120g (4 oz)	100′	30m





## CHALK LINES



## STARRETT EXACT PLUS SERIES

Available in 120g (4 oz) and 400g (14 oz) sizes. The 4 oz line is manufactured with a heavy duty die-cast aluminium with rubber plastic overmoulding. Available as chalk line only or as a combo pack including a 120g (4 oz) bottle of chalk.

#### **FEATURES**

- Heavy-duty die-cast aluminium case.
- Rubber plastic overmoulding.
- Holds 120g (4 oz) of chalk.
- 30m (100') press-to-release line and includes 50% stronger line.
- 6X faster line rewind.
- Easy feed window.

Cat. No.	Size	Feet	Metres	Chalk	
KCXP005-N				-	
KCXP005B-N	120g (4 oz)	100′	30m	Blue	
KCXP005R-N	(/			Red	



### NEW!

## CHALK BOXES

The 400g (14 oz) box is manufactured with a heavy ABS impact resistant plastic case, with rubber plastic overmoulding.

- 45m (150') line.
- Oversized steel ring.
- 6X faster line rewind.





Cat. No.	Size	Feet	Metres
KCXP001-N	400g (14 oz)	150'	45m



## **REFILLS**

NEW!

## $CH \land LK$

Formulated and coloured to mark distinctively and lay down hard clean lines. New bottle design provides easier handling and a no-spill cap.

#### **FEATURES**

Easy to see colours.

Cat. No.	Size	Color
SC4BLU		Blue
SC4ORG	1800g	Orange
SC4RED	(4 lb)	Red
SC4WHT		White
SC8B		Blue
SC80	230g	Orange
SC8R	(8 oz)	Red
SC8W		White



## SUC ULTRA CHALK

Formulated to provide a semi-permanent mark that will be visible over an extended time period. The new plastic bottle design incorporates an easy-to-carry handle and includes a foldable, no-spill and no-lose cap.

Cat. No.	Size	Color
SUC4BLU		Permanent Blue
SUC4BLK	1800g (4lb)	Permanent Black
SUC4RED	(410)	Permanent Red
SUC8B		Permanent Blue
SUC8BLK	230g (8oz)	Permanent Black
SUC8R		Permanent Red









## **RULES**

## STRAIGHT EDGE ALUMINIUM RULE

**AMSE SERIES** 

Straight edge aluminium rules are parallel, made of anodized aluminium with smooth, square and straight edges. Centimetre and millimetre graduation readings on either edge.

#### **FEATURES**

- Ideal for schools and shops, wood-workers, tinsmiths, metal workers, and bench applications.
- They lie flat, resist bending and feature large, easy to read graduations and numbers that are heavier than conventional machine graduated scales.
- Rules are 50mm (2") wide with centimetre and millimetre graduations reading on either edge.
- Accurate and flexible.




Cat. No.	Length	Thickness
cat. Ito.	Length	THICKITCSS
AMSE-500	500mm	2mm
AMSE-1000	1000mm	
AMSE-1500	1500mm	3mm
AMSE-2000	2000mm	

## **ALUMINIUM METRESTICK**

MS-2

Aluminium Metrestick is parallel, accurate and flexible.

- This rule lies flat and features large, easy to read numbers.
- Anodized aluminium.



Cat. No.	Length	Thickness	Description	Graduation
MS-2	1m (39.37")	1.9mm (.075")	Ruled 2 Sides	Metric and Imperial

## CARPENTER'S TRY SQUARE



Stainless steel blade.

**FEATURES** 

- Graduations etched on both sides of the blade.
- 50mm (2") cast aluminium handle.



## 15 UNIVERSAL BEVEL

200mm (8") stainless steel blade and plastic handle with one spirit level vial.



- Blade lock for transferring angles.
- Handle is ABS plastic for a comfortable grip.

Cat. No.	Dimension
K15-N	200mm (8")



## CALIPERS, DIVIDERS AND TRAMMELS

### 92 CARPENTERS' DIVIDERS

These dividers combine rigidity, light weight and easy handling. The legs are forged steel, well-shaped, properly tempered and highly polished. The adjustable point may be quickly removed and a pencil inserted in its place.

#### **FEATURES**

- Sturdy construction of the joint eliminates side deflection of the legs.
- Quadrant adjusting nut allows fine-adjustments for close measurements.
- Check nut located between the legs locks the legs in place.

#### 85

## EXTENSION DIVIDERS WITH CALIPER LEGS

Exceptionally rigid although light in weight and easy to handle. The head is made of forged steel.

- The hardened points are bent slightly so they can be rotated and brought closer together if desired.
- Sturdy construction of the joint eliminates side deflection of the legs.
- Quadrant adjusting nut allows fine-adjustments for close measurements.



	Size*	
Cat. No.	Inch	mm
92-6	6"	150mm
92-9	9"	225mm

<sup>\*</sup> Actual capacity is one-third greater than the listed size.



With Divider Legs Only	Complete with Divider Legs, Inside and Outside Legs	Size*	
Cat. No.	Cat. No.	Inch	mm
85A	85C	7"	175mm
85B	85D	9"	225mm
85E	85F	12"	300mm

<sup>\*</sup> Actual capacity is one-third greater than the listed size.



## CALIPERS, DIVIDERS AND TRAMMELS

### 50

#### IMPROVED TRAMMEL HEADS

These tools are used to measure the distance between points that are too great to be reached with dividers. The heads are die cast with black wrinkle finish and have hardened, forged steel divider points. The points screw into the heads, and the pencil socket accompanying each set of trammel heads can be used in place of either point.

- The points screw into the heads.
- The heads are die cast with black wrinkle finish and have hardened, forged steel divider points.
- Has an adjustable point.

	Point Siz	ze	
Cat. No.	Inch	mm	Description
50A	3" 2-1/2"	75mm 63mm	(Adjustable) Includes 2 Heads, 2 Points, Pencil Socket
50B	3"	75mm	Includes 2 Heads, 2 Points, Pencil Socket



## PRECISION STRAIGHT EDGES

## 380

### STEEL STRAIGHT EDGES, NOT BEVELED, NOT GRADUATED

Steel straight edge is precision ground and finished to rigid Starrett standards. It is unexcelled for drawing or scribing straight lines and checking surfaces. 900mm (36") and longer are marked with arrows at two suspension points. If the straight edges are used on edge, they should be suspended at these two points to minimize deflection. Most jobs involve the use of straight edges.

- Precision ground and nicely finished to rigid Starrett standards.
- Unexcelled for drawing or scribing straight lines and checking surface for straightness.
- Not bevelled or graduated.
- Thickness and design permit shape retention and accuracy while portable and easy-to-handle.

Cat. No.	Length	Width x Thickness
380-24	600mm - 24"	36 x 4.4mm - 1-13/32" x 11/64"
380-36	900mm - 36"	60 x 5.5mm - 2-13/32" x 7/32"





## **SQUARES**

## 13

## DOUBLE SQUARES WITH HARDENED BLADES

Popular with machinists, toolmakers, and patternmakers. The sliding blade is adjustable, making it practical for a wide variety of uses. The faces of the head are ground square.

### **FEATURES**

• mm both edges one side, mm and 1/2mm reverse side.

Cat. No.	Size
13MA	100mm





## STAIR GAUGES

## 111 LONG STAIR ATTACHMENTS

Attachments clamp to a framing or rafter square. Forms a handy gauge for laying out stair stringers, hip, valley and many other unusual cuts.

#### **FEATURES**

- Furnished in left and right pairs.
- Nickel plated cast iron.
- Ends are machined square for true work contact.
- Brass clamp screw to prevent marring the blade.

Cat. No.	Length	Slot Width
111	48mm (1-7/8")	5mm (3/16")

## 470 SHORT STAIR ATTACHMENTS

Attachments clamp to a framing or rafter square. Forms a handy gauge for laying out stair stringers, hip, valley, and many other unusual cuts. Fixtures have a smaller area that contacts the square blade.

- Furnished in left and right pairs.
- Nickel plated hexagonal steel.
- Brass clamp screw to prevent marring the blade.
- Slotted to keep two opposite hexagonal faces at right angles to the edge of the square.

Cat. No.	Length	Slot Width
470	19mm (3/4")	5mm (3/16")













## PRO SITE PROTRACTOR

## 505A-12 AND 505A-7

**ALUMINIUM MITRE** 

The popular ProSite 505 protractor family consists of two 300mm (12") combination protractors, a 300mm (12") mitre protractor and two 175mm (7") mitre protractors. The combination protractors take the guesswork out of these functions: mitre cuts, single cuts, compound mitre cuts, included conversion table, protractor and roof pitches. The mitre protractors are ideal for carpenters, plumbers and all building trades that require the measuring and transferring of angles.

#### **FEATURES**

- ProSite protractors take error-prone calculations out of the process of mitre cuts.
- This easy-to-use tool has two laser engraved scales.
- Mitre cut scale transfers readings directly to the mitre saw for mitre joints.
- Single cut scale transfers readings directly to the mitre saw.
- Made from durable 6.5mm (1/4") aluminium with Teflon® "O" ring for smooth and precise operation.
- Protractor saves time and reduces waste.



## **505P-7**PLASTIC MITRE

Our 225mm (7") hardened plastic mitre protractor offers the same functionality as the 505A-7 protractor.





Cat. No.	Description
505P-7	225mm 9") Plastic Mitre Protractor



## COMBINATION PROTRACTOR

## CP505A-12

#### **ALUMINIUM COMBINATION**

A 300mm (12") aluminium combination protractor, that is part of the popular ProSite 505 protractor family. This protractor is a 5-in-1 functional tool that performs: mitre cut, single cut, compound cut conversion table, protractor, and roof pitches.

#### **FEATURES**

- 5-in-1 Protractor performs functions of the other ProSite mitre protractors and
- Mitre and single cut readings can be transferred directly to the mitre saw.
- The compound conversion table is specifically for the compound mitre saw and can be used for cutting crown moulding.
- Easily finds roof pitches.

Cat. No.	Description
CP505A-12	300mm (12") Combination Protractor



## CP505E-12

#### **ALUMINIUM ELECTRONIC COMBINATION**

#### **FEATURES**

- Provides direct readings for setting a saw for mitre and straight cuts.
- Full protractor function.
- Choice of output and a full 360° swing, horizontal and vertical levels and a step by step guide including all calculations for crown moulding work.
- Has a knob to lock in measurements.



Cat. No.	Description
CP505E-12	300mm (12") Electronic Combination Protractor

## 970 PROTR∧CTOR HOLSTER

Cat. No.	Description
970	Leather Holster for CP505A-12 & 505A-12



## APPENDIX ONE

### HOLE SAW CUTTING SPEED RECOMMENDATIONS

Fast Cut and Deep Cut Bi Metal Hole Saws						
Saw Diameter		Mild Steel	Stainless &	Cast Iron	Brass,	Wood and plastic
mm	inch		Tool Steel		Aluminium & copper	•
14 - 25	9/16 - 1	580 - 350	300 - 175	400 - 235	790 - 470	800 - 500
27 - 51	1.1/16- 2	325 - 170	160 - 85	215 - 115	435 - 230	500 - 200
52 - 76	2.1/16 - 3	165 - 115	80 - 55	110 - 75	220 - 150	200 - 150
79 - 102	3.1/8 - 4	110 - 85	55 - 40	70 - 55	140 - 110	150 - 100
105 - 127	4.1/8 - 5	80 - 65	40 - 30	55 - 25	110 - 85	100 - 85
133 - 152	5.1/4 - 6	55	25	55 - 25	75	75
160 - 210	4.1/8 - 8.9/32	40	20	55 - 25	60	60

Bi Metal Cordless Smooth Cutting Hole Saws Saw Diameter					
mm	inch	Mild Steel	Stainless & Tool Steel	Wood Plastic and Aluminium	
16 - 20	5/8 - 25/32	500	230	700	
22 - 29	7/8 - 1.1/8	400	185	550	
30 - 38	1.3/16 - 1.1/2	330	150	450	

TCT Fast Cut Multi Purpose Hole Saws Saw Diameter				
mm	Inch	All Materials		
19 - 27	3/4 - 11/16	1700 - 1300		
29 - 51	1.1/8 - 2	1100 - 650		
54 - 76	2.1/8 - 3	600 - 425		
79-102	3.1/8 - 4	400 - 325		
111 - 159	4.3/8 - 6.1/4	300 - 210		

TCT Stainless Steel Hole Saws				
Saw Diameter				
mm	inch	Mild Steel	Stainless & Steel	
15 - 25	19/32 - 1	800 - 640	460 - 370	
26 - 39	1.1/32 - 1.17/32	590 - 460	320 - 270	
40 - 55	1.9/16 - 2.5/32	400 - 320	220 - 170	
60 - 85	2.3/8 - 3.23/64	265 - 200	140 - 105	
90 - 100	3.9/16 - 4.23/32	175 - 130	90 - 65	

Diamond Ceramic and Abrasive Material Hole Saws				
Saw Diameter				
mm	Inch	Minimum Speed	Maximum Speed	
14 - 25	9/16 - 1	500	1000	
27 - 51	1.1/16 - 2	250	500	
52 - 83	2.1/16 - 3.1/4	150	300	
86 - 152	3.3/8 - 6	100	200	

Diamond Brick and	Diamond Brick and Masonry Dri Core Drills			
Saw Diameter				
mm	Inch	Minimum Speed	Maximum Speed	
22 - 52	9/16 - 1	250	500	
65 - 78	2.9/16 - 3.1/16	150	300	
102 - 152	4 - 6	100	200	







#### STARRETT PRODUCT LINES...

POWER TOOL ACCESSORIES & HAND TOOLS

JOBSITE & WORKSHOP TOOLS

BAND SAW BLADES & MACHINES

PRECISION MEASURING TOOLS

WEBBER GAUGE BLOCKS

METROLOGY EQUIPMENT

LASER MEASUREMENT

PRECISION GRANITE

PRECISION GROUND SOLUTIONS

ROUNDNESS MEASUREMENT

FORCE MEASUREMENT

SERVICE & TECHNICAL SUPPORT

## PTA AND HAND TOOLS





Phone: 00 44 (0)1835 863501 | Fax: 00 44 (0) 1835 863018 sales@starrett.co.uk Jedburgh, Scotland, TD8 6LR