

# POLYURETHANE (PU) RECOIL TUBING

✉ Email    🖨 Print



This polyurethane recoil tubing is perfect for installations requiring flexibility in confined spaces. Good resistance to shock and abrasion, together with a design integrating straight ends, allow for easy and safe operation of pneumatic equipment.

**PART NUMBER:**  
1471U06 04 13

**TUBING MATERIAL:**  
PU

**TUBE I.D. (MM):**  
4

**TUBE I.D. (INCH):**  
na

**TUBE O.D. (MM):**  
6

**TUBE O.D. (INCH):**  
na

**CONNECTION 1 THREAD SIZE (METRIC):**  
R1/4

**COLOR:**  
BLUE

**LENGTH (M):**  
4

[Reset Attributes](#)

**WHERE TO BUY**

<b>PRODUCT OVERVIEW</b>	<b>-</b>
<b>TECH SPECIFICATIONS</b>	<b>+</b>

[Print Tech Specifications](#)

**PERFORMANCE CHARACTERISTICS**

**MAXIMUM PRESSURE (BARG)**

10

**MINIMUM WORKING TEMPERATURE (°C)**

-20

**MAXIMUM WORKING TEMPERATURE (C)**

70

**WEIGHT (KG/PACKAGE)**

0.205

**NUMBER OF TUBES**

1

**APPLICATION**

Workshops, Tooling, Pneumatics, Motion Technologies,  
Robotics, Industrial Machinery

**MEDIA**

Compressed air

**CERTIFICATES**

Industrial: NF E49-101, DI: 2002/95/EC (RoHS), 2011/65/EC, DI:  
97/23/EC (PED), RG: 1907/2006 (REACH)

[Print Tech Specifications](#)

<b>CAD</b>	<b>+</b>
------------	----------

**PRODUCT SUPPORT** +

**RECOMMENDED**



Polyamide (PA) Recoil Tubing



Braided Polyurethane (PU) Recoil Hose



Metal Blowguns and Water Pistols

C  
A

---

**CONTACT US**

**Parker Hannifin Manufacturing France SAS**

Fluid System Connectors Division Europe  
Parc Alcyone - Bat. D  
1 rue André et Yvonne Meynier - CS 46911  
35069 Rennes Cedex France

**Phone**

Phone: +33 (0) 2-99-25-55-00

**Parker Hannifin** +

[Products](#)

[About Parker](#)

[Investors](#)

[Community](#)

[Careers](#)

---

**Global Operations** +

[Divisions](#)

[Sales Companies](#)

[Worldwide Locations](#)

[Distribution Network](#)