
REVISIONS						
REV	ECO	DESCRIPTION	DATE	BY	APPR	
B1	-	RELEASED DRAWING	JUN-26-2014	BEN	TOMMY	


ECO-MATE, CORD GRIP, CRIMP RANGE, SIZE 10


RT0L-10CG-xx

REV: B1 SH:









P/N	SHIELDING RING	CABLE RANGE			
RT0L-10CG-C1	WITHOUT	Ø3-Ø6.5mm			
RT0L-10CG-C2	WITHOUT	Ø5-Ø8.5mm			
RT0L-10CG-S1	WITH	Ø3-Ø6.5mm			
RT0L-10CG-S2	WITH	Ø5-Ø8.5mm			

PART NUMBER DESCRIPTION ITEM QUANTITY MATERIALS LIST UNLESS OTHERWISE SPECIFIED SIGNATURES DATE **Amphenol**  All dimensions are in metric(mm).
Tolerances are as follows: JUN-26-2014 BEN 1 PL DEC ±0.30 Fractions ±1/64 2 PL DEC ±0.15 Angles ±1° Sine Systems - www.amphenol-sine.com 44724 Morley Drive Clinton Township, MI 48036 3) Note reference = X MATERIAL SPECIFICATIONS

ECO-MATE, CORD GRIP, CRIMP RANGE, SIZE 10

THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DAS SPECIFICATIONS AND PERFORMANCE DAS SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL COPPORATION. NO RICHOF OF REPRODUCTION ARE IMPLED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS. RT0L-10CG-xx B c B1 ALE: NONE SHEET 1 OF 1

**NOTES: (UNLESS OTHERWISE SPECIFIED)** 

1. MATERIAL:

1.1. NUT: ZINC ALLOY, NICKEL PLATED.

1.2. CLAMP INSERT: THERMOPLASTIC UL94 V-0.

1.3. EMI SHIELDING RING: STAINLESS STEEL.

1.4. BACK SHELL: ZINC ALLOY, NICKEL PLATED.

1.5. O-RING: SILICONE RUBBER.

1.6. GROMMET: RUBBER.

2. ROHS COMPLIANT.

3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.