

P-FU 5X20 LA 250


Order No.: 3036835

The illustration shows the version without light indicator



Fuse plug with LED for 110 - 250 V AC/DC, 0.41 - 0.96 mA, width 6.2 mm, color black

Commercial data

EAN	 4 017918 943929
Pack	10
Customs tariff	85366990
Gross weight in pieces	4.18 g
Country of Origin	PL
Catalog page information	Page 399 (CL1-2011)

Product notes

WEEE/RoHS-compliant since:
01/03/2005



Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

Certificates



Certification


CSA

Certifications applied for:


Certification Ex:

Drawings

Application drawing



Fuse terminal blocks in interconnected arrangement, block consisting of 5 fuse terminal blocks



Fuse terminal block in single arrangement, block consisting of one fuse terminal block and 4 feed-through terminal blocks

Address

PHOENIX CONTACT Ltd
Halesfield 13
Telford / Shropshire / TF7 4PG,England
Phone 01952 681 700
Fax 01952 681 799
<http://www.phoenixcontact.co.uk>



Phoenix Contact Ltd.
Technical modifications reserved;