

FASTIN-FASTON | FASTIN-FASTON 110

FASTIN-FASTON 110, Housing for male terminals, Cable-to-Cable,

4 Position, Signal

View on TE.com >



Connectors > Automotive, Truck, Bus, & Off-Road Connectors > Connector Housings





Connector Style: Housing for male terminals

Mating Tab Width: 2.8 mm [.11 in]

Connector System: Cable-to-Cable

Number of Positions: **4**

Centerline (Pitch): 5.6 mm [.22 in]

Features

Product Type Features

Connector Style	Housing for male terminals
Connector System	Cable-to-Cable
Sealable	No
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	4
Number of Rows	2
Contact Features	
Mating Tab Width	2.8 mm[.11 in]
Housing Features	
Centerline (Pitch)	5.6 mm[.22 in]
Operation/Application	
Circuit Application	Signal
Other	

1-929505-1

FASTIN-FASTON 110, Housing for male terminals, Cable-to-Cable, 4 Position, Signal



Connector Position Assurance Capable

No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Soldor Process Canability	Nat applicable for solder process capability

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




Also in the Series | FASTIN-FASTON 110

C For support call+1 800 522 6752

1-929505-1

FASTIN-FASTON 110, Housing for male terminals, Cable-to-Cable, 4 Position, Signal






Customers Also Bought





TE Part #5-730251-9





Documents

Product Drawings TAB HSG .110 (2.8 MM) HSG TAB

German

CAD Files Customer View Model ENG_CVM_1-929505-1_F4.3d_igs.zip English Customer View Model ENG_CVM_1-929505-1_F4.3d_stp.zip English Customer View Model ENG_CVM_1-929505-1_F4.2d_dxf.zip English

3D PDF

English

1-929505-1

FASTIN-FASTON 110, Housing for male terminals, Cable-to-Cable, 4 Position, Signal



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: <u>1-929505-1</u>