

SLF6045T-4R7N2R4-3PF



Applications	Commercial Grade	
Feature	Shield Magnetic Shield Wire Wound Wire Wound Ferrite Core	
Series Type	SLF	
Status	Production	
Brand	ТДК	

Size		
Length(L)	6.00mm ±0.20mm	
Width(W)	6.00mm ±0.20mm	
Thickness Height	4.50mm ±0.30mm	
Recommended Land Pattern (A)	1.50mm Nom.	
Recommended Land Pattern (B)	4.00mm Nom.	
Recommended Land Pattern (C)	2.20mm Nom.	

Electrical Characteristics				
Inductance	4.7µH ±30% at 100kHz			
Rated Current (L Change) [Typ.]				
Rated Current (L Change) [Max.]	2.4A (10% Down)			
Rated Current (Temperature Rise) [Typ.]	3.2A (30°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	26.5mΩ			
DC Resistance [Max.]	34.45mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Other			
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C		
Soldering Method	Reflow		
	Iron Soldering		
AEC-Q200	No		
Packing	Blister (Plastic)Taping [330mm Reel]		
Package Quantity	1000pcs		
Weight	0.4g		

Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.




SLF6045T-4R7N2R4-3PF

SLF6045T-4R7N2R4-3PF(DC Bias =

1.20A)

SLF6045T-4R7N2R4-3PF(No Bias)





Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)

! Images are for reference only and show exemplary products.

SLF6045T-4R7N2R4-3PF (Amb. Temp. = 20 °C)


! This PDF document was created based on the data listed on the TDK Corporation website.



SLF6045T-4R7N2R4-3PF



Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.





Associated Images



! Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.