

# Accessories & Hardware

## Contents

Part Number	Page
AT001s .....	Y4
AT100s .....	Y6
AT200s .....	Y7
AT400s .....	Y9
AT500s .....	Y14
AT600s .....	Y17
AT700s .....	Y19
AT2100s .....	Y19
AT3000s .....	Y20
AT4000s .....	Y23
AT4100s .....	Y27
AT9000s .....	Y34

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators

Accessories  
Y

Supplement

# Accessories & Hardware

## Color Codes

<b>A</b>	Black	<b>F</b>	Green
<b>B</b>	White	<b>G</b>	Blue
<b>C</b>	Red	<b>H</b>	Gray
<b>D</b>	Amber	<b>J</b>	Clear
<b>E</b>	Yellow	<b>S</b>	Metallic Silver

## Hardware Threading

Many hardware pieces are available in both metric and inch threading, and in such cases **M** (metric) and **H** (inch) are noted in the descriptions. The customer must select threading by placing an M or H after the basic AT part number. If the hardware is available only in metric or inch, no code is used in the description; threading is designated on the drawing.

# Accessories & Hardware


AT010s~  
AT090s

\* Available in Americas only


\* **AT016**  
**16mm Hex Mounting Nut**  
Steel  
Series: CKM




\* **AT019**  
**19mm Hex Mounting Nut**  
Brass with nickel plating  
Series: CKL




\* **AT050**  
**Knurled Nut**  
Brass with nickel plating  
Series: SB40




\* **AT055**  
**Crossover Guard**  
Polypropylene  
Series: KB




**AT056**  
**Dress Cap Nut**  
Brass with chrome plating  
Series: M P S




**AT056T**  
**Threaded Through Dress Nut**  
Brass with chrome plating  
Series: M P S




\* **AT057**  
**Mounting Nut**  
Brass with zinc plating, chromate finish  
Series: KB




\* **AT062**  
**.250" Wide Rocker**  
Polyamide  
Colors: A B C  
Series: A



\* **AT063**  
**Gasket**  
Nitrile butadiene rubber  
Color: A  
Series: B Threaded Bushing



**AT064-1**  
**Panel Frame for Rocker & Paddle .365" Wide**  
Polyamide  
Color: A  
Series: M



**AT064-2**  
**Panel Frame for Rocker & Paddle .365" Wide**  
Polyamide  
Color: A  
Series: M

AT064-1 accommodates panel thickness 1.2 ~ 2.3mm (.047 ~ .090")




AT064-2 accommodates panel thickness 1.57 ~ 3.18mm (.062 ~ .125")



Color Codes: A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear

# Accessories & Hardware


**AT065-1**  
Panel Frame for Rocker & Paddle .450" Wide  
Polyamide  
Color: A  
Series: M



AT065-1 accommodates  
panel thickness  
1.2 ~ 2.3mm  
(.047 ~ .090")



**AT065-2**  
Panel Frame for Rocker & Paddle .450" Wide  
Polyamide  
Color: A  
Series: M




AT065-2 accommodates  
panel thickness  
1.57 ~ 3.18mm  
(.062 ~ .125")



**\* AT066**  
.300" Wide Rocker  
Polyamide  
Color: A B C  
Series: A


**\* AT070**  
LED for AT208 Bezel  
Colors: C F  
Series: EB M MB24




**\* AT073**  
Mounting Nut  
Brass with nickel plating  
Series: HB




**\* AT074**  
Mounting Nut for LB Panel Seal  
Brass with chromate  
Series: LB




**\* AT075**  
O-ring for LB Panel Seal  
Nitrile butadiene rubber  
Series: LB




**AT080**  
Screw Adaptor for AT452 & AT454  
Brass  
Series: MB20 SCB



**AT089**  
O-ring for YB Panel Seal  
Nitrile butadiene rubber  
Series: YB



**\* AT092**  
Knurled Mounting Nut  
Glass fiber reinforced PBT  
Series: YB YB2



Color Codes: A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators


Accessories

Supplement

## \* AT094

### PC Adaptor

Holder: Polypropylene  
Spring: Spring steel with nickel plating  
PC Pins: Brass with nickel plating  
Series: DSA01




## \* AT097

← **NEW**

### JST Connector for OLED Rocker

JST Part No. BM12B-SURS  
PCB Mount  
Series: SmartSwitch




## AT100s

### AT105

#### Cap Removal Tool


Stainless steel  
Series: HB KB LB UB YB



### AT106

#### Socket Wrench


Aluminum with black alumite finish  
Series: YB YB2



## AT107

### Lamp Extractor


Polyvinyl chloride  
Series: KB LW MLW YB



## AT108

### Socket Wrench


Aluminum with black alumite finish  
Series: KB



## AT109

### Cap Extractor

Stainless steel  
Series: HB KB LB UB YB



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green


G Blue

H Gray


J Clear

# Accessories & Hardware


**AT110**  
**Socket Wrench**  
Brass  
Series: HB



**AT111**  
**Lamping Tool**  
Stainless steel  
Series: HB KB YB




**AT112**  
**Socket Wrench**  
Brass with nickel plating  
Series: LB




## AT200s


**AT201**  
**ON-OFF Plate for 12mm Threaded Bushing**  
Brass with nickel plating  
Series: M P S




**AT202**  
**ON-OFF Plate for 12mm Threaded Bushing**  
Aluminum  
Colors: Red & black enamel  
Series: M P S




**AT204**  
**Bezel**  
Polycarbonate  
Colors: A B C D E F G H  
Series: MLW




**AT206**  
**Bezel**  
Polycarbonate  
Colors: A B C D E F G H  
Series: LW



**AT207**  
**Bezel**  
Polycarbonate  
Colors: A B C E F G H  
Series: EB MB24 MB25



**AT208**  
**Bezel for AT070 LED**  
Polycarbonate  
Color: A  
Series: EB M MB24 MB25



**Color Codes:** A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt


Touch

Indicators


Accessories

Supplement


**AT209**  
**ON-OFF Plate for 6mm**  
**Threaded Bushing**  
Brass with nickel plating  
Series: M P




**AT210**  
**ON-OFF Plate for 6mm**  
**Threaded Bushing**  
Aluminum  
Colors: Red & black ink  
Series: M P




**AT211**  
**ON-OFF Plate for 6mm**  
**Threaded Bushing**  
Aluminum  
Colors: Red & black enamel  
Series: M P




**AT212**  
**Bezel for 2 AT617 LEDs**  
Polycarbonate  
Color: A  
Series: EB M MB24 MB25




**AT213**  
**Bezel for 2 AT618 LEDs**  
Polycarbonate  
Color: A  
Series: EB M MB24 MB25




**AT214**  
**ON-OFF Plate for 12mm**  
**Threaded Bushing**  
Aluminum  
Colors: Red & black ink  
Series: M P S




**AT215**  
**ON-OFF Plate for 12mm**  
**Threaded Bushing**  
Aluminum  
Colors: Red & black enamel  
Series: M P S




**AT217**  
**Barrier**  
Polyamide  
Colors: A B H  
Series: JWM



**AT218**  
**Barrier**  
Polyamide  
Colors: A B H  
Series: JWL



**AT219**  
**Barrier**  
Polyamide  
Colors: A  
Series: JWS




**Color Codes:** A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear

# Accessories & Hardware

## AT400s

**AT401A/H/S**  
**Splashproof Boot Assembly**  
 Hex Nut Material & Finish:  
 Nickel plated brass  
 O-ring Material:  
 Nitrile butadiene rubber  
 Series: M P S WT



### AT401A for Oil Resistance

Boot Material: Black nitrile butadiene rubber

### AT401H for Dust & Ozone Resistance

Boot Material: Gray ethylene propylene rubber


### AT401S for Flexibility, Resilience, and Tensile Strength over Wide Temperature Range

Boot Material: Black silicone rubber

### For 12mm Bushings in M, P, S and WT Toggles

#### Boot Assembly Instructions

1. After mounting boot AT401 over toggle, press into place.
2. Be sure boot is pressed evenly and firmly down at or below height (A) as shown.




#### Switch Installation Instructions

1. Install switch bushing into mounting hole of panel from the back and adjust bushing to protrude 3.5 ~ 5.5mm (.138 ~ .217") above panel.
2. Install boot over bushing and tighten with hex nut.

#### Non-Splashproof Switches

M, P or S Toggles with 12mm Bushings




Use boot, nut and o-ring as shown. Use lockwasher and hexagon nut (from standard switch hardware) behind panel.


#### Splashproof Switches

S1AW ~ S29AW S Toggles

WT Toggles or M Toggle with B3 Bushing




Use boot, nut and o-ring as shown. Use o-ring only (from standard switch hardware) behind panel.



### AT401P

#### O-ring


Nitrile butadiene rubber  
 Color: A  
 Series: M MB20 TL WB WT



### AT402

#### Splashproof Boot


Silicon rubber for A C E F  
 Ethylene propylene rubber for H  
 Colors: A C E F H  
 Series: M P S



### AT402S

#### Splashproof Boot


Silicon rubber  
 Color: A  
 Series: M



### AT405

#### Solid Color Rocker

Polycarbonate  
 Colors: A B C D E F G  
 Series: MLW



Color Codes: A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear



# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators

Accessories

Supplement


## AT406

### Bat Lever Cap

Polyvinyl chloride

Colors: A B C E F G

Series: M P S




## AT407

### .394" Diameter Screw-on Cap

PBT

Colors: A B C E F G H

Series: MB20




## AT412

### .748" Diameter Screw-on Cap

Polystyrene

Colors: A B C F

Series: MB20 SCB WB




## AT413

### .315" Diameter Screw-on Cap

PBT

Colors: A B C E F G H

Series: MB20




## AT414

### .520" Diameter Screw-on Cap

PBT

Colors: A B C D E F G H

Series: MB20 SB SCB WB




## AT415

### Bat Lever Cap

Polyethylene

Colors: A B C E F G

Series: D2 M




## AT416

### Lamp Cover for AT602

Silicon rubber

Colors: C D F

Series: LW




## AT420

### Rocker

Polycarbonate

Colors: B J

Series: LW




## AT421

### Filter for AT420

Polycarbonate

Colors: B C D E F G

Series: LW



## AT422

### Slip-on Cap

Polyethylene

Colors: A B C E F G

Series: SB40




## AT426

### Solid Color Paddle

Polycarbonate

Colors: A B C D E F G

Series: MLW



## AT427

### Cap for Locking Lever (code L)

Brass with bright nickel plating (supplied with switch)

Anodized aluminum

Colors: A C G

Series: D2 M



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green

G Blue

H Gray

J Clear

Rockers

Toggles

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators


Accessories

Supplement

## AT452

### Rectangular Insert


Polycarbonate  
Colors: A B C F G H  
Series: MB20 SCB  
Used with Screw Adaptor AT080



## AT453

### Rectangular Shroud


Polycarbonate  
Colors: A B H  
Series: MB20 SCB



## AT454

### Round Insert


Polycarbonate  
Colors: A B C F G H  
Series: MB20 SCB  
Used with Screw Adaptor AT080



## AT455

### Round Shroud


Polycarbonate  
Colors: A B H  
Series: MB20 SCB



## AT460

### Cap for Color Capped Cone Toggle


Polyethylene  
Colors: A B C E F G  
Series: M



## AT465

### .453" Square Cap


Polycarbonate  
Colors: A B C E F G H  
Series: EB MB24 MB25



## AT466

### .453" False Illuminated Rocker


Polycarbonate  
Cap Color: A  
Window Color: B/C  
Series: M



## AT467

### Short Paddle


Polyamide  
Colors: A B C E F G H  
Series: A



## AT468

### Long Paddle


Polyamide  
Colors: A B C E F G H  
Series: A



## AT469

### .260" Wide Rocker


Polyamide  
Colors: A B C E F G H  
Series: A



## AT475

### .201" Diameter Cap


Polyamide  
Colors: A B C  
Series: AB BB FB M2B MB24



## AT476

### Square Solid Colored Cap

Polycarbonate  
Colors: BJ CJ EJ FJ GJ  
Series: LB



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green

G Blue

H Gray

J Clear

# Accessories & Hardware


## AT477

### Square Colored Insert Cap

Polycarbonate

Colors: JB JC JE JF JG

Series: LB



## AT480


### Square Spot Illuminated Cap

Polycarbonate

Cap Colors: A B C F

LED Colors: C D F CF

Series: LB




## AT484

### Square Nonilluminated Cap

Polycarbonate

Colors: A B C E F G H

Series: LB



## AT485


### Square Solid Colored Cap

Polycarbonate

Colors: A BB CB CC EB

FB FF GB GG

Series: KB



## AT486

### Round Solid Colored Cap

Polycarbonate

Colors: A BB CB CC EB

FB FF GB GG

Series: KB




## AT487

### Square Colored Insert Cap

Polycarbonate

Colors: JB JC JE JF JG

Series: KB



## AT488

### Round Colored Insert Cap

Polycarbonate

Colors: JB JC JE JF JG

Series: KB




## AT494

### Protective Guard

Cover: Polycarbonate

Base: Polyamide

Series: KB




## AT495

### Dust Cover

Lid: Polyvinyl chloride

Base: Polyamide

Series: KB




## AT496

### .295" Diameter Cap

Polyamide

Colors: A B C

Series: AB BB FB M2B MB24




## AT497

### End Barrier

Polyamide

Color: A

Series: LB




## AT498

### Center Barrier

Polyamide

Color: A

Series: LB



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green

G Blue

H Gray

J Clear

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators

Accessories


Supplement

## AT500s

### AT499


#### Protective Guard for Square

Cover: Polycarbonate  
Base: Polyamide  
Series: LB




### AT501 (M-metric H-inch) Knurled Face Nut

Brass with chrome plating  
Series: D2 DB EB M MB20  
MB24 P



### AT503 (M-metric H-inch) Hex Face Nut


Brass with chrome plating  
Series: M P S SB WB WT



### AT504M

#### Knurled Face Nut


Brass with chrome plating  
Series: M P S SB SCB  
WB WT



### AT506M


#### Locking Ring

Steel with zinc/chromate  
Series: M MB20 P S SB



### AT507 (M-metric H-inch) Locking Ring


Steel with zinc/chromate  
Series: D2 DB EB M MB20  
MB24 MB25 MR P



### AT508

#### Internal Tooth Lockwasher


Steel with zinc/chromate  
Series: M P S SB SCB  
SK TL WB WT



### AT509


#### Internal Tooth Lockwasher

Steel with zinc/chromate  
Series: D2 DB EB FR01 M  
MB25 MR P S SB




### AT512 (M-metric H-inch) Conical Nut

Brass with chrome plating  
Series: EB MB20



### AT512C (M-metric H-inch) Conical Nut


Brass with chrome plating  
Series: EB MB20



### AT513H

#### Hex Nut

Brass with nickel plating  
Series: M MB20 MB24



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green

G Blue

H Gray


J Clear

# Accessories & Hardware

## AT513M

### Hex Nut


Brass with nickel plating  
Series: B D2 DB EB FR01 M  
MB20 MB25 MR P



## AT515 (M-metric H-inch)

### Locking Ring for D Flat Bushing


Steel with zinc/chromate  
Series: FR01 M MB24



## AT516

### O-ring


Nitrile butadiene rubber  
Series: M MB20



## AT518

### Locking Ring


Steel with zinc/chromate  
Series: HS PS TS



## AT520

### Split Lockwasher


Steel with zinc/chromate  
Series: HS PS TS



## AT526

### Hex Mounting Nut


Steel with nickel plating  
Series: HS PS TS



## AT527 (M-metric H-inch)

### Hex Mounting Nut


Steel with nickel plating  
Series: M P S SB SCB  
SK TL



## AT527MA

### Black Hex Face Nut


Steel with black chrome plating  
Series: TL



## AT529

### Mounter for Square Cap


Stainless steel frame  
GFR PBT spacer  
Series: EB



## AT530

### Panel Mount for Single Pole


Polyamide & polyacetel  
Colors: A B C E F G H  
Series: A AB



## AT531

### Panel Mount for Single or Double Pole


Polyamide & polyacetel  
Colors: A B C E F G H  
Series: A AB



## AT532 (M-metric H-inch)

### Dress Cap Nut

Brass with nickel plating  
Series: EB M MB20 MB24 P



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green

G Blue

H Gray

J Clear

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt


Touch

Indicators


Accessories

Supplement


**AT532T (M-metric H-inch)**  
**Threaded Through Dress Nut**  
 Brass with nickel plating  
 Series: EB M MB20 MB24 P




**AT533T (M-metric H-inch)**  
**Threaded Through Dress Nut**  
 Brass with nickel plating  
 Series: EB M MB20 MB24 P




**AT535**  
**Rubber Ring for MR Panel Seal**  
 Nitrile butadiene rubber  
 Series: MRB MRK




**AT536**  
**Hex Nut**  
 Brass with nickel plating  
 Series: FB




**AT537**  
**O-ring**  
 Nitrile butadiene rubber  
 Series: S




**AT541**  
**O-ring for Panel Seal with AT4115**  
 Nitrile butadiene rubber  
 Series: YB




**AT542**  
**Coupler for LCD 36 x 24 Pushbutton**  
 PBT  
 Series: SmartSwitch




**AT543**  
**Support Bracket**  
 Steel with tin plating  
 Series: MRK




**AT545**  
**Locking Ring**  
 Steel with zinc/chromate  
 Series: MRA MRB MRK




**AT546**  
**Mounting Bracket for Block Mounting**  
 Phosphor bronze with tin plating  
 Series: GB2



**AT547**  
**Mounter for AT4140**  
 Polyamide  
 Color: A  
 Series: JB



**AT548**  
**Panel Mount Housing for LCD 36 x 24 Pushbutton (not for Compact SmartSwitch)**  
 Polyamide  
 Color: A  
 Series: SmartSwitch




**Color Codes:** A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear


# Accessories & Hardware

## AT600s


**AT602**  
Incandescent Lamp  
Volts: 6 12 18 24 28  
Series: LW MLW  
T-1 1/2 Pilot Slide Base




**AT602N**  
Neon Lamp  
Volts: 110  
Series: LW MLW  
T-1 1/2 Pilot Slide Base




**AT607**  
Incandescent Lamp  
Volts: 5 12  
Series: LB  
T-1 Bi-pin




**AT607N**  
Neon Lamp  
Volts: 110  
Series: LB  
T-1 Bi-pin




**AT611**  
Incandescent Lamp  
Volts: 5 12  
Series: KB YB  
T-1 Bi-pin




**AT615**  
Neon Lamp  
Volts: 110  
Series: KB  
T-1 Bi-pin




**AT617**  
Single Element LED  
Colors: C E F  
Used for AT212 Bezel




**AT618**  
Single Element LED  
Colors: C E F  
Used for AT213 Bezel




**AT621**  
6-element Bicolor LED  
Without Resistor; Volts: 2  
With Resistor; Volts: 5 12 24  
Colors: CF  
Series: YB  
T-1 1/2 Bi-pin



**AT622**  
Single Element LED  
Colors: C E F  
Series: MLW  
T-1 3/4 Pilot Slide Base



**AT624**  
Single Element LED  
Color: G  
Series: HB  
T-1 Bi-pin



Color Codes: A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear



# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch


Indicators

Accessories

Supplement


## AT625

**Super Bright  
Single Element LED**  
Color: G  
Series: KB LB YB YB2  
T-1 Bi-pin




## AT627

**Bright  
4-Element LED**  
With Resistor; Volts: 5 12 24  
Colors: C D F  
Series: LB  
T-1 Bi-pin




## AT628

**Bright  
Double Element LED**  
Colors: C D F  
Series: YB YB2  
T-1 Bi-pin




## AT629

**Single Element LED**  
Color: B  
Series: HB  
T-1 Bi-pin




## AT630

**Single Element LED**  
Color: F  
Series: HB  
T-1 Bi-pin




## AT631

**Super Bright  
Single Element LED**  
Color: B  
Series: KB LB YB YB2  
T-1 Bi-pin




## AT632

**Super Bright  
Single Element LED**  
Color: F  
Series: KB LB YB YB2  
T-1 Bi-pin




## AT633

**Single Element LED**  
Colors: C D F  
Series: HB  
T-1 Bi-pin




## AT634

**Bright  
2- or 4-Element LED**  
With Resistor; Volts: 5 12 24  
Colors: C D F  
Series: KB YB YB2  
T-1 1/4 Bi-pin




## AT635

**Bright  
Single Element LED**  
Colors: C D F  
Series: KB LB  
T-1 1/2 Bi-pin



## AT636

**Bright  
Single Element LED** **← NEW**  
With Resistor; Volts: 5 12 24  
Color: F  
Series: YB2  
T-1 1/4 Bi-pin




**Color Codes:** A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear


# Accessories & Hardware

## AT700s


**AT701**  
Single Pole  
Straight PC Adaptor  
Glass fiber  
reinforced polyamide  
Series: KB




**AT702**  
Double Pole  
Straight PC Adaptor  
Glass fiber  
reinforced polyamide  
Series: KB



**AT711**  
Single Pole  
Straight PC Adaptor  
Glass fiber  
reinforced polyamide  
Series: LB



**AT712**  
Double Pole  
Straight PC Adaptor  
Glass fiber reinforced polyamide  
Series: LB



**AT713** ← **NEW**  
Receptacle Connector  
Connects to RS232C  
Compatible with  
FTCS04B & FTCS05B (5-wire) or  
FTCS04A & FTCS04A2 (4 wire)  
Length: 19.7" (500.0mm)  
Series: FT



**AT714** ← **NEW**  
Receptacle Connector  
Connects to Power Source  
of Control Boards  
FTCS04B & FTCS05B (5-wire)  
Length: 19.7" (500.0mm)  
Series: FT




**AT715** ← **NEW**  
Connector Cable  
Cable for OLED Rocker  
Length: 19.7" (500.0mm)  
Series: SmartSwitch



## AT2100s

**AT2107**  
Bezel  
Polyamide  
Colors: A B E F G H  
Series: M M2100



Color Codes: A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators

Accessories

Supplement

## AT3000s


### AT3001

#### Square Solid Cap

Polycarbonate

Colors: BB CB EB FB GB

Series: YB




### AT3002

#### Round Solid Cap

Polycarbonate

Colors: BB CB EB FB GB

Series: YB




### AT3003

#### Rectangular Solid Cap

Polycarbonate

Colors: BB CB EB FB GB

Series: YB




### AT3004

#### Square Cap for Bright LED & Bicolor

Polycarbonate

Colors: JB JC JD JF

Series: YB




### AT3005

#### Round Cap for Bright LED & Bicolor

Polycarbonate

Colors: JB JC JD JF

Series: YB




### AT3006

#### Rectangular Cap for Bright LED & Bicolor

Polycarbonate

Colors: JB JC JD JF

Series: YB



### AT3010

#### Square Spot Illuminated Cap with Built-in LED

Without Resistor; Volts: 2


With Resistor; Volts: 5 12 24

Polycarbonate

Cap Colors: JA JB JC JE JF

LED Colors: C D F CF

Series: YB



### AT3011

#### Round Spot Illuminated Cap with Built-in LED

Without Resistor; Volts: 2


With Resistor; Volts: 5 12 24

Polycarbonate

Cap Colors: JA JB JC JE JF

LED Colors: C D F CF

Series: YB



### AT3012

#### Rectangular Spot Illuminated Cap with Built-in LED

Without Resistor; Volts: 2


With Resistor; Volts: 5 12 24

Polycarbonate

Cap Colors: JA JB JC JE JF

LED Colors: C D F CF

Series: YB




### AT3014

#### Square Cap for Super Bright LED

Polycarbonate

Colors: JB

Series: YB




### AT3015

#### Round Cap for Super Bright LED

Polycarbonate

Colors: JB

Series: YB



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green


G Blue

H Gray


J Clear

# Accessories & Hardware


**AT3016**  
Rectangular Cap  
for Super Bright LED  
Polycarbonate  
Color: JB  
Series: YB




**AT3017** ← **NEW**  
Round Cap for Bright LED  
Polycarbonate  
Colors: JB CB EB FB  
Series: YB2




**AT3018** ← **NEW**  
Round Cap for Super Bright LED  
Polycarbonate  
Color: JB  
Series: YB2




**AT3019** ← **NEW**  
Round Solid Cap  
Polycarbonate  
Color: S (Metallic Silver)  
Series: YB2




**AT3020** ← **NEW**  
Round Cap for Bright  
or Super Bright LED  
with Clear Illumination Ring  
Lens: Polycarbonate  
Insert: Polyester  
Color: JS (Metallic Silver  
with Clear Ring)  
Series: YB2




**AT3021**  
Flat Cap for Barrier Flange  
Polyphenylene oxide  
Colors: A B C H  
Series: JP




**AT3022** ← **NEW**  
Square Cap for Single  
or Bicolor LED  
Polycarbonate Resin  
Colors: JB JC JD JF  
Series: NP01




**AT3023** ← **NEW**  
Square Cap for Bicolor LED  
with Alternating Legends  
Polycarbonate Resin  
Color: J  
Series: NP01




**AT3024** ← **NEW**  
Square Solid Cap  
Polycarbonate Resin  
Colors: A B C H  
Series: NP01




**AT3069**  
Sculptured Cap with  
Alternating Legend  
for Illuminated  
Polycarbonate  
Color: J  
Series: UB2



**AT3070**  
Flat Cap with  
Alternating Legend  
for Illuminated  
Polycarbonate  
Color: J  
Series: UB2



**AT3073**  
Sculptured Cap  
for Nonilluminated  
Polycarbonate  
Colors: JA JB JC JD JF  
Series: UB2



Color Codes: A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt


Touch

Indicators


Accessories

Supplement


**AT3074**  
**Sculptured Cap for Illuminated**  
Polycarbonate  
Colors: JB JC JD JF  
Series: UB2




**AT3075**  
**Beveled Cap for Illuminated**  
Polycarbonate  
Colors: B C D F  
Series: UB2




**AT3076**  
**Flat Cap for Illuminated with Lens/Diffuser**  
Polycarbonate  
Colors: JB JC JD JF  
Series: UB2




**AT3077**  
**Beveled Cap for Nonilluminated**  
Polycarbonate  
Colors: A B C D F  
Series: UB2




**AT3078**  
**12mm Sculptured Cap with Lens/Diffuser**  
Polycarbonate  
Colors: JB  
Series: KP




**AT3079**  
**15mm Sculptured Cap with Lens/Diffuser**  
Polycarbonate  
Colors: JB  
Series: KP




**AT3080**  
**17.4mm Sculptured Cap with Lens/Diffuser**  
Polycarbonate  
Colors: JB  
Series: KP




**AT3081**  
**Transparent Lens**  
Polycarbonate  
Color: J  
Series: HB2




**AT3082**  
**Translucent Diffuser**  
Polycarbonate  
Color: B  
Series: HB2




**AT3083**  
**12mm Flat Cap with Lens/Diffuser**  
Polycarbonate  
Colors: JB  
Series: KP



**AT3084**  
**15mm Flat Cap with Lens/Diffuser**  
Polycarbonate  
Colors: JB  
Series: KP



**AT3085**  
**17.4mm Flat Cap with Lens/Diffuser**  
Polycarbonate  
Colors: JB  
Series: KP




**Color Codes:** A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear

# Accessories & Hardware

## AT3086

### 12mm Home Key Cap with Lens/Diffuser


Polycarbonate  
Colors: JB  
Series: KP



## AT3087

### 15mm Home Key Cap with Lens/Diffuser


Polycarbonate  
Colors: JB  
Series: KP



## AT3088

### 17.4mm Home Key Cap with Lens/Diffuser


Polycarbonate  
Colors: JB  
Series: KP



## AT4000s


### AT4001

**Square Dust Cover**  
Lid: Polyvinyl chloride  
Gasket: Polyethylene  
Series: LB UB




### AT4002

**Round Dust Cover**  
Lid: Polyvinyl chloride  
Gasket: Polyethylene  
Series: LB




### AT4003

**.394" Bat Lever Cap**  
Polyvinyl chloride  
Colors: A B C  
Series: A B



## AT4011

**Rectangular Dust Cover**  
Lid: Polyvinyl chloride  
Gasket: Polyethylene  
Series: LB UB




## AT4012

**Round Solid Colored Cap**  
Polycarbonate  
Colors: BJ CJ EJ FJ GJ  
Series: LB




## AT4013

**Round Colored Insert Cap**  
Polycarbonate  
Colors: JB JC JE JF JG  
Series: LB



## AT4016

**Round Spot Illuminated Cap**  
Polycarbonate  
Cap Colors: A B C F  
LED Colors: C D F CF  
Series: LB



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green

G Blue

H Gray

J Clear

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators


Accessories

Supplement


**AT4017**  
**Round Nonilluminated Cap**  
Polycarbonate  
Colors: A B C E F G H  
Series: LB




**AT4021**  
**Rectangular Solid Colored Cap**  
Polycarbonate  
Colors: A BB CB CC EB  
FB FF GB GG  
Series: KB




**AT4022**  
**Rectangular Colored Insert Cap**  
Polycarbonate  
Cap Colors: JB JC JE JF JG  
Series: KB




**AT4024**  
**Protective Guard**  
Cover: Polycarbonate  
Base: Polyamide  
Series: KB




**AT4025**  
**Rectangular Dust Cover**  
Lid: Polyvinyl chloride  
Base: Polyamide  
Series: KB




**AT4026**  
**Rectangular Solid Colored Cap**  
Polycarbonate  
Colors: BJ CJ EJ FJ GJ  
Series: LB




**AT4027**  
**Rectangular Colored Insert Cap**  
Polycarbonate  
Colors: JB JC JE JF JG  
Series: LB




**AT4030**  
**Rectangular Nonilluminated Cap**  
Polycarbonate  
Colors: A B C E F G H  
Series: LB




**AT4031**  
**Square Cap for Bright & Super Bright LED**  
Polycarbonate  
Colors: JB  
Series: HB




**AT4032**  
**Round Cap for Bright & Super Bright LED**  
Polycarbonate  
Colors: JB  
Series: HB



**AT4033**  
**Square Indicator Cap**  
Polycarbonate  
Colors: JB  
Series: HB



**AT4034**  
**Round Indicator Cap**  
Polycarbonate  
Colors: JB  
Series: HB




**Color Codes:** A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear




# Accessories & Hardware


**AT4035**  
**Square Nonilluminated Cap**  
 Polycarbonate  
 Colors: A B C E F G  
 Series: HB




**AT4036**  
**Round Nonilluminated Cap**  
 Polycarbonate  
 Colors: B C E F G  
 Series: HB




**AT4041 (M-metric H-inch)**  
**Splashproof Boot for Momentary**  
 Black silicone rubber  
 Series: MB




**AT4042 (M-metric H-inch)**  
**Splashproof Boot for Alternate**  
 Black silicone rubber  
 Series: MB




**AT4043**  
**Splashproof Boot**  
 Black silicone rubber  
 Series: MB SB WB




**AT4051**  
**Spot Illuminated Cap**  
 Polycarbonate  
 Colors: AB  
 Series: KB




**AT4052**  
**Spot Illuminated Cap**  
 Polycarbonate  
 Colors: AB  
 Series: HB




**AT4054**  
**Round Solid Colored Cap**  
 Polycarbonate  
 Colors: BJ CJ EJ FJ GJ  
 Series: LB Panel Seal




**AT4055**  
**Round Colored Insert Cap**  
 Polycarbonate  
 Colors: JB JC JE JF JG  
 Series: LB Panel Seal



**AT4057**  
**Protective Guard**  
 Polycarbonate  
 Series: LB



**AT4058**  
**Sculptured Cap**  
 Polyamide  
 Colors: A B C E F G H  
 Series: JB



**Color Codes:** A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear



# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators


Accessories

Supplement

## AT4059

### Flat Cap


Polycarbonate  
Colors: A B C E F G H  
Series: JB



## AT4060

### Clear Cap with Colored Diffuser


Polycarbonate  
Colors: JB JC JE JF  
Series: JB



## AT4062


### Rocker

Polyamide  
Colors: A B C  
Series: G



## AT4063


.157" Diameter  
Slip-on Cap  
Polyamide  
Colors: A B C  
Series: GB G3B



## AT4064

### .248" Bat Lever Cap


Polyvinyl chloride  
Colors: A B C  
Series: A B



## AT4065

### Slide Cap


Polycarbonate  
Cap Color: A  
Window: C E F  
Series: SS



## AT4072


### Protective Guard

Lid: Polycarbonate  
Base: Glass fiber reinforced polycarbonate  
Series: YB



## AT4073


Square Opaque Cap for Nonilluminated  
Polycarbonate  
Colors: A B C E F G  
Series: UB



## AT4074

### Square Transparent Cap for Illuminated


Polycarbonate  
Colors: C D F J  
Series: UB



## AT4075

### Diffuser for AT4074 Square Cap


Polycarbonate  
Colors: B C D F  
Series: UB



## AT4076

### Button with Frame for Illuminated


Polycarbonate  
Colors: BB BC BE BF BH  
Series: JB



## AT4077

### Button for Nonilluminated

Polycarbonate  
Colors: B C E F G H  
Series: JB



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green

G Blue

H Gray

J Clear

# Accessories & Hardware


## AT4078

### Frame for AT4077

Polycarbonate

Colors: B C E F G H

Series: JB




## AT4079

### Actuator Key

Brass alloy with  
bright nickel plating

Series: SK




## AT4080

### Actuator Key

Brass alloy with  
bright nickel plating  
Antistatic ABS resin handle

Color: A

Series: SK




## AT4081

### Actuator Key

Zinc alloy with chrome plating

Series: SK




## AT4082

### Actuator Key

Zinc alloy with chrome plating

Series: SK




## AT4094

### Actuator Key

Polyacetal

Color: A

Series: SK



# AT4100s

## AT4103


### Small Color Tipped Knob

Polyester with polyamide tip

Base Color: A

Tip Colors: A B C E F G H

Series: FR01 MR



## AT4104


### Large Color Tipped Knob

Polyester with polyamide tip

Base Color: A

Tip Colors: A B C E F G H

Series: FR01 MR




## AT4115

### Dust Cover

Lid: Polyvinyl chloride

Base: Polyamide

Series: YB



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green

G Blue

H Gray

J Clear

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators


Accessories

Supplement

## AT4116

### Rectangular Opaque Cap for Nonilluminated


Polycarbonate  
Colors: A B C E F G  
Series: UB



## AT4117

### Rectangular Transparent Cap for Illuminated


Polycarbonate  
Colors: C D F J  
Series: UB



## AT4118

### Diffuser for AT4117 Rectangular Transparent Cap


Polycarbonate  
Colors: B C D F  
Series: UB



## AT4119

### Square Spot Illuminated Cap


Polycarbonate  
Colors: AB  
Series: UB



## AT4120

### Rectangular Spot Illuminated Cap


Polycarbonate  
Colors: AB  
Series: UB



## AT4124

### Actuator Key


Brass with nickel plating  
Series: SK



## AT4125

### LED Rocker


Polycarbonate  
Colors: B C E F  
Series: MLW



## AT4126

### Dust Cover


Polyvinyl chloride & polyamide  
Color: A  
Series: JWL



## AT4127

### Sculptured Rocker

Polycarbonate  
Colors: B C E F  
Series: MLW



## AT4128

### Round Cap for Super Bright LED


Polycarbonate  
Colors: JB  
Series: LB



## AT4129

### Square Cap for Super Bright LED


Polycarbonate  
Colors: JB  
Series: LB



## AT4130

### Rectangular Cap for Super Bright LED

Polycarbonate  
Colors: JB  
Series: LB



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green

G Blue


H Gray

J Clear


Rockers

Toggles


## Illuminated PB Pushbuttons



Keylocks	Programmable
----------	--------------



Tactiles	Slides	Rotaries
<p>1. <b>Color</b></p> <p>2. <b>Texture</b></p> <p>3. <b>Shape</b></p> <p>4. <b>Size</b></p> <p>5. <b>Weight</b></p> <p>6. <b>Temperature</b></p> <p>7. <b>Smell</b></p> <p>8. <b>Taste</b></p> <p>9. <b>Sound</b></p> <p>10. <b>Light</b></p> <p>11. <b>Pressure</b></p> <p>12. <b>Resistance</b></p> <p>13. <b>Flexibility</b></p> <p>14. <b>Strength</b></p> <p>15. <b>Stiffness</b></p> <p>16. <b>Softness</b></p> <p>17. <b>Hardness</b></p> <p>18. <b>Smoothness</b></p> <p>19. <b>Roughness</b></p> <p>20. <b>Shiny</b></p> <p>21. <b>Dull</b></p> <p>22. <b>Translucent</b></p> <p>23. <b>Opaque</b></p> <p>24. <b>Transparent</b></p> <p>25. <b>Reflective</b></p> <p>26. <b>Absorbent</b></p> <p>27. <b>Non-absorbent</b></p> <p>28. <b>Conductive</b></p> <p>29. <b>Insulating</b></p> <p>30. <b>Flammable</b></p> <p>31. <b>Non-flammable</b></p> <p>32. <b>Toxic</b></p> <p>33. <b>Non-toxic</b></p> <p>34. <b>Corrosive</b></p> <p>35. <b>Non-corrosive</b></p> <p>36. <b>Radioactive</b></p> <p>37. <b>Non-radioactive</b></p> <p>38. <b>Biodegradable</b></p> <p>39. <b>Non-biodegradable</b></p> <p>40. <b>Recyclable</b></p> <p>41. <b>Non-recyclable</b></p> <p>42. <b>Reusable</b></p> <p>43. <b>Non-reusable</b></p> <p>44. <b>Disposable</b></p> <p>45. <b>Non-disposable</b></p> <p>46. <b>Biocompatible</b></p> <p>47. <b>Non-biocompatible</b></p> <p>48. <b>Antibacterial</b></p> <p>49. <b>Non-antibacterial</b></p> <p>50. <b>Antiviral</b></p> <p>51. <b>Non-antiviral</b></p> <p>52. <b>Antifungal</b></p> <p>53. <b>Non-antifungal</b></p> <p>54. <b>Antiparasitic</b></p> <p>55. <b>Non-antiparasitic</b></p> <p>56. <b>Anticancer</b></p> <p>57. <b>Non-anticancer</b></p> <p>58. <b>Antidiabetic</b></p> <p>59. <b>Non-antidiabetic</b></p> <p>60. <b>Antihypertensive</b></p> <p>61. <b>Non-antihypertensive</b></p> <p>62. <b>Anticholesterol</b></p> <p>63. <b>Non-anticholesterol</b></p> <p>64. <b>Anticoagulant</b></p> <p>65. <b>Non-anticoagulant</b></p> <p>66. <b>Antithrombotic</b></p> <p>67. <b>Non-antithrombotic</b></p> <p>68. <b>Antispasmodic</b></p> <p>69. <b>Non-antispasmodic</b></p> <p>70. <b>Anticonvulsant</b></p> <p>71. <b>Non-anticonvulsant</b></p> <p>72. <b>Antiepileptic</b></p> <p>73. <b>Non-antiepileptic</b></p> <p>74. <b>Antipsychotic</b></p> <p>75. <b>Non-antipsychotic</b></p> <p>76. <b>Antidepressant</b></p> <p>77. <b>Non-antidepressant</b></p> <p>78. <b>Antianxiety</b></p> <p>79. <b>Non-antianxiety</b></p> <p>80. <b>Antisleep</b></p> <p>81. <b>Non-antisleep</b></p> <p>82. <b>Antisleeping</b></p> <p>83. <b>Non-antisleeping</b></p> <p>84. <b>Antisleeping</b></p> <p>85. <b>Non-antisleeping</b></p> <p>86. <b>Antisleeping</b></p> <p>87. <b>Non-antisleeping</b></p> <p>88. <b>Antisleeping</b></p> <p>89. <b>Non-antisleeping</b></p> <p>90. <b>Antisleeping</b></p> <p>91. <b>Non-antisleeping</b></p> <p>92. <b>Antisleeping</b></p> <p>93. <b>Non-antisleeping</b></p> <p>94. <b>Antisleeping</b></p> <p>95. <b>Non-antisleeping</b></p> <p>96. <b>Antisleeping</b></p> <p>97. <b>Non-antisleeping</b></p> <p>98. <b>Antisleeping</b></p> <p>99. <b>Non-antisleeping</b></p> <p>100. <b>Antisleeping</b></p> <p>101. <b>Non-antisleeping</b></p> <p>102. <b>Antisleeping</b></p> <p>103. <b>Non-antisleeping</b></p> <p>104. <b>Antisleeping</b></p> <p>105. <b>Non-antisleeping</b></p> <p>106. <b>Antisleeping</b></p> <p>107. <b>Non-antisleeping</b></p> <p>108. <b>Antisleeping</b></p> <p>109. <b>Non-antisleeping</b></p> <p>110. <b>Antisleeping</b></p> <p>111. <b>Non-antisleeping</b></p> <p>112. <b>Antisleeping</b></p> <p>113. <b>Non-antisleeping</b></p> <p>114. <b>Antisleeping</b></p> <p>115. <b>Non-antisleeping</b></p> <p>116. <b>Antisleeping</b></p> <p>117. <b>Non-antisleeping</b></p> <p>118. <b>Antisleeping</b></p> <p>119. <b>Non-antisleeping</b></p> <p>120. <b>Antisleeping</b></p> <p>121. <b>Non-antisleeping</b></p> <p>122. <b>Antisleeping</b></p> <p>123. <b>Non-antisleeping</b></p> <p>124. <b>Antisleeping</b></p> <p>125. <b>Non-antisleeping</b></p> <p>126. <b>Antisleeping</b></p> <p>127. <b>Non-antisleeping</b></p> <p>128. <b>Antisleeping</b></p> <p>129. <b>Non-antisleeping</b></p> <p>130. <b>Antisleeping</b></p> <p>131. <b>Non-antisleeping</b></p> <p>132. <b>Antisleeping</b></p> <p>133. <b>Non-antisleeping</b></p> <p>134. <b>Antisleeping</b></p> <p>135. <b>Non-antisleeping</b></p> <p>136. <b>Antisleeping</b></p> <p>137. <b>Non-antisleeping</b></p> <p>138. <b>Antisleeping</b></p> <p>139. <b>Non-antisleeping</b></p> <p>140. <b>Antisleeping</b></p> <p>141. <b>Non-antisleeping</b></p> <p>142. <b>Antisleeping</b></p> <p>143. <b>Non-antisleeping</b></p> <p>144. <b>Antisleeping</b></p> <p>145. <b>Non-antisleeping</b></p> <p>146. <b>Antisleeping</b></p> <p>147. <b>Non-antisleeping</b></p> <p>148. <b>Antisleeping</b></p> <p>149. <b>Non-antisleeping</b></p> <p>150. <b>Antisleeping</b></p> <p>151. <b>Non-antisleeping</b></p> <p>152. <b>Antisleeping</b></p> <p>153. <b>Non-antisleeping</b></p> <p>154. <b>Antisleeping</b></p> <p>155. <b>Non-antisleeping</b></p> <p>156. <b>Antisleeping</b></p> <p>157. <b>Non-antisleeping</b></p> <p>158. <b>Antisleeping</b></p> <p>159. <b>Non-antisleeping</b></p> <p>160. <b>Antisleeping</b></p> <p>161. <b>Non-antisleeping</b></p> <p>162. <b>Antisleeping</b></p> <p>163. <b>Non-antisleeping</b></p> <p>164. <b>Antisleeping</b></p> <p>165. <b>Non-antisleeping</b></p> <p>166. <b>Antisleeping</b></p> <p>167. <b>Non-antisleeping</b></p> <p>168. <b>Antisleeping</b></p> <p>169. <b>Non-antisleeping</b></p> <p>170. <b>Antisleeping</b></p> <p>171. <b>Non-antisleeping</b></p> <p>172. <b>Antisleeping</b></p> <p>173. <b>Non-antisleeping</b></p> <p>174. <b>Antisleeping</b></p> <p>175. <b>Non-antisleeping</b></p> <p>176. <b>Antisleeping</b></p> <p>177. <b>Non-antisleeping</b></p> <p>178. <b>Antisleeping</b></p> <p>179. <b>Non-antisleeping</b></p> <p>180. <b>Antisleeping</b></p> <p>181. <b>Non-antisleeping</b></p> <p>182. <b>Antisleeping</b></p> <p>183. <b>Non-antisleeping</b></p> <p>184. <b>Antisleeping</b></p> <p>185. <b>Non-antisleeping</b></p> <p>186. <b>Antisleeping</b></p> <p>187. <b>Non-antisleeping</b></p> <p>188. <b>Antisleeping</b></p> <p>189. <b>Non-antisleeping</b></p> <p>190. <b>Antisleeping</b></p> <p>191. <b>Non-antisleeping</b></p> <p>192. <b>Antisleeping</b></p> <p>193. <b>Non-antisleeping</b></p> <p>194. <b>Antisleeping</b></p> <p>195. <b>Non-antisleeping</b></p> <p>196. <b>Antisleeping</b></p> <p>197. <b>Non-antisleeping</b></p> <p>198. <b>Antisleeping</b></p> <p>199. <b>Non-antisleeping</b></p> <p>200. <b>Antisleeping</b></p> <p>201. <b>Non-antisleeping</b></p> <p>202. <b>Antisleeping</b></p> <p>203. <b>Non-antisleeping</b></p> <p>204. <b>Antisleeping</b></p> <p>205. <b>Non-antisleeping</b></p> <p>206. <b>Antisleeping</b></p> <p>207. <b>Non-antisleeping</b></p> <p>208. <b>Antisleeping</b></p> <p>209. <b>Non-antisleeping</b></p> <p>210. <b>Antisleeping</b></p> <p>211. <b>Non-antisleeping</b></p> <p>212. <b>Antisleeping</b></p> <p>213. <b>Non-antisleeping</b></p> <p>214. <b>Antisleeping</b></p> <p>215. <b>Non-antisleeping</b></p> <p>216. <b>Antisleeping</b></p> <p>217. <b>Non-antisleeping</b></p> <p>218. <b>Antisleeping</b></p> <p>219. <b>Non-</b></p>		



Touch

## Indicators

## Accessories

Supplement

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators


Accessories

Supplement

## AT4145

### Square Dust Cover


Lid: PVC  
Gasket: Polyethylene  
Series: UB2



## AT4146

### Tubular Key


Brass with nickel plating  
ABS handle  
Color: A  
Series: CKM



## AT4147

### Flat Key


Brass with nickel plating  
ABS handle  
Color: A  
Series: CKM



## AT4148

### .365" Wide Rocker


Polyamide  
Colors: A B C E F G H  
Series: M M2T P



## AT4149

### .365" Wide Paddle


Polyamide  
Colors: A B C E F G H  
Series: M M2T P



## AT4150

### .450" Wide Rocker


Polyamide  
Colors: A B C E F G H  
Series: M M2T



## AT4151

### .450" Wide Paddle


Polyamide  
Colors: A B C E F G H  
Series: M M2T



## AT4152

### Tubular Key


Brass with nickel plating  
Series: CKL



## AT4153

### Flat Key


Brass with chrome plating  
Series: CKL



## AT4156

### .595" Wide Rocker


Polyamide  
Colors: A B C E F G H  
Series: M P



## AT4157

### .595" Wide Paddle

Polyamide  
Colors: A B C E F G H  
Series: M P



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green


G Blue

H Gray


J Clear

# Accessories & Hardware

**AT4158**  
**Square Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: JC JD JF  
 Series: KB




**AT4159**  
**Rectangular Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: JC JD JF  
 Series: KB




**AT4160**  
**Round Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: JC JD JF  
 Series: KB




**AT4162**  
**Square Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: JB JC JD JF  
 Series: LB




**AT4163**  
**Rectangular Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: JB JC JD JF  
 Series: LB




**AT4164**  
**Round Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: JB JC JD JF  
 Series: LB




**AT4165**  
**Round Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: JB JC JD JF  
 Series: LB Panel Seal




**AT4166**  
**Square Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: CB DB FB  
 Series: HB




**AT4167**  
**Round Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: CB DB FB  
 Series: HB



**AT4168**  
**Square Indicator Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: CB DB FB  
 Series: HB



**AT4169**  
**Round Indicator Cap**  
**for Bright LED**  
 Polycarbonate  
 Colors: CB DB FB  
 Series: HB



Color Codes: A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear

# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators


Accessories

Supplement

## AT4170

### Spring Loaded Protective Guard


Cover: Polycarbonate  
Base: Polyamide  
Coil spring: Stainless steel  
Series: UB2



## AT4171

### Spring Loaded Protective Guard


Cover: Polycarbonate  
Base: Polyamide  
Coil spring: Stainless steel  
Series: LB UB



## AT4172

### Spring Loaded Protective Guard


Cover: Polycarbonate  
Base: Polyamide  
Coil spring: Stainless steel  
Series: LB UB



## AT4173

### Spring Loaded Protective Guard


Cover: Polycarbonate  
Base: Polyamide  
Coil spring: Stainless steel  
Series: UB



## AT4174

### Spring Loaded Protective Guard


Cover: Polycarbonate  
Base: Polyamide  
Coil spring: Stainless steel  
Series: UB



## AT4175

### Spring Loaded Protective Guard


Cover: Polycarbonate  
Base: Glass fiber reinforced polyamide  
Coil spring: Stainless steel  
Series: YB



## AT4176

### Square Cap for Bright LED


Polycarbonate  
Colors: JB JC JD JF  
Series: LB



## AT4177

### Rectangular Cap for Bright LED


Polycarbonate  
Colors: JB JC JD JF  
Series: LB



## AT4178

### Round Cap for Bright LED

Polycarbonate  
Colors: JB JC JD JF  
Series: LB



Color Codes: A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear



# Accessories & Hardware


## AT4179

### Round Cap for Bright LED

Polycarbonate

Colors: JB JC JD JF

Series: LB Panel Seal



## AT4180


### Snap-on Knob

Polyamide

Knob: Black

Flange: Transparent brown

Series: FR01



## AT4181 ← NEW

### Splashproof Boot Assembly

Boot Material: Black silicon rubber


Hex Nut Material & Finish:

Nickel plated brass

O-ring Material:

Nitrile butadiene rubber

Series: M P S WT




### Switch Installation Instructions

1. Install switch bushing into mounting hole of panel from the back and adjust bushing to protrude 3.5 ~ 5.5mm (.138 ~ .217").
2. Install o-ring on bushing and tighten nut from above.
3. Insert boot onto nut. Be sure the boot and nut are a firm, secure fit.

### Non-Splashproof Switches

#### M, P or S Toggles with 12mm Bushings




Use boot, nut and o-ring as shown. Use lockwasher and hexagon nut (from standard switch hardware) behind panel.

### For 12mm Bushings in M, P, S & WT Toggles

#### Boot & Nut Assembly Instructions


1. Stretch base of the boot to fit around outer edges of the nut.
2. The ridge inside of boot must be firmly seated in groove of the nut.
3. Moving all around perimeter, push (with about 10N of force) toward center to assure boot seals tightly into groove (with no air pockets).




### Splashproof Switches

#### S1AW ~ S29AW S Toggles

#### WT Toggles or M Toggle with B3 Bushing



Use boot, nut and o-ring as shown. Use o-ring only (from standard switch hardware) behind panel.



Series or Part Numbers	Panel Thickness (Maximum)
<ul style="list-style-type: none"> <li>• M Series B2 Toggles with 12mm B1 &amp; B3 Bushings</li> <li>• P Series B Toggles with 12mm Bushing</li> <li>• S31 ~ 39, S41 ~ 49, S31F ~ 33F, S41F ~ S43F, S31T ~ 33T, S41T ~ 43T</li> <li>• S301 ~ 309, S331 ~ 339, S301F, S331F ~ 333F, S335F, S301T ~ 309T, S331T ~ 339T</li> <li>• S421 ~ 429, S421T ~ 429</li> </ul>	5.0mm (.197")
<ul style="list-style-type: none"> <li>• WT11S ~ 29S, WT11T ~ 29T, WT11L ~ 29L</li> </ul>	3.5mm (.138")
<ul style="list-style-type: none"> <li>• S1A ~ 7A, S21A, S1F ~ 7F, S21F</li> <li>• S114, S116</li> <li>• S1AW ~ 9AW, S21AW, S25AW ~ 29AW</li> </ul>	3.0mm (.118")

Color Codes: A Black B White C Red D Amber E Yellow F Green G Blue H Gray J Clear



# Accessories & Hardware

Toggles

Rockers

Pushbuttons

Illuminated PB

Programmable

Keylocks

Rotaries

Slides

Tactiles

Tilt

Touch

Indicators

Accessories

Supplement

## AT9000s


### AT9201

#### Bezel

Polycarbonate

Colors: A B C D E F G H

Series: MLW



### AT9410


#### Round Splash Cover

Lid: Polyvinyl chloride

Base: Polyethylene

O-ring: Nitrile butadiene rubber

Series: LB Panel Seal



### AT9704-02YC


#### Socket for LCD 36 x 24

#### Single & Bicolor Pushbutton

Base: Glass fiber reinforced PBT

Terminals: Brass/beryllium copper

Series: SmartSwitch



### AT9704-065E ← NEW


#### Socket for LCD 36 x 24

#### RGB Pushbutton

Base: Glass fiber reinforced PBT

Terminals: Brass/beryllium copper

Series: SmartSwitch



### AT9704-065F


#### Socket for LCD 36 x 24

#### Compact Pushbutton

Base: Glass fiber reinforced PBT

Terminals: Brass/beryllium copper

Series: SmartSwitch



Note: By extracting some of the pins, socket may be used for the 64 x 32 Compact Pushbutton


### AT9704-085K ← NEW

#### Socket for LCD 64 x 32 Pushbutton

Base: Glass fiber reinforced PBT

Terminals: Brass/beryllium copper

Series: SmartSwitch




### AT9704-085L ← NEW

#### Socket for OLED 64 x 48 Pushbutton

Base: Glass fiber reinforced PBT

Terminals: Brass/beryllium copper

Series: SmartSwitch




### AT9704-085M ← NEW

#### Socket for OLED 52 x 36 Display

Base: Glass fiber reinforced PBT

Terminals: Brass/beryllium copper

Series: SmartSwitch



Color Codes:

A Black

B White

C Red

D Amber

E Yellow

F Green

G Blue

H Gray

J Clear