

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** **0643251010**  
**Status:** **Active**  
**Overview:** CMC and CMX Sealed, Hybrid, Modular Connectors  
**Description:** CMC Blind Plug for cavity 0.635mm

**Documents:**

<a href="#">Drawing (PDF)</a>	<a href="#">Application Specification AS-64319-002-SP-001 (PDF)</a>
<a href="#">Product Specification 643270001-PS-000 (PDF)</a>	<a href="#">Application Specification AS-64327-001-001 (PDF)</a>
<a href="#">Product Specification PS-64319-002-001 (PDF)</a>	<a href="#">Application Specification AS-98420-001-001 (PDF)</a>
<a href="#">Product Specification PS-64326-001-001 (PDF)</a>	<a href="#">Application Specification AS-98420-001-CH-001 (PDF)</a>
<a href="#">Application Specification AS-501820-001-001 (PDF)</a>	<a href="#">Application Specification AS-98420-001-FR-001 (PDF)</a>
<a href="#">Application Specification AS-501820-001-JP-001 (PDF)</a>	<a href="#">Application Specification AS-98420-001-SP-001 (PDF)</a>
<a href="#">Application Specification AS-560065-001-001 (PDF)</a>	<a href="#">Application Specification AS-98420-002-001 (PDF)</a>
<a href="#">Application Specification AS-560065-001-CH-001 (PDF)</a>	<a href="#">Application Specification AS-98420-002-CH-001 (PDF)</a>
<a href="#">Application Specification AS-560065-001-FR-001 (PDF)</a>	<a href="#">Application Specification AS-98420-002-FR-001 (PDF)</a>
<a href="#">Application Specification AS-64318-002-001 (PDF)</a>	<a href="#">Application Specification AS-98420-002-SP-001 (PDF)</a>
<a href="#">Application Specification AS-64318-002-CH-001 (PDF)</a>	<a href="#">Application Specification AS-98420-003-001 (PDF)</a>
<a href="#">Application Specification AS-64318-002-FR-001 (PDF)</a>	<a href="#">Application Specification AS-98420-003-CH-001 (PDF)</a>
<a href="#">Application Specification AS-64318-002-SP-001 (PDF)</a>	<a href="#">Application Specification AS-98420-003-FR-001 (PDF)</a>
<a href="#">Application Specification AS-64319-002-001 (PDF)</a>	<a href="#">Packaging Specification PK-64325-001-001 (PDF)</a>
<a href="#">Application Specification AS-64319-002-CH-001 (PDF)</a>	<a href="#">Datasheet (PDF)</a>
<a href="#">Application Specification AS-64319-002-FR-001 (PDF)</a>	<a href="#">RoHS Certificate of Compliance (PDF)</a>

**General**

Product Family	Accessories
Series	<a href="#">64325</a>
Application	Automotive
Component Type	Wire Plug
Overview	<a href="#">CMC and CMX Sealed, Hybrid, Modular Connectors</a>
Product Name	CMC
Taxonomy	Connector Accessories
UPC	883906127527

**Physical**

Circuits (Loaded)	0
Circuits (maximum)	0
Net Weight	0.066/g
Packaging Type	Carton

**Solder Process Data**

Lead-freeProcess Capability	N/A
-----------------------------	-----

**Material Info**

**Reference - Drawing Numbers**



**EU ELV**  
**Compliant**

**EU RoHS**  
**Compliant**  
**REACH SVHC**

Not Contained Per -  
D(2022)4187-DC (10  
June 2022)

**Halogen-Free**  
**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Compliant

Not Contained

**Search Parts in this Series**

[64325 Series](#)

**Use With**

CMC Connector [64318](#) , [64319](#) , [64320](#) ,  
[64321](#) , [64326](#)

Application Specification

AS-501820-001-001, AS-501820-001-JP-001,  
AS-560065-001-001, AS-560065-001-CH-001,  
AS-560065-001-FR-001, AS-64318-002-001,  
AS-64318-002-CH-001, AS-64318-002-FR-001,  
AS-64318-002-SP-001, AS-64319-002-001,  
AS-64319-002-CH-001, AS-64319-002-FR-001,  
AS-64319-002-SP-001, AS-64327-001-001,  
AS-98420-001-001, AS-98420-001-CH-001,  
AS-98420-001-FR-001, AS-98420-001-SP-001,  
AS-98420-002-001, AS-98420-002-CH-001,  
AS-98420-002-FR-001, AS-98420-002-SP-001,  
AS-98420-003-001, AS-98420-003-CH-001,  
AS-98420-003-FR-001

Packaging Specification  
Product Specification

PK-64325-001-001  
643270001-PS-000, PS-64319-002-001,  
PS-64326-001-001

Sales Drawing

SD-64325-001-001

This document was generated on 08/25/2022

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**