









Applications	Commercial Grade
Feature	No Directivity Multilayer Multilayer Shield Magnetic Shield Ferrite Core Ferrite Core
Series Type	MLZ
Status	Production
Brand	TDK



Size		
Length(L)	1.60mm ±0.15mm	
Width(W)	0.80mm ±0.15mm	
Thickness Height	0.80mm ±0.15mm	
Recommended Land Pattern (A)	0.60mm Nom.	
Recommended Land Pattern (B)	0.80mm Nom.	
Recommended Land Pattern (C)	0.80mm Nom.	

Electrical Characteristics			
Inductance	2.2μH ±20% at 2MHz		
Rated Current (L Change) [Typ.]			
Rated Current (L Change) [Max.]	110mA (50% Down)		
Rated Current (Temperature Rise) [Typ.]	500mA (20°C Rise)		
Rated Current (Temperature Rise) [Max.]			
DC Resistance [Typ.]	180mΩ		
DC Resistance [Max.]	234mΩ		
Rated Voltage [Max.]			
Self Resonant Frequency [Min.]			
Self Resonant Frequency [Typ.]			
Q [Min.]			
Q [Typ.]			

Other				
Operating Temp. Range (Including Self-Temp. Rise)	-55 to 125°C			
Coldering Mathed	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	NO			
Packing	Punched (Paper)Taping [180mm Reel]			

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{! \ \}mbox{All specifications}$ are subject to change without notice.











Package Quantity	4000pcs
Weight	0.004g

[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website. ! All specifications are subject to change without notice.














Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)














[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{! \ \}mbox{\ensuremath{\mathsf{III}}}$ specifications are subject to change without notice.











Associated Images





[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{! \ \}mbox{All specifications}$ are subject to change without notice.