

Product Search Data Sheet

Note: This datasheet may be out of date

Please download the latest datasheet of DLW43SH220XK2#from the official website of Murata Manufacturing Co., Ltd.

https://www.murata.com/en-global/products/productdetail?partno=DLW43SH220XK2%23

### DLW43SH220XK2#

"#" indicates a package specification code.


### In Production RoHS REACH Q200

< List of part numbers with package codes > DLW43SH220XK2B DLW43SH220XK2K DLW43SH220XK2L



#### Appearance & Shape







- 1. Small size: L4.5xW3.2xT2.6mm (EIAcode: 1812) Tolerance: 0.2mm
- 2. It realized common mode inductance of 100microH (at 1MHz) though it is small size.
- 3. Common mode inductance items of 11,22,51,100microH, and they can be used for each applications.

#### Applications

For Automotive.

Common mode noise suppression of automotive LAN for Flex Ray, CANBUS.

# Applications

Automotive Usage	Powertrain/Safety
---------------------	-------------------

### Packaging Information

Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	100
К	330mm Embossed Tape	2500
L	180mm Embossed Tape	500

1 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date

Please download the latest datasheet of DLW43SH220XK2#from the official website of Murata Manufacturing Co. Ltd.

Co., Ltd. https://www.murata.com/en-global/products/productdetail?partno=DLW43SH220XK2%23

## DLW43SH220XK2#

#### "#" indicates a package specification code.

## Specifications

Shape	SMD	Number of Circuit	1
Size Code (in mm)	4532	Common Mode Inductance	22µH-30%/+50% (at 0.1MHz)
Size Code (in inch)	1812	Operating Temperature Range(Self- temperature rise is included)	No
Length	4.5mm		
Length Tolerance	±0.2mm		
Width	3.2mm		
Width Tolerance	±0.2mm		
Thickness	2.6mm		
Thickness Tolerance	±0.2mm		
Rated Current	310mA		
Rated Voltage	50Vdc		
Withstanding Voltage	125Vdc		
DC Resistance(max.)	0.6Ω		
DC Resistance	0.6Ω max.		
Insulation Resistance(min.)	10ΜΩ		
Operating Temperature Range	-40℃ to 125℃		
Mass(typ.)	0.17g		

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



Note: This datasheet may be out of date


Please download the latest datasheet of DLW43SH220XK2#from the official website of Murata Manufacturing Co., Ltd.


https://www.murata.com/en-global/products/productdetail?partno=DLW43SH220XK2%23

# DLW43SH220XK2#

"#" indicates a package specification code.








Impedance-Frequency Characteristics

#### Impedance-Frequency Characteristics (Main Items)



Equivalent Circuit

3 of 3

#### Attention

 This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

