


## Screwdriver - SF-BIT-HEX 2-50 - 1212645

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Screw bit, hexagon, E6.3-1/4" drive, size: Hex 2 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173

### Key Commercial Data

|                                      |                                                                                                        |
|--------------------------------------|--------------------------------------------------------------------------------------------------------|
| Packing unit                         | 5 pc                                                                                                   |
| Minimum order quantity               | 5 pc                                                                                                   |
| GTIN                                 | <br>4 046356 662734 |
| GTIN                                 | 4046356662734                                                                                          |
| Weight per Piece (excluding packing) | 8.200 g                                                                                                |
| Custom tariff number                 | 82079030                                                                                               |
| Country of origin                    | Czech Republic                                                                                         |
| Note                                 | Made to Order (non-returnable)                                                                         |

### Technical data

#### General

|       |        |
|-------|--------|
| Color | silver |
|-------|--------|

#### Environmental Product Compliance

|                           |                                                                                                               |
|---------------------------|---------------------------------------------------------------------------------------------------------------|
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |
|---------------------------|---------------------------------------------------------------------------------------------------------------|

### Drawings

Pictogram



### Classifications

#### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 21044290 |
| eCl@ss 4.0    | 21040402 |
| eCl@ss 4.1    | 21040402 |

# Screwdriver - SF-BIT-HEX 2-50 - 1212645

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 5.0 | 21040402 |
| eCl@ss 5.1 | 21040400 |
| eCl@ss 6.0 | 21049200 |
| eCl@ss 7.0 | 21044201 |
| eCl@ss 8.0 | 21044201 |
| eCl@ss 9.0 | 21044290 |

### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC001186 |
| ETIM 4.0 | EC002114 |
| ETIM 5.0 | EC002114 |
| ETIM 6.0 | EC002114 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 27111701 |
| UNSPSC 7.0901 | 27111701 |
| UNSPSC 11     | 27111701 |
| UNSPSC 12.01  | 27111701 |
| UNSPSC 13.2   | 27111701 |

## Approvals

### Approvals

---

Approvals


EAC

---

Ex Approvals

---

### Approval details

|     |                                                                                     |                          |
|-----|-------------------------------------------------------------------------------------|--------------------------|
| EAC |  | RU C-<br>DE.AI30.B.01750 |
|-----|-------------------------------------------------------------------------------------|--------------------------|

## Accessories

Accessories

Screwdriver tools

## Screwdriver - SF-BIT-HEX 2-50 - 1212645

### Accessories

Screwdriver - SF-M BH - 1212070



Bit screwdriver, with 1/4" quick-action chuck, handle length 119 mm, 2-component handle, with non-slip grip, suitable for bits according to DIN 3126-C 6.3 and E 6.3/ISO 1173, magnetic

---

Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>