

Note: This datasheet may be out of date

Please download the latest datasheet of NFZ15SF102SN10# from the official website of Murata Manufacturing

https://www.murata.com/en-global/products/productdetail?partno=NFZ15SF102SN10%23

NFZ15SF102SN10#

"#" indicates a package specification code.







< List of part numbers with package codes > NFZ15SF102SN10B NFZ15SF102SN10D



Appearance & Shape















- 1. NFZ15SF series is designed for noise suppression of audio lines such as class D amplifier. This product can suppress noise in FM band between 80MHz and 200MHz without distorting audio waveform.
- 2. The nickel barrier structure of the external electrodes provides excellent solder heat resistance.
- 3. Meets 125°C maximum operating temperature.



Other Usage

For general



Packaging Information

Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	1000
D	180mm Paper Tape	10000

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated : 2019/07/18



 $\underline{ Please \ download \ the \ latest \ datasheet \ of \ NFZ15SF102SN10\# \ from \ the \ official \ website \ of \ Murata \ Manufacturing} }$

Co., Ltd. https://www.murata.com/en-global/products/productdetail?partno=NFZ15SF102SN10%23

NFZ15SF102SN10#

"#" indicates a package specification code.

Note: This datasheet may be out of date



Shape	SMD
Size Code (in mm)	1005
Size Code (in inch)	0402
Length	1.0mm
Length Tolerance	±0.05mm
Width	0.5mm
Width Tolerance	±0.05mm
Thickness	0.5mm
Thickness Tolerance	±0.05mm
Rated Current	230mA
Operating Temperature Range	-55°C to 125°C
Mass(typ.)	0.001g
Number of Circuit	1
DC Resistance(max.)	1.4Ω
DC Resistance	0.96Ω (Typ.)
Impedance (at 100MHz)	1000Ω
Impedance (at 100MHz) Tolerance	±25%

2 of 3

Attention

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2019/07/18

^{1.} This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.


Note: This datasheet may be out of date $\underline{ Please \ download \ the \ latest \ datasheet \ of \ NFZ15SF102SN10\# \ from \ the \ official \ website \ of \ Murata \ Manufacturing} }$


Co., Ltd. https://www.murata.com/en-global/products/productdetail?partno=NFZ15SF102SN10%23

NFZ15SF102SN10#

"#" indicates a package specification code.







Impedance-Frequency Characteristics

Equivalent Circuit

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Murata:

NFZ15SF102SN10D