

https://www.phoenixcontact.com/us/products/1734634



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Coding profile, is inserted into the slot on the plug or inverted header, red insulating material



#### Commercial data

Item number	1734634
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	AA08
Product key	AAHZBC
Catalog page	Page 262 (C-1-2013)
GTIN	4017918026929
Weight per piece (including packing)	0.135 g
Weight per piece (excluding packing)	0.133 g
Customs tariff number	39269097
Country of origin	PL



https://www.phoenixcontact.com/us/products/1734634



### Technical data

#### Product properties

Product type	Coding element
Product family	Coding
Number of positions	1
Pitch	0 mm

#### Material specifications

Color (Housing)	red (RAL 3001)
Flammability rating according to UL 94	НВ

#### **Dimensions**

Pitch	0 mm
	•

#### Notes

General	The packing unit (PU) refers to individual coding profiles. Six
	coding profiles are located on a coding star.



https://www.phoenixcontact.com/us/products/1734634



## Classifications

UNSPSC 21.0

#### **ECLASS**

	ECLASS-11.0	27460401
	ECLASS-13.0	27460401
	ECLASS-12.0	27460401
ETIM		
	ETIM 9.0	EC002943
UNS	SPSC	

39121400

1734634

https://www.phoenixcontact.com/us/products/1734634



### Environmental product compliance

#### EU RoHS

20 1.01.0	
Fulfills EU RoHS substance requirements	Yes, No exemptions
China RoHS	
Environment friendly use period (EFUP)	EFUP-E
	No hazardous substances above the limits
EU REACH SVHC	
REACH candidate substance (CAS No.)	No substance above 0.1 wt%

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com