

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0011030043](#)  
**Status:** **Active**  
**Overview:** [Application Tooling](#)  
**Description:** [Extraction Tool](#)

**Documents:**

[RoHS Certificate of Compliance \(PDF\)](#)

**General**

Product Family	Application Tooling
Series	<a href="#">207121</a>
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	<a href="mailto:applicationtooling@molex.com">applicationtooling@molex.com</a>
Overview	<a href="#">Application Tooling</a>
Product Name	N/A
Tool Type	Extraction Hand Tool
UPC	800754211260
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

**Material Info**

Engineering Number HT60923A

**Reference - Drawing Numbers**

Application Tooling Documents  
ATS-011030043-001, TM-638000029-001, TM-638000029CN-001, TM-638000029DE-001, TM-638000029FR-001, TM-638000029IT-001, TM-638000029JP-001, TM-638000029KR-001, TM-638000029MY-001, TM-638000029PL-001, TM-638000029RU-001, TM-638000029SK-001, TM-638000029SP-001, TM-638000029TH-001, TM-638000029TW-001, TM-638000029VN-001



**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - D(2020)4578-DC (25 June 2020)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

[207121](#) Series

**Application Tooling** | **FAQ**

**Description** | **Product #**

Micro-Fit High-Current RMF Crimp Terminal, Female, 2.540µm Bright Tin Plating, 18 AWG	<a href="#">2039510001</a>
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 26-30 AWG	<a href="#">2064600011</a>
Micro-Fit+ Crimp Terminal, Female, 0.38µm Gold (Au) Plating, 26-30 AWG	<a href="#">2064600012</a>
Micro-Fit+ Crimp Terminal, Female, Tin (Sn) Plating, 20-24 AWG	<a href="#">2064600021</a>
Micro-Fit+ Crimp Terminal, Female,	<a href="#">2064600022</a>

0.38µm Gold (Au)  
Plating, 20-24 AWG  
Micro-Fit+ Crimp 2064600031  
Terminal, Female,  
Tin (Sn) Plating, 18  
AWG  
Micro-Fit+ Crimp 2064600032  
Terminal, Female,  
0.38µm Gold (Au)  
Plating, 18 AWG  
Micro-Fit+ Crimp 2064600041  
Terminal, Female,  
Tin (Sn) Plating, 16  
AWG  
Micro-Fit+ Crimp 2064600042  
Terminal, Female,  
0.38µm Gold (Au)  
Plating, 16 AWG  
Micro-Fit 3.0 Crimp 430300001  
Terminal, Female,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel  
Micro-Fit 3.0 Crimp 430300002  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
20-24 AWG, Reel  
Micro-Fit 3.0 Crimp 430300003  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
20-24 AWG, Reel  
Micro-Fit 3.0 Crimp 430300004  
Terminal, Female,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel  
Micro-Fit 3.0 Crimp 430300005  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Reel  
Micro-Fit 3.0 Crimp 430300006  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Reel  
Micro-Fit 3.0 Crimp 430300007  
Terminal, Female,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Bag  
Micro-Fit 3.0 Crimp 430300008  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor

Bronze Contact,  
20-24 AWG, Bag  
Micro-Fit 3.0 Crimp 430300009  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
20-24 AWG, Bag  
Micro-Fit 3.0 Crimp 430300010  
Terminal, Female,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Bag  
Micro-Fit 3.0 Crimp 430300011  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Bag  
Micro-Fit 3.0 Crimp 430300012  
Terminal, Female,  
with Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Bag  
Micro-Fit 3.0 Crimp 430300038  
Terminal, Female,  
with Tin (Sn)  
Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel  
Micro-Fit 3.0 430300039  
Crimp Terminal,  
Female, with 0.38 $\mu$ m  
Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel  
Micro-Fit 3.0 430300040  
Crimp Terminal,  
Female, with 0.76 $\mu$ m  
Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel  
Micro-Fit 3.0 Crimp 430310001  
Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel  
Micro-Fit 3.0 Crimp 430310002  
Terminal, Male,  
with 0.38 $\mu$ m Select  
Gold (Au) Plated

Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit 3.0 Crimp [430310003](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit 3.0 Crimp [430310004](#)  
Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit 3.0 Crimp [430310005](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit 3.0 Crimp [430310006](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit 3.0 Crimp [430310007](#)  
Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Bag

Micro-Fit 3.0 Crimp [430310008](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Bag

Micro-Fit 3.0 Crimp [430310009](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Bag

Micro-Fit 3.0 Crimp [430310010](#)  
Terminal, Male,  
with Tin (Sn) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp [430310011](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp [430310012](#)  
Terminal, Male,

with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Bag

Micro-Fit 3.0 Crimp 430310021

Terminal, Male,  
with Tin (Sn)  
Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel

Micro-Fit 3.0 430310022

Crimp Terminal,  
Male, with 0.38µm  
Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel

Micro-Fit 3.0 430310023

Crimp Terminal,  
Male, with 0.76µm  
Select Gold (Au)  
Plated Phosphor  
Bronze Contact,  
18 AWG, .073in /  
1.85mm Max  
Insulation Outside  
Diameter, Reel

Micro-Fit TPA Crimp 430315003

Terminal, Male, with  
Tin (Sn) Pre-plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit TPA Crimp 430315004

Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit TPA Crimp 430315005

Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit TPA Crimp 430315006

Terminal, Male, with  
2.54µm Matte Tin  
Plated Phosphor  
Bronze Contact,  
20-24 AWG, Reel

Micro-Fit TPA Crimp 430315007

Terminal, Male, with  
Tin (Sn) Pre-plated  
Phosphor Bronze

Contact, 26-30 AWG,  
Reel

Micro-Fit TPA Crimp [430315008](#)  
Terminal, Male,  
with 0.38µm Select  
Gold (Au) Plated  
Phosphor Bronze

Contact, 26-30 AWG,  
Reel

Micro-Fit TPA Crimp [430315009](#)  
Terminal, Male,  
with 0.76µm Select  
Gold (Au) Plated  
Phosphor Bronze

Contact, 26-30 AWG,  
Reel

Micro-Fit TPA Crimp [430315010](#)  
Terminal, Male, with  
2.54µm Matte Tin  
Plated Phosphor  
Bronze Contact,  
26-30 AWG, Reel

Micro-Fit 3.0 Crimp [457730001](#)  
Terminal, Female,  
with Lubricant, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit 3.0 Crimp [457730003](#)  
Terminal, Female,  
with Lubricant, with  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit 3.0 Crimp [457730006](#)  
Terminal, Female,  
with Lubricant, with  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 26-30 AWG,  
Reel

Micro-Fit 3.0 Crimp [457730053](#)  
Terminal, Female,  
with Lubricant, with  
Gold (Au) Plated  
Phosphor Bronze  
Contact, 20-24 AWG,  
Reel

Micro-Fit RMF [462350001](#)  
Reduced Mating  
Force, Crimp  
Terminal, Female,  
with 0.38µm  
Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, without  
Lubricant

Micro-Fit RMF [462350002](#)  
Reduced Mating  
Force, Crimp  
Terminal, Female,  
with 0.76µm  
Selective Gold (Au)

over Nickel (Ni),  
20-24 AWG, without  
Lubricant  
Micro-Fit RMF 462350003  
Reduced Mating  
Force, Crimp  
Terminal, Female,  
with 0.38µm  
Selective Gold (Au)  
over Nickel (Ni),  
26-30 AWG, without  
Lubricant  
Micro-Fit RMF 462350004  
Reduced Mating  
Force, Crimp  
Terminal, Female,  
with .0.76µm  
Selective Gold (Au)  
over Nickel (Ni),  
26-30 AWG, without  
Lubricant  
Micro-Fit RMF 462355001  
High Mating  
Cycle, Reduced  
Mating Force,  
Crimp Terminal,  
Female, with 0.38µm  
Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, with  
Lubricant  
Micro-Fit RMF 462355002  
High Mating  
Cycle, Reduced  
Mating Force,  
Crimp Terminal,  
Female, with 0.76µm  
Selective Gold (Au)  
over Nickel (Ni),  
20-24 AWG, with  
Lubricant  
Micro-Fit RMF 462355003  
High Mating  
Cycle, Reduced  
Mating Force,  
Crimp Terminal,  
Female, with 0.38µm  
Selective Gold (Au)  
over Nickel (Ni),  
26-30 AWG, with  
Lubricant  
Micro-Fit RMF 462355004  
High Mating Cycle,  
Reduced Mating  
Force, Crimp  
Terminal, Female,  
with .0.76µm  
Selective Gold (Au)  
over Nickel (Ni),  
26-30 AWG, with  
Lubricant  
1.25mm Pitch, 500588000  
PicoBlade Female  
Crimp Terminal, Tin

(Sn) Plating, 28-32  
AWG, Reel  
1.25mm Pitch, 500588100  
PicoBlade Female  
Crimp Terminal, Tin  
(Sn) Plating, 28-32  
AWG, Bag  
1.25mm Pitch, 500618000  
Board-in Male Crimp  
Terminal, Vertical,  
28-32 AWG, Reel,  
for 51022 Housing  
1.25mm Pitch, 500798000  
PicoBlade Female  
Crimp Terminal, Tin  
(Sn) Plating, 26-28  
AWG, Reel  
1.25mm Pitch, 500798100  
PicoBlade Female  
Crimp Terminal, Tin  
(Sn) Plating, 26-28  
AWG, Bag  
1.25mm Pitch, 501258000  
PicoBlade Male  
Crimp Terminal, Tin  
(Sn) Plating, 26-28  
AWG, Reel  
1.25mm Pitch, 501258100  
PicoBlade Male  
Crimp Terminal, Tin  
(Sn) Plating, 26-28  
AWG, Bag  
1.25mm Pitch, 501338000  
PicoBlade Male  
Crimp Terminal, Tin  
(Sn) Plating, 28-32  
AWG, Reel  
1.25mm Pitch, 501338100  
PicoBlade Male  
Crimp Terminal, Tin  
(Sn) Plating, 28-32  
AWG, Bag  
2.00mm Pitch, Micro-502128000  
Latch Female Crimp  
Terminal, Tin (Sn)  
Plating, 24-30 AWG,  
Reel  
2.00mm Pitch, Micro-502128100  
Latch Female Crimp  
Terminal, Tin (Sn)  
Plating, 24-30 AWG,  
Bag  
2.00mm Pitch, Micro-503728000  
Latch Female Crimp  
Terminal, Tin (Sn)  
Plating, 22-26 AWG,  
Reel  
2.00mm Pitch, Micro-503728100  
Latch Female Crimp  
Terminal, Tin (Sn)  
Plating, 22-26 AWG,  
Bag  
OBD-II Crimp 504208000  
Terminal, Female,  
50420, 4.00mm Pitch



DuraClik Crimp 5600850101  
Terminal, Female,  
22-26 AWG, Reel

This document was generated on 11/25/2020

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[11-03-0043](#)