HW-508254-5-9 <

HW

TE Internal #: E07443-000 HW, Standard Labels, Industrial Label, Die-Cut Label Style, High Tack Permanent Acrylic Adhesive, UL Listed Yes, Label Width 50.8 mm [2 in]

View on TE.com >



Identification & Labeling > Labels > Standard Labels > HW HIGH TACK WHITE POLYESTER LABELS



Label Type: Industrial Label Label Style: Die-Cut Label Adhesive Type: High Tack Permanent Acrylic Adhesive UL Listed: Yes Label Width: 50.8 mm [2 in]

All HW HIGH TACK WHITE POLYESTER LABELS (43)

Features

Product Type Features

Label Type

Industrial Label

Body Features

Label Color	White			
Usage Conditions				
Operating Temperature Range	-40 – 150 °C[-40 – 302 °F]			
Printer/Label Features				
Number of Labels Across	1			
Recommended Printer Ribbon	See Printer Ribbon Matrix			
Label Style	Die-Cut			
Label Width	50.8 mm[2 in]			
Label Height	25.4 mm[1 in]			
Label Material	Polyester			
Label Thickness	97 Micron			
Industry Standards				
UL Listed	Yes			

HW-508254-5-9

HW, Standard Labels, Industrial Label, Die-Cut Label Style, High Tack Permanent Acrylic Adhesive, UL Listed Yes, Label Width 50.8 mm [2 in]



Packaging Features

Packaging Quantity	5000
Packaging Method	Roll
Other	
Label Adhesive Type	High Tack Permanent Acrylic Adhesive
Product Compliance	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Solder Process Capability	Not applicable for solder process capability		

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts

HW-508254-5-9

HW, Standard Labels, Industrial Label, Die-Cut Label Style, High Tack Permanent Acrylic Adhesive, UL Listed Yes, Label Width 50.8 mm [2 in]





Also in the Series | HW




Customers Also Bought



HSA50 100R 5%	RECEPT ASSY,62 POSN,AMPLIMITE	2.5MM,HDR,13POS,R/A	D-621-0423
TE Part #1625984	TE Part #204506-1	TE Part #1-440053-3	TE Part #150977-000
HSA50 100R 5%	RECEPT ASSY,62 POSN,AMPLIMITE	2.5MM,HDR,13POS,R/A	D-621-0423





TE Part #2-1658462-4 MSB0.80RC-ASY160FL,-,30,-TY



HW-508254-5-9

HW, Standard Labels, Industrial Label, Die-Cut Label Style, High Tack Permanent Acrylic Adhesive, UL Listed Yes, Label Width 50.8 mm [2 in]



Documents

Product Drawings HW-508254-5-9

English

Datasheets & Catalog Pages IDENTIFICATION SELECTION GUIDE

English

HW High Tack White Polyester labels

English

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: HW-508254-5-9