


### Advantages

- Fastenings at angles up to 30° per side
  - Quick feeding of the key into the screw thanks to feeding from various angles
  - The key does not slip out of the screw, which reduces the risk of accidents
  - No deformation of the screw head thanks to precision fitting of the ball end
- Fastenings at angles up to 25° per side
  - Higher torque transmission due to maximum core diameter
  - Elongated profile positioning for further use of the L-key
- Thanks to the combination of MagicRing® with the Wiha ball end, inserting and removing screws is possible, even in hard-to-reach locations
  - Securely holds screws made of steel and non-magnetic materials such as stainless steel, titanium, aluminium and plastics in any position
  - Can be used for all standard screws
  - Use for applications in which magnetised fastening tools cannot and may not be used (magnetic environment)!
  - Fastenings at angles up to 25° per side
- Securely holds screws made of steel and non-magnetic materials such as stainless steel, titanium, aluminium and plastics in any position
  - TORX® and TORX PLUS® screws manufactured according to Camcar Textron specifications
  - Use for applications in which magnetised fastening tools cannot and may not be used (magnetic environment)!
- Reduction of the short L-key arm, especially for hard-to-reach screws and confined spaces
  - Increase in the hand working space of over 30% and thus a reduction of the risk of injury to the knuckles and fingertips thanks to a 95° bend of the L-key
  - Improved access through a reduction of the L-key head height of up to 15%
  - Ball end geometry enables fastening at an angle of up to 25°
- Handles and holders in the same colour depending on the output size
  - This provides an overview of the tool assortment



# Wiha hexagon L-key (metric).

## For Allen screws (metric).



### 352 H9B Hexagon L-key set in Classic holder.

**Black finish, 9 pcs.**

Blade: Chrome-vanadium steel, through-hardened, black finish.

Standards: Based on ISO 2936L.

Extra: Popular key sizes kept in a well-organised holder.  
Simple, rapid operation with solid stopping point for L-keys.

Order-No.	Series						
06386	352 H9B						5
	● 352B	1.5	2	2.5	3	4	
		5	6	8	10		



### 352 H7B Hexagon L-key set in Classic holder.

**Black finish, 7 pcs.**

Blade: Chrome-vanadium steel, through-hardened, black finish.

Standards: Based on ISO 2936L.

Extra: Popular key sizes kept in a well-organised holder.  
Simple, rapid operation with solid stopping point for L-keys.

Order-No.	Series							
06384	352 H7B							5
	● 352B	1.5	2	2.5	3	4	5	6



### 352 HM5B Hexagon L-key set in Classic holder.

**Black finish, 5 pcs.**

Blade: Chrome-vanadium steel, through-hardened, black finish.

Standards: Based on ISO 2936L.

Extra: Popular key sizes kept in a well-organised holder.  
Simple, rapid operation with solid stopping point for L-keys.

Order-No.	Series						
06382	352 HM5B						10
	● 352B	0.7	0.9	1.3	1.5	2	

## For Allen screws (metric).



### 351 Hex L-key, short.

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Standards: ISO 2936K.

Order-No.	●			
01144	1.5	46	15	10
01145	2	51	18	10
01146	2.5	57	20	10
01147	3	64	23	10
01148	3.5	70	26	5
01149	4	72	29	10
01150	4.5	80	31	5
01151	5	83	33	10
01152	5.5	90	35	5
01153	6	94	38	10
01154	7	99	41	5
01155	8	105	44	10
01156	9	114	47	5
01157	10	119	50	5
01158	11	129	53	5
01159	12	134	57	5
01160	14	151	70	5
01161	17	173	80	5
01162	19	195	89	5



### 351 H11 L-key set in Compact holder.

**Bright nickel-plated, 11 pcs.**

Blade: Chrome-vanadium steel, through hardened, nickel-plated.

Standards: ISO 2936K.

Extra: Thanks to its compact form the Wiha Compact holder fits perfectly into any folding rule pocket.  
Including SW 7 and SW 9 special sizes.

Order-No.	Series											
36449	351 H11											5
	● 351	1.5	2	2.5	3	4						
		5	6	7	8	9	10					