


4805 (3/11)

 $+\frac{-2}{73.6}$ mm[INCHES]  $\oplus \subseteq$ ERIAL GLASS FILLE POLYESTER COLOR: BLAC

Ś			CCEPTS HICK P.C 4.44 [.170]	REF	055] TO 0 8.76 .345]	1.78	[.070]	
.94	141.61	130.05	134.62	129.54	124.46	50	3-583718-7	
<u>00</u> ] .66	5.700 63.50	5.120 48.77	<u>[5.300]</u> 53.34	<u>[5.100]</u> <u>48.26</u>	<u>[4.900]</u> 			
00]	[2.500]	[1.920]	[2.100]	[1.900]	[1.700]		3-583718-0	
.22 500]	99.06 [3.900]	84.33 [3.320]	88.90 [3.500]	71.12 [3.300]	66.04 [3.100]	32	2-583718-7	
.54	119.38	104.65	109.22	104.14	99.06	40	2-583718-6	
<u>00</u> .82	4.700	4.120	[4.300] 63.50	4.100	<u>3.900</u> <u>53.34</u>	22	2-583718-5	
5007 .44	[2.900] 81.28	$\begin{bmatrix} 2.320 \end{bmatrix}$	$\begin{bmatrix} 2.500 \end{bmatrix}$	[2.300] 66.04	<u>[2.100]</u> 60.96			
600	<u>3.700</u>	[ <u>3.120</u> ]	$\begin{bmatrix} 7 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\ 3 \\$	[3.100]	60.96 [2.900]	30	2-583718-4	
04 007	<u>55.88</u> [2.200]	41.15 [1.620]	<u>45.72</u> [1.800]	40.64 F1.6007	<u> </u>	-15-	2-583718-3	
.82	73.66	58.93	63.50	58.42	53.34	22	2-583718-2	
500] .44	2.900	2.320	2.500	<u>[2.300]</u> 66.04	<u>2.100</u> <u>60.96</u>			
<del>.</del> 94	<del>[3.200]</del> 141.61	<del>[2.620]</del> 130.05	<del>[2.800]</del> 134.62	<u>[2.600]</u> 129.54	<del>[2.400]</del> 124.46	25	2-583718-1	
007	[5.700]	[5.120]	[5.300]	[5.100]	[4.900]	50	1-583718-7	
.54 00]	119.38 [4.700]	104.65 [4.120]	109.22 [4.300]	104.14 [4 100]	99.06 [3.900]	40	1-583718-5	
.44	81.28	66.55	71.12	66.04	60.96	30	1-583718-3	
00]	<u>[3.700]</u> 81.28	<u>[3.120]</u> 66.55	<u>[3.300]</u> 71.12	<u>[3.100]</u> 66.04	<u>[2.900]</u> 60.96			
5007	[3.200]	[2.620]	[2.800]	[2.600]	[2.400]	25	1-583718-1	
.82 500]	73.66 [2.900]	58.93 [2.320]	63.50 [2.500]	58.42 [2.300]	53.34 [2.100]	22	583718-9	
.66 007	63.50 [2.500]	48.77 [1.920]	53.34 [2.100]	48.26	43.18 [1.700]	18	583718-7	
.12	60.96	46.23	50.80	45.72	40.64	17	<u> </u>	
04	<u>[2.400]</u> 55.88	<del>[1.820]</del> 41.15	<u>[2.000]</u> 45.72	<del>[1.800]</del> 40.64	<del>[1.600]</del> 35.56			
5007	[2.200]	[1.620]	[1.800]	[1.600]	[1.400]	15	583718-3	
.34 00]	43.18 [1.700]	28.45 [1.120]	33.02 [1.300]	27.94 [1.100]	22.86 [.900]	10	583718-1	
		D	С	В	A	POSN	PART NUMBER	
A CONT	A CONTROLLED DOCUMENT. DWN 23FEB99 M.MORRIS CHK 23FEB99 TE Connectivity							
	TOLERANCES UNLES OTHERWISE SPECIFI	C.BAKER ED: APVD C.BAKER	23FEB99	NAME				
0 PLC ± - PRODUCT SPEC .100CL, WITH MOUNTING EARS								
3 F 4 F ANG	PLC ± 0.13[.00 PLC ± - SLES ± -		SPEC	SIZE CAGE CODE DRAWING NO				
LED R ACK VEIGHT - ACT 00779 C=583718 - CUSTOMER DRAWING CUSTOMER DRAWIN								
I		ŀ			<b>I</b>			

1 REVISIONS AD 00 DESCRIPTION DATE DWN APVI 05apr11 RK HMF U1 REVISED PER ECO-11-005294



А

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 583718-3