

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

04MAR2004

© COPYRIGHT 04MAR2004 BY -


ALL RIGHTS RESERVED.

The contents indicated by this drawing are disclosing the information which Tyco Electronics owns. It forbids copying and distributing without notice.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A3	REVISED ECO-20-009888	16JUL19	J. J	W. H

-1; AS SHOWN





REFERENCE PCB PAD  
□ TOLERANCE ± 0.05 □

- ① PLATED  
ALL OVER; Ni 0.8 μm MIN  
CONTACT POINT; Au 0.25 μm 0.5 μm  
SOLDERING AREA; Au 0.05 μm MIN  
2. CUT BURR; 0.05 MAX.  
OTHER BURR; 0.03 MAX.
- ③ MATERIAL; COPPER ALLOY
- 4. FEATURES IDENTIFIED AS STATISTIACLLY TOLERANCED (ST)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. OHASHI 29JAN2004	<b>TE Connectivity</b>				
DIMENSIONS: mm		CHK T. KIMURA 06APR2004					
TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.2		APVD K. Ikegami 06APR2004	NAME SHIELD FINGER 2411 ANTI OVER STRESS TYPE EMBOSS PACKING				
0 PLC ± 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±		PRODUCT SPEC 108-5967	SIZE A3	CAGE CODE -	DRAWING NO C-1746854	RESTRICTED TO	
MATERIAL ②		FINISH ①	APPLICATION SPEC -	WEIGHT 0.01g	SCALE 2:1	SHEET 1 OF 2	REV A3
		CUSTOMER DRAWING					

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




➔ DIRECTION OF TOP OF REEL



SECTION A-A

- 1; AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. OHASHI 29 JAN 2004	 TE Connectivity				
DIMENSIONS: mm		CHK T. KIMURA 06 APR 2004					
TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.2		APVD K. IKEGAMI 06 APR 2004	NAME SHIELD FINGER 2411 ANTI OVER STRESS TYPE EMBOSS PACKING				
0 PLC ± 1 PLC ±0.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±		PRODUCT SPEC 108-5967	SIZE A3	CAGE CODE -	DRAWING NO C-1746854	RESTRICTED TO	
MATERIAL SEE NOTE Y		FINISH SEE NOTE Y	APPLICATION SPEC -	WEIGHT 0.01g	SCALE 4:1	SHEET 2 OF 2	REV A3
CUSTOMER DRAWING							

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1746854-1](#)