Products

Industries & Solutions

Resources

**TE Store** 

Sign In





#### Connectors > PCB Connectors > Wire-To-Board Connectors > Wire-To-Board Connector Contacts

## 1734193-1

WTB Socket, Terminal 80u" Tin



MIS

TE Internal #: 1734193-1

TE Internal Description: WTB Socket, Terminal

80u" Tin

Contact Type : Socket


Connector System: Wire-to-Board
Centerline (Pitch): 1.25 mm [ .049 in ]

Wire Size (AWG): **32 – 28** Wire Size (mm²): **.03 – .08** 

Order Samples | Similar Products |







Documents

**Features** 

**Product Compliance** 

**Product Drawings** 

WTB Socket, Terminal 80u" Tin

▲ WTB Socket,Terminal 80u" Tin

(TIFF AVAILABLE) English

CAD Files

Customer View Model

**L** ENG\_CVM\_CVM\_1734193-1\_O.2d\_dxf.zip

English

3D PDF

**▲** 3D\_CVM\_CVM\_1734193-1\_O.pdf 3D

Customer View Model

**L** ENG\_CVM\_CVM\_1734193-1\_O.3d\_igs.zip

English

**L** ENG\_CVM\_CVM\_1734193-1\_O.3d\_stp.zip

English

Datasheets & Catalog Pages

1-1773713-

2\_HIGH\_PERFORMANCE\_INTERCONNECT\_QUICK\_R EFERRENCE\_GUIDE\_EN

**L** ENG\_DS\_1-1773713-2\_HPI\_QRG\_EN\_0114\_1-1773713-2HPI\_Connectors\_0114.pdf English

Product Specifications WIRE-TO-BOARD SERIES

▲ S\_108-57225\_A.tif English

**Product Specification** 

▲ S\_108-57225\_A.pdf English **WIRE-TO-BOARD SERIES** Langlish S\_501-57229\_A.tif English **Qualification Test Report** ▲ S\_501-57229\_A.pdf English Product TE Material Declaration Environmental **LINE STATE STATE** Compliance Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity. Product Type Connector System: Wire-to-Board **Features** Sealable: No Connector & Contact Terminates To: Wire & Cable Wire/Cable Type: Discrete Wire Product Type: Contact Electrical Insulation Resistance (M $\Omega$ ): 100 Characteristics Contact Base Material: Phosphor Bronze **Contact Features** Crimp Area Plating Thickness (µm): 2 Wire Contact Termination Area Plating Material: Tin Contact Type: Socket Contact Mating Area Plating Material: Tin Contact Current Rating (Max) (A): .8, 1 Contact Plating Material Finish: Matte Contact Plating Material: Tin over Nickel Termination Crimp Area Plating Material Finish: Matte **Features** Mechanical Connector Mounting Type: Cable Mount (Free-Hanging) Attachment Housing Features Centerline (Pitch): 1.25 mm [.049 in] Wire Size (AWG): 32 - 28 **Dimensions** Wire Size (mm²): .03 - .08 Operating Temperature Range: -40 - 80 °C [-40 - 176 °F] **Usage Conditions** Operation/Application Circuit Application: Signal For Use With: 440146-x

Packaging Features	Packaging Method : <b>Reel</b> Packaging Quantity : <b>20000</b>
EU RoHS Directive 2011/65/EU	
	irective 2011/65/EU incl. Delegated Directive 2015/863/EU. The restrictions of 22 July 2021 for EEE categories 8 (medical devices) and 9 (monitoring and
EU ELV Directive 2000/53/EC	
China RoHS 2 Directive MIIT Order No 32, 2016	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: <b>JAN 2019 (197)</b> Candidate List Declared Against: <b>JUL 2017 (174)</b>
Halogen Content	
Solder Process Capability	Not applicable for solder process capability
Statement of Compliance	Statement of Compliance pdf
Compliance Documents	There may be Environmental Compliance related documents on the DOCUMENTATION Tab
Disclaimer	This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU.  Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead,

hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC

(ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidancedocuments/guidance-on-reach

# Products with Similar Specs

#### **View All Similar Products**

#### THIS PRODUCT

### TOP RESULTS ②

WIRE-TO-BOARD CONNECTOR...

1734193-1

WTB Socket, Terminal 80u\* Tin



From In-Stock

Contact Type : **Socket** 

Connector System: **Wire-to-**

Doard

Centerline (Pitch): 1.25 mm Wire Size: 32 – 28 AWG Wire Size: .03 – .08 mm² WIRE-TO-ROARD CONNECTOR

440147-2

1.0 WTB Terminal 30u" Au



From In-Stock

Contact Type : Socket

Connector System: Wire-to-Board

Centerline (Pitch): 1.25 mm Wire Size: 32 – 28 AWG Wire Size: .03 – .08 mm² WIRE-TO-BOARD CONNECTOR ...

1734597-1

1.0 WTB Terminal, Receptacle



From In-Stock

Contact Type : **Socket** 

Connector System: Wire-to-

Board

Centerline (Pitch): 1 mm Wire Size: 32 – 28 AWG Wire Size: .03 – .08 mm² WIRE-TO-BOARD CONNECTOR..

1775442-1

EMIX CONN., 1.5mm PITCH, TERMI



From In-Stock

Contact Type : **Socket** Connector System : **Wire-to-**

Roard

Centerline (Pitch): 1.5 mm Wire Size: 30 – 24 AWG Wire Size: .05 – .02 mm²

## Also in the Series | MIS



Wire-to-Board Connector Contacts (3)



Wire-to-Board Connector Housings (22)



Wire-to-Board Headers & Receptacles (23) ABOUT TE CONNECTIVITY FOR PARTNERS SUPPORT CALL US LIVE CHAT UNITED STATES (EN)