

Mounting material - FLRP/ICV 80 - 1808353


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Pair of guide rails, is inserted into the groove ICV/...G, height: 86 mm, hole diameter: 3.4 mm



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 047023
GTIN	4017918047023
Weight per Piece (excluding packing)	13.870 g
Custom tariff number	85369010
Country of origin	Germany

Technical data


Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values


Drawings

Mounting material - FLRP/ICV 80 - 1808353


Drilling diagram




Drilling diagram




Drilling diagram



Drilling diagram



Dimensional drawing



Classifications

eCl@ss

eCl@ss 10.0.1	27440390
eCl@ss 11.0	27460405
eCl@ss 4.0	27378000
eCl@ss 4.1	27378000
eCl@ss 5.0	27379100
eCl@ss 5.1	27379100
eCl@ss 6.0	27379200
eCl@ss 7.0	27379201
eCl@ss 9.0	27440392

Mounting material - FLRP/ICV 80 - 1808353

Classifications

ETIM

ETIM 3.0	EC000879
ETIM 4.0	EC002498
ETIM 6.0	EC002498
ETIM 7.0	EC002943

UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121421
UNSPSC 18.0	39121421
UNSPSC 19.0	39121421
UNSPSC 20.0	39121421
UNSPSC 21.0	39121421

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		B.01687
-----	---	---------