


NOTES  
 1. PLEASE SEE SHEET 2 FOR CURRENTLY CONFIGURED PART NUMBERS.  
 FOR SPECIFIC PART NUMBERS PLEASE CONTACT SALES OR CONSULT  
 THE INTELLIGENT PART NUMBERS IN THE TABLE ATTACHED.  
 2. EARTH POSITION SHOWN, H12  
 3. FOR PACKAGING SEE PACKAGING SPEC PK-121023-C19  
 4. PRODUCT SPEC: SEE PS-121201-001  
 5. PART NO 1210230465 SHOWN FOR ILLUSTRATION PURPOSES ONLY

LAST INSPECTION NUMBER 2



| ITEM | DESCRIPTION     |
|------|-----------------|
| 1    | SCREW           |
| 2    | COVER ASSEMBLY  |
| 3    | INSERT ASSEMBLY |
| 4    | GASKET          |

C19307N22\*\*

SERIES \_\_\_\_\_  
 C19= INTERNAL THREAD FORM C MICRO  
 POLES \_\_\_\_\_  
 2= 2 POLE, 3= 3 POLE  
 THREAD SIZE \_\_\_\_\_  
 07= PG7, M2=M12x1.5  
 MATERIAL AND HOUSING COLOUR \_\_\_\_\_  
 G= PA6 GRAY, N= PA6 BLACK, W= PA6 BLACK V0, T= TRANSPARENT  
 GROUND POSITION \_\_\_\_\_  
 0= UNMOUNTED, 2= H12, 3= H3, 6= H6, 9= H9

SCREW AND GASKET \_\_\_\_\_  
 1= NBR PROFILE GASKET & SCREW  
 2= NBR FLAT GASKET & SCREW  
 3= WHITE SILICON PROFILE GASKET & SCREW  
 4= WHITE SILICON FLAT GASKET & SCREW  
 6= NBR FLAT GASKET, NO SCREW  
 A= NBR PROFILE GASKET & SCREW +2mm  
 B= NBR FLAT GASKET & SCREW +2mm  
 C= WHITE SILICON PROFILE GASKET & SCREW +2mm  
 D= WHITE SILICON FLAT GASKET & SCREW +2mm

NON STANDARD COMPONENTS \_\_\_\_\_  
 14= SINGLE PACKED IN NEUTRAL BAG  
 5N= SINGLE PACKED  
 6X= WITHOUT RING NUT OR CABLE FIXING NUT  
 P7= IP67 COMPLIANT  
 SA= UL LISTED  
 0217= THREE BAGS OF 100 PER BOX

|   |                               |                                       |         |   |                                      |  |                        |  |
|---|-------------------------------|---------------------------------------|---------|---|--------------------------------------|--|------------------------|--|
| <b>ADDED PART NUMBERS</b><br>EC NO: IFC2014-1003<br>DRAWN: KIRKORNOYLE 2013/12/02<br>CHKD: DSHEA 2013/12/02<br>APPR: STGRIFFIN 2014/01/08 | QUALITY SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) |         | DIMENSION STYLE<br><b>MM ONLY</b>   | SCALE<br><b>2:1</b>                  | DESIGN UNITS<br><b>METRIC</b>              | THIRD ANGLE PROJECTION |  |
|   |                               | 4 PLACES ± --- ± ---                  | mm INCH | DRAWN BY<br>DSHEA   | DATE<br>2011/05/18                   | TITLE<br><b>INTERNAL THREAD C19 SERIES</b> |                        |  |
|   |                               | 3 PLACES ± --- ± ---                  |         | CHECKED BY<br>DMAHER  | DATE<br>2011/05/27                   |  |                        |  |
|   |                               | 2 PLACES ± 0.10 ± ---                 |         | APPROVED BY<br>EFOLAN   | DATE<br>2011/06/08                   |  |                        |  |
|   |                               | 1 PLACE ± 0.2 ± ---                   |         | MATERIAL NO.<br><b>SEE SHEET 2</b>  | DOCUMENT NO.<br><b>SD-121023-005</b> | SHEET NO.<br><b>1 OF 2</b>                 |                        |  |
|   |                               | ANGULAR ± --- °                       |         | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                      |  |                        |  |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS  |                               |                                       |         |   |                                      |  |                        |  |

| PART NO    | mPm PART NO   | DESCRIPTION  |
|------------|---------------|--|
| 1210230431 | C19207G62     | TYPE C MICRO 2P PG7 GRAY, NBR FLAT GASKET & SCREW                                  |
| 1210230433 | C19207N21     | TYPE C MICRO 2P PG7 BLACK, NBR PROFILE GASKET & SCREW                              |
| 1210230434 | C19207N22     | TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW                                 |
| 1210230435 | C19207N26     | TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET, NO SCREW                               |
| 1210230437 | C19207N61     | TYPE C MICRO 2P PG7 BLACK, NBR PROFILE GASKET & SCREW                              |
| 1210230438 | C19207N62     | TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW                                 |
| 1210230441 | C19207N6A     | TYPE C MICRO 2P PG7 BLACK, NBR PROFILE GASKET & SCREW +2mm                         |
| 1210230443 | C19207N6B     | TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW +2mm                            |
| 1210230445 | C19207N92     | TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW                                 |
| 1210230447 | C19207T22     | TYPE C MICRO 2P PG7 TRANSPARENT, NBR FLAT GASKET & SCREW                           |
| 1210230454 | C19207W62     | TYPE C MICRO 2P PG7 BLACK V0, NBR FLAT GASKET & SCREW                              |
| 1210230463 | C19307G62     | TYPE C MICRO 3P PG7 GRAY, NBR FLAT GASKET & SCREW                                  |
| 1210230464 | C19307N21     | TYPE C MICRO 3P PG7 BLACK, NBR PROFILE GASKET & SCREW                              |
| 1210230465 | C19307N22     | TYPE C MICRO 3P PG7 BLACK, NBR FLAT GASKET & SCREW                                 |
| 1210230466 | C19307N61     | TYPE C MICRO 3P PG7 BLACK, NBR PROFILE GASKET & SCREW                              |
| 1210230467 | C19307N62     | TYPE C MICRO 3P PG7 BLACK, NBR FLAT GASKET & SCREW                                 |
| 1210230469 | C19307N64     | TYPE C MICRO 3P PG7 BLACK, WHITE SILICONE FLAT GASKET & SCREW                      |
| 1210230470 | C19307N6A     | TYPE C MICRO 3P PG7 BLACK, NBR PROFILE GASKET & SCREW +2mm                         |
| 1210230472 | C19307N6B     | TYPE C MICRO 3P PG7 BLACK, NBR FLAT GASKET, & SCREW +2mm                           |
| 1210230474 | C19307T22     | TYPE C MICRO 3P PG7 TRANSPARENT, NBR FLAT GASKET & SCREW                           |
| 1210230476 | C19307T62     | TYPE C MICRO 3P PG7 TRANSPARENT, NBR FLAT GASKET & SCREW                           |
| 1210230672 | C192M2N62     | TYPE C MICRO 2P M12x1.5 BLACK, NBR FLAT GASKET & SCREW                             |
| 1210230673 | C193M2N62     | TYPE C MICRO 3P M12x1.5 BLACK, NBR FLAT GASKET & SCREW                             |
| 1210230693 | C19307N23     | TYPE C MICRO 3P PG7 BLACK, WHITE SILICONE PROFILE GASKET & SCREW                   |
| 1210230752 | C19307N24     | TYPE C MICRO 3P PG7 BLACK, WHITE SILICONE FLAT GASKET & SCREW                      |
| 1210230753 | C192M2N21     | TYPE C MICRO 2P M12x1.5 BLACK, NBR PROFILE GASKET & SCREW                          |
| 1210240292 | C19207N625N   | TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW, SINGLE PACKED                  |
| 1210240293 | C19207N626X   | TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW, W/O RING NUT                   |
| 1210240307 | C19207W6D     | TYPE C MICRO 2P PG7 BLACK V0, WHITE SILICONE FLAT GASKET & SCREW +2mm              |
| 1210240921 | C19207N2214   | TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW, SINGLE PACKED IN NEUTRAL BAG   |
| 1210240938 | C19307N21P7   | TYPE C MICRO 3P PG7 BLACK, NBR PROFILE GASKET & SCREW, IP67 COMPLIANT              |
| 1210230651 | C19207W62SA   | TYPE C MICRO 2P PG7 BLACK V0, NBR FLAT GASKET & SCREW, UL LISTED                   |
| 1210230818 | C19207W21SA   | TYPE C MICRO 2P PG7 BLACK V0, NBR PROFILE GASKET & SCREW, UL LISTED                |
| 1210230839 | C19207W93SA   | TYPE C MICRO 2P PG7 BLACK V0, WHITE SILICONE PROFILE GASKET & SCREW, UL LISTED     |
| 1210240937 | C19307W22SA   | TYPE C MICRO 3P PG7 BLACK V0, NBR FLAT GASKET & SCREW, UL LISTED                   |
| 1210240884 | C19207W620217 | TYPE C MICRO 2P PG7 BLACK V0, H6 NBR FLAT GASKET & SCREW THREE BAGS OF 100 PER BOX |

| <b>SEE SHEET 1</b><br>EC NO: IPG2014-1003<br>DRAWN: KORNROYLE 2013/12/02<br>CHKD: DSHEA 2013/12/02<br>APPR: STGERLFIN 2014/01/08<br>DESCRIPTION | <b>QUALITY SYMBOLS</b><br>▽=0<br>▽=0 | <b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b><br><table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr><td>4 PLACES</td><td>±---</td><td>±---</td></tr> <tr><td>3 PLACES</td><td>±---</td><td>±---</td></tr> <tr><td>2 PLACES</td><td>±0.10</td><td>±---</td></tr> <tr><td>1 PLACE</td><td>±0.2</td><td>±---</td></tr> <tr><td>ANGULAR</td><td>±---°</td><td></td></tr> </tbody> </table> |  | mm   | INCH  | 4 PLACES | ±---       | ±---                                    | 3 PLACES                                    | ±---                              | ±---   | 2 PLACES   | ±0.10 | ±--- | 1 PLACE | ±0.2 | ±--- | ANGULAR | ±---° |  | <b>DIMENSION STYLE</b><br><b>MM ONLY</b> | <b>SCALE</b><br><b>2:1</b> | <b>DESIGN UNITS</b><br><b>METRIC</b> | <b>THIRD ANGLE PROJECTION</b> |
|---|--------------------------------------|---|--|--|-------|----------|------------|---|---|-----------------------------------|--------|------------|-------|------|---------|------|------|---------|-------|--|--|----------------------------|--------------------------------------|-------------------------------|
|   |                                      | mm  | INCH   |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
|   | 4 PLACES                             | ±---  | ±---   |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
|   | 3 PLACES                             | ±---  | ±---   |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
| 2 PLACES  | ±0.10                                | ±---  |  |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
| 1 PLACE   | ±0.2                                 | ±---  |  |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
| ANGULAR   | ±---°                                |   |  |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
|   |                                      | <table border="1"> <thead> <tr> <th>DRAWN BY</th> <th>DATE</th> <th>TITLE</th> </tr> </thead> <tbody> <tr> <td>DSHEA</td> <td>2011/05/18</td> <td rowspan="2">INTERNAL THREAD<br/>C19 SERIES</td> </tr> <tr> <td>CHECKED BY</td> <td>DATE</td> </tr> <tr> <td>DMAHER</td> <td>2011/05/27</td> <td></td> </tr> </tbody> </table>   | DRAWN BY   | DATE   | TITLE | DSHEA    | 2011/05/18 | INTERNAL THREAD<br>C19 SERIES           | CHECKED BY                                  | DATE                              | DMAHER | 2011/05/27 |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
| DRAWN BY  | DATE                                 | TITLE   |  |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
| DSHEA   | 2011/05/18                           | INTERNAL THREAD<br>C19 SERIES   |  |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
| CHECKED BY  | DATE                                 |   |  |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
| DMAHER  | 2011/05/27                           |   |  |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
|   |                                      | <b>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</b>   | <table border="1"> <thead> <tr> <th>APPROVED BY</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>EFOLAN</td> <td>2011/06/08</td> </tr> </tbody> </table> | APPROVED BY  | DATE  | EFOLAN   | 2011/06/08 | <b>MATERIAL NO.</b><br><b>SEE TABLE</b> | <b>DOCUMENT NO.</b><br><b>SD-121023-005</b> | <b>SHEET NO.</b><br><b>2 OF 2</b> |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
| APPROVED BY   | DATE                                 |   |  |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
| EFOLAN  | 2011/06/08                           |   |  |  |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |
|   |                                      |   | <b>SIZE</b><br><b>A2</b>   | <b>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</b> |       |          |            |   |   |                                   |        |            |       |      |         |      |      |         |       |  |  |                            |                                      |                               |

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[1210230443](#)