PD Caps Semirigid Polyolefin Heat-Shrinkable End Caps




Table 1: <u>Dimensions</u> (inches)

| | (A) | (B) | (C) | (D) | (W) |
|------|---------|---------|---------|---------|---------|
| Size | Nominal | Minimum | Minimum | Maximum | Nominal |
| 1/8 | 1.000 | .550 | .125 | .023 | .048 |
| 3/16 | 1.000 | .650 | .187 | .060 | .062 |
| 1/4 | 1.125 | .650 | .250 | .080 | .078 |
| 3/8 | 1.250 | .775 | .375 | .090 | .082 |
| 1/2 | 1.375 | .850 | .500 | .090 | .100 |

Color: Black

<u>Material:</u> Semirigid, encapsulant-lined polyolefin per RT-1301

Specification Control Drawing

| TE Connectivity 300 Constitution Drive Menlo Park, CA 94025 USA | | | | Semirig | le: PD Caps Semirigid Polyolefin Heat-Shrinkable End Caps | |
|---|----------------|------------|-----------------------|-------------|---|--|
| | | r | PD-CAPS | | | |
| Cage Code: 06090 | Scale: None | Size: A | Rev. Date: 23MAR11 | Rev.: B1 | Sheet: 1 of 1 | |

Print Date: 10-Apr-07 if this document is printed it becomes uncontrolled. Check for the latest revision.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:
PD-CAP-1/4-0