

INTERCONNECTS

SERIES 410, 450, 499 • .100" GRID (.018" DIA.) PINS, STRAIGHT AND RIGHT ANGLE • DOUBLE ROW STRIPS




FIG. 1




FIG. 2




FIG. 3





FIG. 4

- Series 4XX are available with straight and right angle solder tails
- Series 450 & 499...009 use MM #3404 and #5011/5113 pins. See pages 212 and 214 for details
- Series 410 & 499...003 use MM #1001 and #1103/1602 receptacles. See pages 165, 166 and 167 for details
- Receptacles use Hi-Rel, 4-finger #30 BeCu contact rated at 3 amps. See page 253 for details
- Insulators are high temperature thermoplastic, suitable for all soldering operations



ORDERING INFORMATION
















FIG. 1	Series 450...006	Straight Pin Header		
	450-XX-2	-00-006000		
Specify number of pins		04-64		
FIG. 2	Series 499...009	Right Angle Pin Header		
	499-10-2	-10-009000		
Specify number of pins		02-64		
  				
SPECIFY PLATING CODE XX=		10 	90	40 
Pin Plating		10 μ" Au	200 μ" Sn/Pb	200 μ" Sn

FIG. 3	Series 410...001	Solder Tail Socket					
	410-XX-2	-41-001000					
Specify number of pins		04-64					
FIG. 4	Series 499...003	Right Angle Socket					
	499-XX-2	-10-003000					
Specify number of pins		02-64					
  							
SPECIFY PLATING CODE XX=		11 	13 	91	93	41 	43 
Sleeve (Pin)		10 μ" Au	10 μ" Au	200 μ" Sn/Pb	200 μ" Sn/Pb	200 μ" Sn	200 μ" Sn
Contact (Clip)		10 μ" Au	30 μ" Au	10 μ" Au	30 μ" Au	10 μ" Au	30 μ" Au

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Mill-Max:

[450-90-264-00-006000](#) [450-10-264-00-006000](#) [499-93-204-10-003000](#) [450-40-264-00-006000](#) [499-13-230-10-003000](#) [499-13-226-10-003000](#) [499-10-264-10-009000](#) [499-93-264-10-003000](#) [499-43-264-10-003000](#) [499-13-264-10-003000](#)