



+ RELAYS, CONTACTORS & SWITCHES

TACTILE SWITCHES



✓ Active

TE CONNECTIVITY (TE)

FSM16JH=6MM TACT SWITCH, HIGH TEMP

Alcoswitch | Alcoswitch Tactile FSM 10

3-1825910-1

TE Internal Number: 3-1825910-1

Alias ID: FSM16JH

EU RoHS Compliant

EU ELV Compliant

Actuator Style Round

Operating Function NO

Contact Base Material Copper Alloy

Contact Plating Silver

Dust Proof No

[↓](#) **PRODUCT DRAWING**
English

[↓](#) **3D PDF**

DOCUMENTATION

Product Drawings

6MM TACT SWITCH, THRU-HOLE HIGH TEMP

PDF

English

CAD Files

Customer View Model

2D_DXF.ZIP

English

3D PDF

PDF

3D

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Catalog Pages/Data Sheets

SWITCHES_CORE_PROGRAM_CATALOG

PDF

English

Product Environmental Compliance

TE Material Declaration

MD_3-1825910-1_05042014236_dmtec

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Illuminated With

Leg Style Kinked

Actuator Style Round

Dust Proof No

Product Type Switch

Configuration Features

Snap Action Without

Tactile Yes

Operating Function NO

Support Bracket Without

Configuration (Pole-Throw) Single Pole - Single Throw

Number of Actuators 1

Ganged With

ESD Grounding Terminal Without

Tactile Feel With

Body Features

Bushing Style Unthreaded

Case Material Nylon

Actuator Color Black

Actuator Force 160 g [5.648 oz]

Case Color Black

Cover Material PET Film

Actuator Material Nylon

Actuator Profile Extended

Contact Features

Contact Base Material Copper Alloy

Contact Plating Silver

Contact Current Rating (mA) 50

Termination Features

Termination Type Printed Circuit Board

Mechanical Attachment

Mounting Type Through Hole

Mounting Angle Vertical

Housing Features

Low Profile With

Process Sealed No

Dimensions

Switch Height (in) .527

Button Width 3.5 mm [.138 in]

Actuator Length 13.4 mm [.527 in]

Usage Conditions

Temperature Rating (°C) High

Packaging Features

Packaging Method Loose Piece

Other

Comment (On) indicates momentary position.

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF
