



Cross Reference Chart

Sine AT, ATM, ATP AND AHD Series → Deutsch DT, DTM, DTP and HD



Amphenol Sine Systems

Don Hunsucker, Program Manager Email: dhunsucker@amphenol-sine.com Phone: 1-586-913-8638 www.sineco.com

Amphenol #	Deutsch #	Series	Description
2 WAY	DT	AT	
AT04-2P	DT04-2P	AT	Recpt, 2 Way
AT04-2P-RD01	DT04-2P-C015	AT	Recpt, 2 Way, Reduced Dia. Seals (E-Seal)
AT04-2P-SS01	DT04-2P-C017	AT	Recpt, 2 Way, Solid Rear Grommet
AT04-2P-MM01	DT04-2P-CE01	AT	Recpt, 2 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-2P-RD01BLK	DT04-2P-CE02	AT	Recpt, 2 Way, Reduced Dia. Seals (E-Seal), Black
AT04-2P-MM01BLK	DT04-2P-CE03	AT	Recpt, 2 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
AT04-2P-MM03	DT04-2P-CE04	AT	Recpt, 2 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT04-2P-MM03BLK	DT04-2P-CE09	AT	Recpt, 2 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter, Black
AT04-2P-EC01	DT04-2P-E003	AT	Recpt, 2 Way, End Cap
AT04-2P-BLK	DT04-2P-E004	AT	Recpt, 2 Way, Black
AT04-2P-EC01BLK	DT04-2P-E005	AT	Recpt, 2 Way, End Cap, Black
AT04-2P-SB01	DT04-2P-E008	AT	Recpt, 2 Way, Shrink boot adapter
	DT04-2P-LE02	AT	Recpt, 2 Way, Special adapter with viton seal, round housing, end cap
	DT04-2P-N006	AT	Recpt, 2 Way, Receptacle with 90Deg molded in contacts
	DT04-2P-RL01	AT	Recpt, 2 Way, snap-in design, molded in pins, wire leads with crimp terminals
	DT04-2P-RT01	AT	Recpt, 2 Way, With MUR 460 diode
	DT04-2P-RT02	AT	Recpt, 2 Way, with Toshiba diode 3GZ41
	DT04-2P-RT06	AT	Recpt, 2 Way, with Phillips T.V.S diode 1.5KE130CA, Green
	DT04-2P-RT25	AT	Recpt, 2 Way, with 27k ohm resistor, black
AT06-2S	DT06-2S	AT	Plug, 2 Way
AT06-2S-RD01	DT06-2S-C015	AT	Plug, 2 Way, Reduced Dia. Seals (E-Seal)
AT06-2S-MM01	DT06-2S-CE01	AT	Plug, 2 Way, Reduced Dia. Seals (E-Seal), End Cap
AT06-2S-MM03	DT06-2S-CE04	AT	Plug, 2 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-2S-MM01BLK	DT06-2S-CE05	AT	Plug, 2 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap, BLACK
AT06-2S-RD01	DT06-2S-CE06	AT	Plug, 2 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-2S-EC01	DT06-2S-E003	AT	Plug, 2 Way, End Cap
AT06-2S-BLK	DT06-2S-E004	AT	Plug, 2 Way, Black
AT06-2S-EC01BLK	DT06-2S-E005	AT	Plug, 2 Way, End Cap, Black

AT06-2S-SB01	DT06-2S-E008	AT	Plug, 2 Way, Shrink boot adapter
	DT06-2S-EF01	AT	Plug, 2 Way, Fluorosilicone front seal, End cap
AT06-2S-EC01	DT06-2S-EP06	AT	Plug, 2 Way, Enhanced seal retention (P012), End cap
AT06-2S-SB01BLK	DT06-2S-EP11	AT	Plug, 2 Way, Enhanced seal retention (P012), Shrink boot adapter, Black
AT06-2S-BLK	DT06-2S-P012	AT	Plug, 2 Way, Enhanced seal retention, Black
Amphenol #	Deutch #	Series	Description
3 WAY	DT	AT	
AT04-3P	DT04-3P	AT	Recpt, 3 Way
AT04-3P-RD01	DT04-3P-C015	AT	Recpt, 3 Way, Reduced Dia. Seals (E-Seal)
AT04-3P-SS01	DT04-3P-C017	AT	Recpt, 3 Way, Solid Rear Grommet
AT04-3P-MM01	DT04-3P-CE01	AT	Recpt, 3 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-3P-RD01BLK	DT04-3P-CE02	AT	Recpt, 3 Way, Reduced Dia. Seals (E-Seal), Black
AT04-3P-MM01BLK	DT04-3P-CE03	AT	Recpt, 3 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
AT04-3P-MM03	DT04-3P-CE04	AT	Recpt, 3 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT04-3P-MM03BLK	DT04-3P-CE09	AT	Recpt, 3 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter, Black
AT04-3P-EC01	DT04-3P-E003	AT	Recpt, 3 Way, End Cap
AT04-3P-BLK	DT04-3P-E004	AT	Recpt, 3 Way, Black
AT04-3P-EC01BLK	DT04-3P-E005	AT	Recpt, 3 Way, End Cap, Black
AT04-3P-SB01	DT04-3P-E008	AT	Recpt, 3 Way, Shrink boot adapter
AT04-3P-SB01BLK	DT04-3P-EE01	AT	Recpt, 3 Way, Shrink boot adapter, Black
AT04-3P-RJ120BK	DT04-3P-EP10	AT	Recpt, 3 Way, 120 ohm terminating resistor (J1939), Black
	DT04-3P-L012	AT	Recpt, 3 Way, Welded Flange
	DT04-3P-LE08	AT	Recpt, 3 Way, Welded flange, Shrink boot adapter (J1939), gray
	DT04-3P-LE12	AT	Recpt, 3 Way, Welded flange, Shrink boot adapter (J1939), Black
AT04-3P-RJ120	DT04-3P-P006	AT	Recpt, 3 Way, 120 ohm terminating resistor (J1939)
AT04-3P-RY01	DT04-3P-P007	AT	Recpt, 3 Way, "Y" connector (J1939)
AT06-3S	DT06-3S	AT	Plug, 3 Way
	DT06-3S-C008	AT	Plug, 3 Way, Cavity blocked (C)
AT06-3S-RD01	DT06-3S-C015	AT	Plug, 3 Way, Reduced Dia. Seals (E-Seal)
AT06-3S-SS01	DT06-3S-C017	AT	Plug, 3 Way, Solid Rear Grommet
AT06-3S-MM01	DT06-3S-CE01	AT	Plug, 3 Way, Reduced Dia. Seals (E-Seal), End Cap
AT06-3S-RD01BLK	DT06-3S-CE02	AT	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Black
AT06-3S-MM03	DT06-3S-CE04	AT	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-3S-MM01	DT06-3S-CE05	AT	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-3S-RD01	DT06-3S-CE06	AT	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-3S-MM03	DT06-3S-CE13	AT	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), shrink boot adaptor
AT06-3S-LC01BLK	DT06-3S-CE14	AT	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), latch guard end cap, Black
	DT06-3S-CL08	AT	Plug, 3 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), Flanged, Black
AT06-3S-SS01	DT06-3S-CP01	AT	Plug, 3 Way, Solid rear grommet, Enhanced seal retention(P012), End Cap,

AT06-3S-EC01	DT06-3S-E003	AT	Plug, 3 Way, End Cap
AT06-3S-BLK	DT06-3S-E004	AT	Plug, 3 Way, Black
AT06-3S-EC01BLK	DT06-3S-E005	AT	Plug, 3 Way, End Cap, Black
AT06-3S-SB01	DT06-3S-E008	AT	Plug, 3 Way, Shrink boot adapter
	DT06-3S-EF02	AT	Plug, 3 Way, Fluorosilicone front seal, Latch guard end cap
AT06-3S-LC01	DT06-3S-EP05	AT	Plug, 3 Way, Latch guard end cap
AT06-3S-EC01	DT06-3S-EP06	AT	Plug, 3 Way, Enhanced seal retention (P012), End cap
AT06-3S-LC01BLK	DT06-3S-EP09	AT	Plug, 3 Way, Enhanced seal retention (P012), Latch guard end cap, Black
AT06-3S-RJ120BK	DT06-3S-EP10	AT	Plug, 3 Way, 120 ohm terminating resistor (J1939), Black
AT06-3S-SB01BLK	DT06-3S-EP11	AT	Plug, 3 Way, Enhanced seal retention (P012), Shrink boot adapter, Black
AT06-3S-RJ120	DT06-3S-P006	AT	Plug, 3 Way, 120 ohm terminating resistor (J1939)
AT06-3S-BLK	DT06-3S-P012	AT	Plug, 3 Way, Enhanced seal retention, Black
	DT06-3S-P032	AT	Plug, 3 Way, Integrated shrink boot adapter (J1939), Black
AT06-3S-RJL120	DT06-3S-PE01	AT	Plug, 3 Way, Terminating resistor, gold socket, latch guard, end cap, J1939
AT06-3S-RJ120BK	DT06-3S-PP01	AT	Plug, 3 Way, Enhanced seal retention, Terminating resistor, gold socket, end cap, Black, J1939
Amphenol #	Deutch #	Series	Description
4 WAY	DT	AT	
AT04-4P	DT04-4P	AT	Recpt, 4 Way
AT04-4P-RD01	DT04-4P-C015	AT	Recpt, 4 Way, Reduced Dia. Seals (E-Seal)
AT04-4P-SS01	DT04-4P-C017	AT	Recpt, 4 Way, Solid Rear Grommet
AT04-4P-MM01	DT04-4P-CE01	AT	Recpt, 4 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-4P-RD01BLK	DT04-4P-CE02	AT	Recpt, 4 Way, Reduced Dia. Seals (E-Seal), Black
AT04-4P-MM01BLK	DT04-4P-CE03	AT	Recpt, 4 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
AT04-4P-SR01GRY	DT04-4P-CE04	AT	Recpt, 4 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT04-4P-SR02BLK	DT04-4P-CE09	AT	Recpt, 4 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter, Black
AT04-4P-EC01	DT04-4P-E003	AT	Recpt, 4 Way, End Cap
AT04-4P-BLK	DT04-4P-E004	AT	Recpt, 4 Way, Black
AT04-4P-EC01BLK	DT04-4P-E005	AT	Recpt, 4 Way, End Cap, Black
AT04-4P-SR01GRY	DT04-4P-E008	AT	Recpt, 4 Way, Shrink boot adapter
	DT04-4P-EP13	AT	Recpt, 4 Way, Bussed Receptacle, 1 buss, black, nickle plated pins
	DT04-4P-L012	AT	Recpt, 4 Way, Welded Flange
	DT04-4P-LE02	AT	Recpt, 4 Way, Special adapter with viton seal, round housing, end cap
	DT04-4P-LE04	AT	Recpt, 4 Way, Special adapter, round housing, end cap, silicone grommet
	DT04-4P-LE11	AT	Recpt, 4 Way, Welded flange, End Cap, black
	DT04-4P-LE13	AT	Recpt, 4 Way, Special adapter, round housing, end cap
	DT04-4P-P021	AT	Recpt, 4 Way, (1) 4 Pin Buss, nickle contacts, gray
	DT04-4P-RT01	AT	Recpt, 4 Way, With MUR 460 diode
	DT04-4P-RT03	AT	Recpt, 4 Way, With MUR 460 diode, 4 way available
AT06-4S	DT06-4S	AT	Plug, 4 Way

AT06-4S-RD01	DT06-4S-C015	AT	Plug, 4 Way, Reduced Dia. Seals (E-Seal)
AT06-4S-SS01	DT06-4S-C017	AT	Plug, 4 Way, Solid Rear Grommet
AT06-4S-MM01	DT06-4S-CE01	AT	Plug, 4 Way, Reduced Dia. Seals (E-Seal), End Cap
AT06-4S-RD01BLK	DT06-4S-CE02	AT	Plug, 4 Way, Reduced Dia. Seals (E-Seal), Black
AT06-4S-MM01BLK	DT06-4S-CE03	AT	Plug, 4 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
AT06-4S-SR02GRY	DT06-4S-CE04	AT	Plug, 4 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-4S-MM01	DT06-4S-CE05	AT	Plug, 4 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-4S-RD01	DT06-4S-CE06	AT	Plug, 4 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-4S-SR02GRY	DT06-4S-CE13	AT	Plug, 4 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), shrink boot adaptor
AT06-4S-SS01	DT06-4S-CP01	AT	Plug, 4 Way, Enhanced seal retention (P012), Solid rear grommet, End cap
AT06-4S-EC01	DT06-4S-E003	AT	Plug, 4 Way, End Cap
AT06-4S-BLK	DT06-4S-E004	AT	Plug, 4 Way, Black
AT06-4S-EC01BLK	DT06-4S-E005	AT	Plug, 4 Way, End Cap, Black
AT06-4S-SR01GRY	DT06-4S-E008	AT	Plug, 4 Way, Shrink boot adapter
AT06-4S-EC01	DT06-4S-EP06	AT	Plug, 4 Way, Enhanced seal retention (P012), End cap
AT06-4S-SR01BLK	DT06-4S-EP11	AT	Plug, 4 Way, Enhanced seal retention (P012), Shrink boot adapter, Black
AT06-4S-BLK	DT06-4S-P012	AT	Plug, 4 Way, Enhanced seal retention, Black
Amphenol #	Deutch #	Series	Description
6 WAY	DT	AT	
AT04-6P	DT04-6P	AT	Recpt, 6 Way
AT04-6P-RD01	DT04-6P-C015	AT	Recpt, 6 Way, Reduced Dia. Seals (E-Seal)
AT04-6P-SS01	DT04-6P-C017	AT	Recpt, 6 Way, Solid Rear Grommet
AT04-6P-MM01	DT04-6P-CE01	AT	Recpt, 6 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-6P-RD01BLK	DT04-6P-CE02	AT	Recpt, 6 Way, Reduced Dia. Seals (E-Seal), Black
AT04-6P-MM01BLK	DT04-6P-CE03	AT	Recpt, 6 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
AT04-6P	DT04-6P-CL09	AT	Recpt, 6 Way
AT04-6P-EC01	DT04-6P-E003	AT	Recpt, 6 Way, End Cap
AT04-6P-BLK	DT04-6P-E004	AT	Recpt, 6 Way, Black
AT04-6P-EC01BLK	DT04-6P-E005	AT	Recpt, 6 Way, End Cap, Black
	DT04-6P-EP13	AT	Recpt, 6 Way, Bussed Receptacle, 1 buss, black, nickle plated pins
	DT04-6P-EP14	AT	Recpt, 6 Way, Bussed Receptacle, 2 busses, black, nickle plated pins
	DT04-6P-P021	AT	Recpt, 6 Way, Bussed receptacle, one buss nickle plated pins
AT06-6S	DT06-6S	AT	Plug, 6 Way
AT06-6S-RD01	DT06-6S-C015	AT	Plug, 6 Way, Reduced Dia. Seals (E-Seal)
AT06-6S-SS01	DT06-6S-C017	AT	Plug, 6 Way, Solid Rear Grommet
AT06-6S-MM01	DT06-6S-CE01	AT	Plug, 6 Way, Reduced Dia. Seals (E-Seal), End Cap
AT06-6S-RD01BLK	DT06-6S-CE02	AT	Plug, 6 Way, Reduced Dia. Seals (E-Seal), Black
AT06-6S-MM01BLK	DT06-6S-CE03	AT	Plug, 6 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
AT06-6S-MM01BLK	DT06-6S-CE05	AT	Plug, 6 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap, BLACK

AT06-6S-RD01	DT06-6S-CE06	AT	Plug, 6 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-6S-EC01	DT06-6S-E003	AT	Plug, 6 Way, End Cap
AT06-6S-BLK	DT06-6S-E004	AT	Plug, 6 Way, Black
AT06-6S-EC01BLK	DT06-6S-E005	AT	Plug, 6 Way, End Cap, Black
AT06-6S-EC01	DT06-6S-EP06	AT	Plug, 6 Way, Enhanced seal retention (P012), End cap
AT06-6S-BLK	DT06-6S-P012	AT	Plug, 6 Way, Enhanced seal retention, Black
Amphenol #	Deutch #	Series	Description
8 WAY	DT	AT	
AT04-08PA	DT04-08PA	AT	Recpt, 8 Way
AT04-08PA-RD01	DT04-08PA-C015	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal)
AT04-08PA-MM01	DT04-08PA-CE01	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-08PA-RDBLK	DT04-08PA-CE02	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), Black
AT04-08PA-MMBLK	DT04-08PA-CE03	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
	DT04-08PA-CL07	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), Sealed flange, shrink boot adapter
AT04-08PA-EC01	DT04-08PA-E003	AT	Recpt, 8 Way, End Cap
AT04-08PA-BLK	DT04-08PA-E004	AT	Recpt, 8 Way, Black
AT04-08PA-ECBLK	DT04-08PA-E005	AT	Recpt, 8 Way, End Cap, Black
AT04-08PA-SRGRY	DT04-08PA-E008	AT	Recpt, 8 Way, Shrink boot adapter
	DT04-08PA-L012	AT	Recpt, 8 Way, Welded Flange
	DT04-08PA-LE03	AT	Recpt, 8 Way, flange, inside mount, O-ring gasket, end cap, shrink cap adapter
	DT04-08PA-LE11	AT	Recpt, 8 Way, Welded flange, End Cap, black
	DT04-08PA-P021	AT	Recpt, 8 Way, Bussed receptacle, one buss nickle plated pins
	DT04-08PA-P026	AT	Recpt, 8 Way, Bussed receptacle, one buss nickle plated pins
	DT04-08PA-P028	AT	Recpt, 8 Way, Bussed receptacle, two busses nickle plated pins
AT04-08PB	DT04-08PB	AT	Recpt, 8 Way
AT04-08PB-RD01	DT04-08PB-C015	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal)
AT04-08PB-MM01	DT04-08PB-CE01	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-08PB-EC01	DT04-08PB-E003	AT	Recpt, 8 Way, End Cap
	DT04-08PB-L012	AT	Recpt, 8 Way, Welded Flange
	DT04-08PB-P021	AT	Recpt, 8 Way, Bussed receptacle, one buss nickle plated pins
	DT04-08PB-P026	AT	Recpt, 8 Way, Bussed receptacle, one buss nickle plated pins
	DT04-08PB-P028	AT	Recpt, 8 Way, Bussed receptacle, two busses nickle plated pins
AT04-08PC	DT04-08PC	AT	Recpt, 8 Way
AT04-08PC-RD01	DT04-08PC-C015	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal)
AT04-08PC-MM01	DT04-08PC-CE01	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-08PC-EC01	DT04-08PC-E003	AT	Recpt, 8 Way, End Cap
AT04-08PD	DT04-08PD	AT	Recpt, 8 Way
AT04-08PD-RD01	DT04-08PD-C015	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal)
AT04-08PD-MM01	DT04-08PD-CE01	AT	Recpt, 8 Way, Reduced Dia. Seals (E-Seal), End Cap

AT04-08PD-EC01	DT04-08PD-E003	AT	Recpt, 8 Way, End Cap
AT06-08SA	DT06-08SA	AT	Plug, 8 Way
AT06-08SA-RD01	DT06-08SA-C015	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal)
AT06-08SA-SS01	DT06-08SA-C017	AT	Plug, 8 Way, Solid Rear Grommet
AT06-08SA-MM01	DT06-08SA-CE01	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal), End Cap
AT06-08SA-MM01	DT06-08SA-CE05	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-08SA-RD01	DT06-08SA-CE06	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-08SA-RDBLK	DT06-08SA-CE10	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), Black
AT06-08SA-EC01	DT06-08SA-E003	AT	Plug, 8 Way, End Cap
AT06-08SA-ECBLK	DT06-08SA-E005	AT	Plug, 8 Way, End Cap, Black
AT06-08SA-SRGRY	DT06-08SA-E008	AT	Plug, 8 Way, Shrink boot adapter
AT06-08SA-EC01	DT06-08SA-EP06	AT	Plug, 8 Way, Enhanced seal retention (P012), End cap
AT06-08SA-BLK	DT06-08SA-EP07	AT	Plug, 8 Way, Enhanced seal retention (P012), Black
AT06-08SA-ECBLK	DT06-08SA-EP08	AT	Plug, 8 Way, Enhanced seal retention (P012), End cap, Black
AT06-08SA	DT06-08SA-P012	AT	Plug, 8 Way, Enhanced seal retention
AT06-08SB	DT06-08SB	AT	Plug, 8 Way,
AT06-08SB-RD01	DT06-08SB-C015	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal)
AT06-08SB-SS01	DT06-08SB-C017	AT	Plug, 8 Way, Solid Rear Grommet
AT06-08SB-MM01	DT06-08SB-CE01	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal), End Cap
AT06-08SB-MM01	DT06-08SB-CE05	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-08SB-RD01	DT06-08SB-CE06	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-08SB-EC01	DT06-08SB-EP06	AT	Plug, 8 Way, Enhanced seal retention (P012), End cap
AT06-08SB	DT06-08SB-P012	AT	Plug, 8 Way, Enhanced seal retention
AT06-08SC	DT06-08SC	AT	Plug, 8 Way,
AT06-08SC-RD01	DT06-08SC-C015	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal)
AT06-08SC-SS01	DT06-08SC-C017	AT	Plug, 8 Way, Solid Rear Grommet
AT06-08SC-MM01	DT06-08SC-CE01	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal), End Cap
AT06-08SC-MM01	DT06-08SC-CE05	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-08SC-EC01	DT06-08SC-EP06	AT	Plug, 8 Way, Enhanced seal retention (P012), End cap
AT06-08SC	DT06-08SC-P012	AT	Plug, 8 Way, Enhanced seal retention
AT06-08SD	DT06-08SD	AT	Plug, 8 Way,
AT06-08SD-RD01	DT06-08SD-C015	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal)
AT06-08SD-MM01	DT06-08SD-CE05	AT	Plug, 8 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-08SD-EC01	DT06-08SD-EP06	AT	Plug, 8 Way, Enhanced seal retention (P012), End cap
AT06-08SD	DT06-08SD-P012	AT	Plug, 8 Way, Enhanced seal retention
Amphenol #	Deutch #	Series	Description
12 WAY	DT	AT	
AT04-12PA	DT04-12PA	AT	Recpt, 12 Way
AT04-12PA	DT04-12PA-B016	AT	Recpt, 12 Way, with enhanced A keys

AT04-12PA-EC01	DT04-12PA-BE02	AT	Recpt, 12 Way, with enhanced A key and end cap
AT04-12PA-ECBLK	DT04-12PA-BE03	AT	Recpt, 12 Way, with enhanced A key and end cap, Black
AT04-12PA-MMBLK	DT04-12PA-BE04	AT	Recpt, 12 Way, with enhanced A key , end cap and reduced dia. Seal (E-Seal), Black
	DT04-12PA-BL04	AT	Recpt, 12 Way, with enhanced A key , welded flange
	DT04-12PA-BL08	AT	Recpt, 12 Way, with enhanced A key , welded flange, Black
	DT04-12PA-BL10	AT	Recpt, 12 Way, enhanced A key , Reduced Dia. Seals (E-Seal), Sealed flange, shrink boot adapter
	DT04-12PA-BL11	AT	Recpt, 12 Way, enhanced A key , Reduced Dia. Seals (E-Seal), Sealed flange, End cap
AT04-12PA-RD01	DT04-12PA-C015	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal)
AT04-12PA-SS01	DT04-12PA-C017	AT	Recpt, 12 Way, Solid Rear Grommet
AT04-12PA-MM01	DT04-12PA-CE01	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-12PA-RDBLK	DT04-12PA-CE02	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), Black
AT04-12PA-MMBLK	DT04-12PA-CE03	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), End Cap, Black
AT04-12PA-MM01	DT04-12PA-CE07	AT	Recpt, 12 Way, enhanced A key , Reduced dia. Seal (E-Seal), end cap
AT04-12PA-RD01	DT04-12PA-CE08	AT	Recpt, 12 Way, enhanced A key , Reduced Dia. Seals (E-Seal)
	DT04-12PA-CL11	AT	Recpt, 12 Way, enhanced A key , Reduced Dia. Seals (E-Seal), Sealed flange, End cap
AT04-12PA-EC01	DT04-12PA-E003	AT	Recpt, 12 Way, End Cap
AT04-12PA-BLK	DT04-12PA-E004	AT	Recpt, 12 Way, Black
AT04-12PA-ECBLK	DT04-12PA-E005	AT	Recpt, 12 Way, End Cap, Black
AT04-12PA-SRGRY	DT04-12PA-E008	AT	Recpt, 12 Way, Shrink boot adapter
	DT04-12PA-L012	AT	Recpt, 12 Way, Welded Flange
	DT04-12PA-LE01	AT	Recpt, 12 Way, Sealed flange, inside mount, gasket, end cap
	DT04-12PA-LE03	AT	Recpt, 12 Way, Sealed flange, inside mount, O-ring gasket, end cap
	DT04-12PA-LE05	AT	Recpt, 12 Way, Sealed flange, inside mount, gasket, end cap
	DT04-12PA-LE06	AT	Recpt, 12 Way, Sealed flange, inside mount, reduced dia. seals (E-seal), end cap
	DT04-12PA-LE07	AT	Recpt, 12 Way, Welded flange, End Cap
	DT04-12PA-LE09	AT	Recpt, 12 Way, Welded flange, o-ring, End Cap, black
	DT04-12PA-LE10	AT	Recpt, 12 Way, Sealed flange, inside mount, gasket, end cap, black
	DT04-12PA-LE14	AT	Recpt, 12 Way, Welded flange, black
	DT04-12PA-LE17	AT	Recpt, 12 Way, Sealed flange, gasket sold separately, end cap, black
	DT04-12PA-P016	AT	Recpt, 12 Way, Bussed receptacle, gold plated contacts
	DT04-12PA-P021	AT	Recpt, 12 Way, Bussed receptacle, one buss nickel plated pins
	DT04-12PA-P026	AT	Recpt, 12 Way, Bussed receptacle, one buss nickel plated pins
	DT04-12PA-P027	AT	Recpt, 12 Way, Bussed receptacle, two busses nickel plated pins
	DT04-12PA-P030	AT	Recpt, 12 Way, Bussed receptacle, four busses nickel plated pins
	DT04-12PA-P031	AT	Recpt, 12 Way, Bussed receptacle, four busses nickel plated pins
AT04-12PB	DT04-12PB	AT	Recpt, 12 Way
AT04-12PB	DT04-12PB-B016	AT	Recpt, 12 Way, with enhanced B key
AT04-12PB-EC01	DT04-12PB-BE02	AT	Recpt, 12 Way, with enhanced B key and end cap
	DT04-12PB-BL04	AT	Recpt, 12 Way, with enhanced B key, welded flange

	DT04-12PB-BL11	AT	Recpt, 12 Way, with enhanced B key, reduced dia. Seals, sealed flange, end cap
AT04-12PB-RD01	DT04-12PB-C015	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal)
AT04-12PB-MM01	DT04-12PB-CE01	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-12PB-MM01	DT04-12PB-CE07	AT	Recpt, 12 Way, with enhanced C key, Reduced dia. Seal (E-Seal), end cap
	DT04-12PB-CL11	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), Sealed flange, End cap
AT04-12PB-EC01	DT04-12PB-E003	AT	Recpt, 12 Way, End Cap
	DT04-12PB-L012	AT	Recpt, 12 Way, Welded Flange
	DT04-12PB-LE01	AT	Recpt, 12 Way, Sealed flange, inside mount, gasket, end cap
	DT04-12PB-P016	AT	Recpt, 12 Way, Bussed receptacle, gold plated contacts
	DT04-12PB-P021	AT	Recpt, 12 Way, Bussed receptacle, one buss nickle plated pins
	DT04-12PB-P026	AT	Recpt, 12 Way, Bussed receptacle, one buss nickle plated pins
	DT04-12PB-P027	AT	Recpt, 12 Way, Bussed receptacle, two busses nickle plated pins
	DT04-12PB-P030	AT	Recpt, 12 Way, Bussed receptacle, four busses nickle plated pins
	DT04-12PB-P031	AT	Recpt, 12 Way, Bussed receptacle, four busses nickle plated pins
AT04-12PC	DT04-12PC	AT	Recpt, 12 Way
AT04-12PC	DT04-12PC-B016	AT	Recpt, 12 Way, with enhanced C key
AT04-12PC-EC01	DT04-12PC-BE02	AT	Recpt, 12 Way, with enhanced C key and end cap
	DT04-12PC-BL04	AT	Recpt, 12 Way, with enhanced C key, welded flange
AT04-12PC-RD01	DT04-12PC-C015	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal)
AT04-12PC-MM01	DT04-12PC-CE01	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-12PC-MM01	DT04-12PC-CE07	AT	Recpt, 12 Way, with enhanced C key, Reduced dia. Seal (E-Seal), end cap
	DT04-12PC-L012	AT	Recpt, 12 Way, Welded Flange
	DT04-12PC-LE01	AT	Recpt, 12 Way, Sealed flange, inside mount, gasket, end cap
AT04-12PD	DT04-12PD	AT	Recpt, 12 Way
AT04-12PD	DT04-12PD-B016	AT	Recpt, 12 Way, with enhanced D key
AT04-12PD-EC01	DT04-12PD-BE02	AT	Recpt, 12 Way, with enhanced D key and end cap
	DT04-12PD-BL04	AT	Recpt, 12 Way, with enhanced D key, welded flange
AT04-12PD-RD01	DT04-12PD-C015	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal)
AT04-12PD-MM01	DT04-12PD-CE01	AT	Recpt, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT04-12PD-MM01	DT04-12PD-CE07	AT	Recpt, 12 Way, with enhanced D key, Reduced dia. Seal (E-Seal), end cap
	DT04-12PD-L012	AT	Recpt, 12 Way, Welded Flange
AT06-12SA	DT06-12SA	AT	Plug, 12 Way
AT06-12SA-RD01	DT06-12SA-C015	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal)
AT06-12SA-SS01	DT06-12SA-C017	AT	Plug, 12 Way, Solid Rear Grommet
AT06-12SA-MM01	DT06-12SA-CE01	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT06-12SA-RDBLK	DT06-12SA-CE02	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Black
AT06-12SA-SR2GY	DT06-12SA-CE04	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-12SA-MM01	DT06-12SA-CE05	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-12SA-RD01	DT06-12SA-CE06	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)

AT06-12SA-RDBLK	DT06-12SA-CE10	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), Black
AT06-12SA-MMBLK	DT06-12SA-CE11	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End cap, Black
AT06-12SA-SR2GY	DT06-12SA-CE13	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), shrink boot adaptor
AT06-12SA-EC01	DT06-12SA-E003	AT	Plug, 12 Way, End Cap
AT06-12SA-ECBLK	DT06-12SA-E005	AT	Plug, 12 Way, End Cap, Black
AT06-12SA-SRGRY	DT06-12SA-E008	AT	Plug, 12 Way, Shrink boot adapter
AT06-12SA-EC01	DT06-12SA-EP06	AT	Plug, 12 Way, Enhanced seal retention (P012), End cap
AT06-12SA-BLK	DT06-12SA-EP07	AT	Plug, 12 Way, Enhanced seal retention (P012), Black
AT06-12SA-ECBLK	DT06-12SA-EP08	AT	Plug, 12 Way, Enhanced seal retention (P012), End cap, Black
AT06-12SA-SRGRY	DT06-12SA-EP20	AT	Plug, 12 Way, Enhanced seal retention (P012), shrink boot adapter
AT06-12SA	DT06-12SA-P012	AT	Plug, 12 Way, Enhanced seal retention
AT06-12SB	DT06-12SB	AT	Plug, 12 Way,
AT06-12SB-RD01	DT06-12SB-C015	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal)
AT06-12SB-MM01	DT06-12SB-CE01	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT06-12SB-SR2GY	DT06-12SB-CE04	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-12SB-MM01	DT06-12SB-CE05	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-12SB-RD01	DT06-12SB-CE06	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-12SB-SR2GY	DT06-12SB-CE13	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), shrink boot adaptor
AT06-12SB-EC01	DT06-12SB-E003	AT	Plug, 12 Way, End Cap
AT06-12SB-SRGRY	DT06-12SB-E008	AT	Plug, 12 Way, Shrink boot adapter
AT06-12SB-EC01	DT06-12SB-EP06	AT	Plug, 12 Way, Enhanced seal retention (P012), End cap
AT06-12SB	DT06-12SB-P012	AT	Plug, 12 Way, Enhanced seal retention
AT06-12SC	DT06-12SC	AT	Plug, 12 Way,
AT06-12SC-RD01	DT06-12SC-C015	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal)
AT06-12SC-SS01	DT06-12SC-C017	AT	Plug, 12 Way, Solid Rear Grommet
AT06-12SC-MM01	DT06-12SC-CE01	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), End Cap
AT06-12SC-SR2GY	DT06-12SC-CE04	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-12SC-MM01	DT06-12SC-CE05	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-12SC-RD01	DT06-12SC-CE06	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-12SC-EC01	DT06-12SC-E003	AT	Plug, 12 Way, End Cap
AT06-12SC-EC01	DT06-12SC-EP06	AT	Plug, 12 Way, Enhanced seal retention (P012), End cap
AT06-12SC	DT06-12SC-P012	AT	Plug, 12 Way, Enhanced seal retention
AT06-12SD	DT06-12SD	AT	Plug, 12 Way,
AT06-12SD-RD01	DT06-12SD-C015	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal)
AT06-12SD-SR2GY	DT06-12SD-CE04	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Shrink Boot Adapter
AT06-12SD-MM01	DT06-12SD-CE05	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012), End Cap,
AT06-12SD-RD01	DT06-12SD-CE06	AT	Plug, 12 Way, Reduced Dia. Seals (E-Seal), Enhanced seal retention(P012)
AT06-12SD-EC01	DT06-12SD-E003	AT	Plug, 12 Way, End Cap
AT06-12SD-EC01	DT06-12SD-EP06	AT	Plug, 12 Way, Enhanced seal retention (P012), End cap

AT06-12SD	DT06-12SD-P012	AT	Plug, 12 Way, Enhanced seal retention
Amphenol #	Deutch #	Series	Description
WEDGES		AT	
AW2P	W2P	AT	Lock, 2 Way, Recpt, Green
	W2PA	AT	Lock, 2 Way, Recpt, A Key, Gray
	W2PB	AT	Lock, 2 Way, Recpt, B Key, Black
	W2PC	AT	Lock, 2 Way, Recpt, C Key, Green
	W2PD	AT	Lock, 2 Way, Recpt, D Key, Brown
AW2S	W2S	AT	Lock, 2 Way, Plug, Orange
AW2S	W2S-P012	AT	Lock, 2 Way, Plug, Enhanced, Green
	W2SA	AT	Lock, 2 Way, Plug, A Key, Gray
	W2SA-P012	AT	Lock, 2 Way, Plug, A Key, Enhanced, Gray
	W2SB	AT	Lock, 2 Way, Plug, B Key, Black
	W2SB-P012	AT	Lock, 2 Way, Plug, B Key, Enhanced, Black
AW2S-C	W2SC	AT	Lock, 2 Way, Plug, C Key, Green
AW2S-C	W2SC-P012	AT	Lock, 2 Way, Plug, C Key, Enhanced, Green
AW2S-D	W2SD	AT	Lock, 2 Way, Plug, D Key, Brown
AW2S-D	W2SD-P012	AT	Lock, 2 Way, Plug, D Key, Enhanced, Brown
AW3P	W3P	AT	Lock, 3 Way, Recpt, Green
AW3P-1939	W3P-1939	AT	Lock, 3 Way, Recpt, J1939, Blue
AW3S	W3S	AT	Lock, 3 Way, Plug, Orange
AW3S-1939	W3S-1939	AT	Lock, 3 Way, Plug, J1939, Blue
AW3S-1939	W3S-1939-P012	AT	Lock, 3 Way, Plug, J1939 Enhanced, Blue
AW3S	W3S-P012	AT	Lock, 3 Way, Plug, Enhanced, Green
AW4P	W4P	AT	Lock, 4 Way, Recpt, Green
AW4S	W4S	AT	Lock, 4 Way, Plug, Orange
AW4S	W4S-P012	AT	Lock, 4 Way, Plug, Enhanced, Green
	W4SA	AT	Lock, 4 Way, Plug, A Key, Gray
	W4SA-P012	AT	Lock, 4 Way, Plug, A Key, Enhanced, Gray
	W4SB	AT	Lock, 4 Way, Plug, B Key, Black
	W4SB-P012	AT	Lock, 4 Way, Plug, B Key, Enhanced, Black
	W4SC	AT	Lock, 4 Way, Plug, C Key, Green
	W4SC-P012	AT	Lock, 4 Way, Plug, C Key, Enhanced, Green
	W4SD	AT	Lock, 4 Way, Plug, D Key, Brown
	W4SD-P012	AT	Lock, 4 Way, Plug, D Key, Enhanced, Brown
AW6P	W6P	AT	Lock, 6 Way, Recpt, Green
AW6S	W6S	AT	Lock, 6 Way, Plug, Orange
AW6S	W6S-P012	AT	Lock, 6 Way, Plug, Enhanced, Green
	W6S2-P012	AT	Lock, 6 Way, Plug, 2 Key, Enhanced, Blue

AW8P	W8P	AT	Lock, 8 Way, Recpt, Green
AW8S	W8S	AT	Lock, 8 Way, Plug, Orange
AW8S	W8S-P012	AT	Lock, 8 Way, Plug, Enhanced, Green
AW12P	W12P	AT	Lock, 12 Way, Recpt, Green
AW12S	W12S	AT	Lock, 12 Way, Plug, Orange
AW12S	W12S-P012	AT	Lock, 12 Way, Plug, Green
Amphenol #	Deutch #	Series	Description
2 WAY	DTP	ATP	ATP
ATP04-2P	DTP04-2P	ATP	Recpt, 2 Way
ATP04-2P-EC01	DTP04-2P-E003	ATP	Recpt, 2 Way, End Cap
ATP04-2P-BLK	DTP04-2P-E004	ATP	Recpt, 2 Way, Black
ATP06-2S	DTP06-2S	ATP	Plug, 2 Way
ATP06-2S-EC01	DTP06-2S-E003	ATP	Plug, 2 Way, End Cap
ATP06-2S-BLK	DTP06-2S-E004	ATP	Plug, 2 Way, Black
Amphenol #	Deutch #	Series	Description
4 WAY	DTP	ATP	
ATP04-4P	DTP04-4P	ATP	Recpt, 4 Way
ATP04-4P-RD01	DTP04-4P-C015	ATP	Recpt, 4 Way, Reduced Diameter Seals
ATP04-4P-EC01	DTP04-4P-E003	ATP	Recpt, 4 Way, End Cap
ATP04-4P-BLK	DTP04-4P-E004	ATP	Recpt, 4 Way, Black
ATP04-4P-PM01	DTP04-4P-L012	ATP	Recpt, 4 Way, Flange
ATP04-4P-PM02	DTP04-4P-LE07	ATP	Recpt, 4 Way, Flange, End Cap
ATP06-4S	DTP06-4S	ATP	Plug, 4 Way
ATP06-4S-RD01	DTP06-4S-C015	ATP	Plug, 4 Way, Reduced Diameter Seals
ATP06-4S-RD01BK	DTP06-4S-CE02	ATP	Plug, 4 Way, Reduced Diameter Seals Black
ATP06-4S-EC01	DTP06-4S-E003	ATP	Plug, 4 Way, End Cap
ATP06-4S-BLK	DTP06-4S-E004	ATP	Plug, 4 Way, Black
	DTP06-4S-EE01	ATP	Plug, 4 Way, Shrink Boot Adaptor, Black
	DTP10-4P	ATP	Recept, DTP10, 4 Way, size 12, Straight Molded Pins, PCB Mount.
Amphenol #	Deutch #	Series	Description
WEDGES		ATP	
AWP-2P	WP-2P	ATP	Lock, 2 Way, Recpt
AWP-2S	WP-2S	ATP	Lock, 2 Way, Plug
AWP-4P	WP-4P	ATP	Lock, 4 Way, Recpt
AWP-4S	WP-4S	ATP	Lock, 4 Way, Plug
Amphenol #	Deutch #	Series	Description
2 WAY	DTM	ATM	
ATM04-2P	DTM04-2P	ATM	Recept, 2 Way
ATM04-2P-EC01	DTM04-2P-E003	ATM	Recept, 2 Way, End Cap

ATM04-2P-BLK	DTM04-2P-E004	ATM	Recept, 2 Way, Black
ATM04-2P-EC01BK	DTM04-2P-E005	ATM	Recept, 2 Way, End Cap, Black
	DTM04-2P-E007	ATM	Recept, 2 Way, Shrink Boot Adaptor
	DTM04-2P-EP10	ATM	Recept, 2 Way, Terminating Resistor, Gold Pins, Black, J1939
	DTM04-2P-P006	ATM	Recept, 2 Way, Terminating Resistor, Gold Pins, Black, J1939
	DTM04-2P-P007	ATM	Recept, 2 Way, Y Connector, Molded Gold Pins, J1939
ATM06-2S	DTM06-2S	ATM	Plug, 2 Way
ATM04-2S-EC01	DTM06-2S-E003	ATM	Plug, 2 Way, End Cap
ATM04-2S-BLK	DTM06-2S-E004	ATM	Plug, 2 Way, Black
ATM04-2S-EC01BK	DTM06-2S-E005	ATM	Plug, 2 Way, End Cap, Black
	DTM06-2S-E007	ATM	Plug, 2 Way, Shrink Boot Adaptor
	DTM06-2S-EP10	ATM	Plug, 2 Way, B Key, Terminating Resistor, Gold Sockets, Black, J1939
	DTM06-2S-EE03	ATM	Plug, 2 Way, Shrink Boot Adaptor, Black
	DTM06-2S-P006	ATM	Plug, 2 Way, Terminating Resistor, Gold Sockets, Black, J1939
Amphenol #	Deutch #	Series	Description
3 WAY	DTM	ATM	
ATM04-3P	DTM04-3P	ATM	Recept, 3 Way
	DTM04-3P-E003	ATM	Recept, 3 Way, End Cap
ATM04-3P-BLK	DTM04-3P-E004	ATM	Recept, 3 Way, Black
	DTM04-3P-E005	ATM	Recept, 3 Way, End Cap, Black
ATM06-3S	DTM06-3S	ATM	Plug, 3 Way
ATM06-3S-BLK	DTM06-3S-E004	ATM	Plug, 3 Way, Black
	DTM06-3S-E007	ATM	Plug, 3 Way, Shrink Boot Adaptor
Amphenol #	Deutch #	Series	Description
4 WAY	DTM	ATM	
ATM04-4P	DTM04-4P	ATM	Recept, 4 Way
	DTM04-4P-E003	ATM	Recept, 4 Way, End Cap
ATM04-4P-BLK	DTM04-4P-E004	ATM	Recept, 4 Way, Black
	DTM04-4P-E005	ATM	Recept, 4 Way, End Cap, Black
ATM06-4S	DTM06-4S	ATM	Plug, 4 Way
ATM06-4S-BLK	DTM06-4S-E004	ATM	Plug, 4 Way, Black
	DTM06-4S-E007	ATM	Plug, 4 Way, Shrink Boot Adaptor
Amphenol #	Deutch #	Series	Description
6 WAY	DTM	ATM	
ATM04-6P	DTM04-6P	ATM	Recept, 6 Way
	DTM04-6P-E003	ATM	Recept, 6 Way, End Cap
ATM04-6P-BLK	DTM04-6P-E004	ATM	Recept, 6 Way, Black
	DTM04-6P-E005	ATM	Recept, 6 Way, End Cap, Black
ATM06-6S	DTM06-6S	ATM	Plug, 6 Way

ATM06-6S-BLK	DTM06-6S-E004	ATM	Plug, 6 Way, Black
	DTM06-6S-E005	ATM	Plug, 6 Way, End Cap, Black
	DTM06-6S-E007	ATM	Plug, 6 Way, Shrink Boot Adaptor
Amphenol #	Deutch #	Series	Description
8 WAY	DTM	ATM	
ATM04-08PA	DTM04-08PA	ATM	Recept, 8 Way, A Key
	DTM04-08PA-E003	ATM	Recept, 8 Way, A Key, End Cap
	DTM04-08PA-E005	ATM	Recept, 8 Way, A Key, End Cap, Black
ATM04-08PB	DTM04-08PB	ATM	Recept, 8 Way, B Key
	DTM04-08PB-E003	ATM	Recept, 8 Way, B Key, End Cap
ATM04-08PC	DTM04-08PC	ATM	Recept, 8 Way, C Key
ATM04-08PD	DTM04-08PD	ATM	Recept, 8 Way, D Key
ATM06-08SA	DTM06-08SA	ATM	Plug, 8 Way, A Key
	DTM06-08SA-C017	ATM	Plug, 8 Way, A Key, Solid Rear Grommet
	DTM06-08SA-E007	ATM	Plug, 8 Way, A Key, Shrink Boot Adaptor
ATM06-08SB	DTM06-08SB	ATM	Plug, 8 Way, B Key
	DTM06-08SB-E007	ATM	Plug, 8 Way, B Key, Shrink Boot Adaptor
ATM06-08SC	DTM06-08SC	ATM	Plug, 8 Way, C Key
ATM06-08SD	DTM06-08SD	ATM	Plug, 8 Way, D Key
Amphenol #	Deutch #	Series	Description
12 WAY	DTM	ATM	
ATM04-12PA	DTM04-12PA	ATM	Recept, 12 Way, A Key
	DTM04-12PA-E003	ATM	Recept, 12 Way, A Key, End Cap
	DTM04-12PA-E005	ATM	Recept, 12 Way, A Key, End Cap, Black
	DTM04-12PA-L012	ATM	Recept, 12 Way, A Key, Flange
ATM04-12PB	DTM04-12PB	ATM	Recept, 12 Way, B Key
ATM04-12PC	DTM04-12PC	ATM	Recept, 12 Way, C Key
ATM04-12PD	DTM04-12PD	ATM	Recept, 12 Way, D Key
ATM06-12SA	DTM06-12SA	ATM	Plug, 12 Way, A Key
	DTM06-12SA-E003	ATM	Plug, 12 Way, A Key, End Cap
ATM06-12SA-E007	DTM06-12SA-E007	ATM	Plug, 12 Way, A Key, Shrink Boot Adaptor
ATM06-12SB	DTM06-12SB	ATM	Plug, 12 Way, B Key
ATM06-12SB-E007	DTM06-12SB-E007	ATM	Plug, 12 Way, B Key, Shrink Boot Adaptor
ATM06-12SC	DTM06-12SC	ATM	Plug, 12 Way, C Key
ATM06-12SC-E007	DTM06-12SC-E007	ATM	Plug, 12 Way, C Key, Shrink Boot Adaptor
ATM06-12SD	DTM06-12SD	ATM	Plug, 12 Way, D Key
ATM06-12SD-E007	DTM06-12SD-E007	ATM	Plug, 12 Way, D Key, Shrink Boot Adaptor
Amphenol #	Deutch #	Series	Description
WEDGES		ATM	

AWM-2P	WM-2P	ATM	Lock, 2 Way Recept
	WM-2PA	ATM	Lock, 2 Way Recept, A Key
	WM-2PB	ATM	Lock, 2 Way Recept, B Key
AWM-2S	WM-2S	ATM	Lock, 2 Way Plug
	WM-2SA	ATM	Lock, 2 Way Plug, A Key
	WM-2SB	ATM	Lock, 2 Way Plug, B Key
AWM-3P	WM-3P	ATM	Lock, 3 Way Plug
AWM-3S	WM-3S	ATM	Lock, 3 Way Recept
AWM-4P	WM-4P	ATM	Lock, 4 Way Plug
AWM-4S	WM-4S	ATM	Lock, 4 Way Recept
AWM-6P	WM-6P	ATM	Lock, 6 Way Plug
AWM-6S	WM-6S	ATM	Lock, 6 Way Recept
AWM-8P	WM-8P	ATM	Lock, 8 Way Plug
AWM-8S	WM-8S	ATM	Lock, 8 Way Recept
AWM-12P	WM-12P	ATM	Lock, 12 Way Plug
AWM-12S	WM-12S	ATM	Lock, 12 Way Recept
	WM-12S-B026	ATM	Lock, 12 Way Plug, Alternate Key
Amphenol #	Deutch #	Series	Description
AHD	HD	AHD	
AHD10-6-12P-L	HD10-6-12P	AHD	Recpt, 6 Way, Flange, Threaded Rear
AHD16-6-12S	HD16-6-12S	AHD	Plug, 6 Way, Threaded Rear, NO Coupling Ring
AHD16-6-12SB010	HD16-6-12S-B010	AHD	Plug, 6 Way, Threaded Rear, WITH Coupling Ring
AHD10-9-1939P	HD10-9-1939P	AHD	Recpt, 9 Way, Flange, Threaded Rear, J1939
AHD10-9-96P	HD10-9-96P	AHD	Recpt, 9 Way, Flange, Threaded Rear
AHD14-9-1939P	HD14-9-1939P	AHD	Recpt, 9 Way, In Line, Threaded Rear, J1939
AHD14-9-96P	HD14-9-96P	AHD	Recpt, 9 Way, In Line, Threaded Rear
AHD16-9-1939S	HD16-9-1939S	AHD	Plug, 9 Way, Threaded Rear, J1939
AHD16-9-96S	HD16-9-96S	AHD	Plug, 9 Way, Threaded Rear
AHD17-9-1939S	HD17-9-1939S	AHD	Plug, 9 Way, Threaded Rear, NO Coupling Ring, J1939
Amphenol #	Deutch #	Series	Description
DUST COVERS	HD	AHD	
AHDC-16-6	HDC16-6	AHD	Cover, Protective, 6 Way, Recpt
AHDC-16-9	HDC16-9	AHD	Cover, Protective, 9 Way, Recpt
AHDC-16-9-BLK	HDC16-9-E004	AHD	Cover, Protective, 6 Way, Recpt, Black
Amphenol #	Deutch #		Description
SEAL PLUGS			
	114019		Plug, Sealing, size 4
	114018		Plug, Sealing, size 8
A114017	114017		Plug, Sealing, size 12-16

	0413-217-1605		Plug, Sealing, locking, size 16
AT13-204-2005	0413-204-2005		Plug, Sealing, size 20
Amphenol #	Deutch #		Description
CONTACTS			
	0460-204-0490		Pin, Solid, Size 4, 6 Awg, Nickel
	0460-204-08141		Pin, Solid, Size 8, 8-10 Awg, Nickel
AT60-204-12141	0460-204-12141		Pin, Solid, Size 12, 12-14Awg, Nickle
	0460-208-12141		Pin, Solid, Size 12, Nickel, extended PCB
	0460-211-12141		Pin, Solid, Size 12, 12-14Awg, Nickle, Special DIM
AT60-220-1231	0460-220-1231		Pin, Solid, Size 12, 12-14Awg, Gold
	0460-245-1231		Pin, Solid, Size 12, Gold, extended PCB
	0460-245-1290		Pin, Solid, Size 12, Tin, extended PCB
	0460-256-12233		Pin, Solid, Size 12, Reduced crimp barrel, 16-18Awg, Gold
AT60-215-16141	0460-215-16141		Pin, Solid, Size 16, 14Awg, Nickle
AT60-215-1631	0460-215-1631		Pin, Solid, Size 16, 14Awg, Gold
AT60-202-16141	0460-202-16141		Pin, Solid, Size 16, 16-20Awg, Nickle
AT60-202-1631	0460-202-1631		Pin, Solid, Size 16, 16-20Awg, Gold
	0460-208-16141		Pin, Solid, Size 16, Nickle, Extended PCB (ref dwg 0425-202-0000)
	0460-208-1631		Pin, Solid, Size 16, Gold, Extended PCB (ref dwg 0425-202-0000)
	0460-229-16141		Pin, Solid, Size 16, Nickle, Extended PCB (ref dwg 0425-202-0000)
	0460-241-16141		Pin, Solid, Size 16, Nickle, Extended PCB (ref dwg 0425-202-0000)
	0460-244-16141		Pin, Solid, Size 16, Nickle, Extended PCB (ref dwg 0425-202-0000)
	0460-244-1631		Pin, Solid, Size 16, Gold, Extended PCB (ref dwg 0425-202-0000)
	0460-244-1690		Pin, Solid, Size 16, Tin, Extended PCB (ref dwg 0425-202-0000)
	0460-247-16141		Pin, Solid, Size 16, 16-20AWg, Nickle, extended crimp, seals against rear grommet
	0460-247-1631		Pin, Solid, Size 16, 16-20AWg, Gold, extended crimp, seals against rear grommet
	0460-264-16141		Pin, Solid, Size 16, Nickel, Extended interface
AT60-202-20141	0460-202-20141		Pin, Solid, Size 20, 20Awg, Nickel
AT60-202-2031	0460-202-2031		Pin, Solid, Size 20, 20Awg, Gold
	0460-208-2031		Pin, Solid, Size 20, Gold, Extended PCB
	0460-208-2090		Pin, Solid, Size 20, Tin, Extended PCB
	0462-203-04141		Socket, Solid, Size 4, 6Awg, Nickle
	0462-203-08141		Socket, Solid, Size 8, 8-10Awg, Nickle
AT62-203-12141	0462-203-12141		Socket, Solid, Size 12, 12-14Awg, Nickle
AT62-210-1231	0462-210-1231		Socket, Solid, Size 12, 12-14Awg, Gold
	0462-215-1231		Socket, Solid, Size 12, 12-14Awg, Nickle, Special DIM
AT62-209-16141	0462-209-16141		Socket, Solid, Size 16, 14Awg, Nickle
AT62-209-1631	0462-209-1631		Socket, Solid, Size 16, 14Awg, Gold
AT62-201-16141	0462-201-16141		Socket, Solid, Size 16, 16-20Awg, Nickle

AT62-201-1631	0462-201-1631		Socket, Solid, Size 16, 16-20Awg, Gold
	0462-221-1631		Socket, Solid, Size 16, 16-20Awg, Gold, Extended crimp
AT62-201-20141	0462-201-20141		Socket, Solid, Size 20, 20Awg, Nickle
AT62-201-2031	0462-201-2031		Socket, Solid, Size 20, 20Awg, Gold
	1060-12-0222		Pin, Stamped & Formed, Size 12, 10Awg, Nickel
	1060-12-0222-PS		Pin, Stamped & Formed, Size 12, 10Awg, Nickel, Partial Strip
AT60-12-0144	1060-12-0144		Pin, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Gold
	1060-12-0144-PS		Pin, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Gold, Partial Strip
AT60-12-0166	1060-12-0166		Pin, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Nickel
	1060-12-0166-PS		Pin, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Nickel, Partial Strip
AT60-14-0122	1060-14-0122		Pin, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Nickel
	1060-14-0122-PS		Pin, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Nickel, Partial Strip
AT60-14-0144	1060-14-0144		Pin, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Gold
	1060-14-0144-PS		Pin, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Gold, Partial Strip
AT60-16-0122	1060-16-0122		Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel
	1060-16-0122-PS		Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel, Partial Strip
AT60-16-0144	1060-16-0144		Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Gold
	1060-16-0144-PS		Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Gold, Partial Strip
AT60-16-0622	1060-16-0622		Pin, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Nickel
	1060-16-0622-PS		Pin, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Nickel, Partial Reel
AT60-16-0644	1060-16-0644		Pin, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Gold
	1060-16-0644-PS		Pin, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Gold, Partial Reel
	1060-16-0722		Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel
	1060-16-0988		Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Selective Gold
	1060-16-0988-PS		Pin, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Selective Gold, Partial Reel
	1060-16-1222		Pin, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel
	1060-16-1222-PS		Pin, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel, Partial Reel
AT60-20-0122	1060-20-0122		Pin, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel
	1060-20-0122-PS		Pin, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel, Partial Reel
AT60-20-0144	1060-20-0144		Pin, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Gold
	1060-20-0144-PS		Pin, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Gold, Partial Reel
	1060-20-0222		Pin, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Nickel
	1060-20-0222-PS		Pin, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Nickel, Partial Reel
	1060-20-0244		Pin, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Gold
	1060-20-0244-PS		Pin, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Gold, Partial Reel
	1062-12-0222		Socket, Stamped & Formed, Size 12, 10Awg, .140-.204 Insulation,Nickel
	1062-12-0222-PS		Socket, Stamped & Formed, Size 12, 10Awg, .140-.204 Insulation,Nickel, Partial Reel
AT62-12-0144	1062-12-0144		Socket, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Gold
	1062-12-0144-PS		Socket, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Gold, Partial Reel

AT62-12-0166	1062-12-0166		Socket, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Nickel
	1062-12-0166-PS		Socket, Stamped & Formed, Size 12, 12-14Awg, .113-.176 Insulation,Nickel, Partial Reel
AT62-14-0122	1062-14-0122		Socket, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Nickel
	1062-14-0122-PS		Socket, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Nickel, Partial Reel
AT62-14-0144	1062-14-0144		Socket, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Gold
	1062-14-0144-PS		Socket, Stamped & Formed, Size 16, 14-18Awg, .095-.150 Insulation,Gold, Partial Reel
AT62-16-0122	1062-16-0122		Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel
	1062-16-0122-PS		Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel, Partial Reel
AT62-16-0144	1062-16-0144		Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Gold
	1062-16-0144-PS		Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Gold, Partial Reel
AT62-16-0622	1062-16-0622		Socket, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Nickel
	1062-16-0622-PS		Socket, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Nickel, Partial Reel
AT62-16-0644	1062-16-0644		Socket, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Gold
	1062-16-0644-PS		Socket, Stamped & Formed, Size 16, 16-20Awg, .055-.100 Insulation,Gold, Partial Reel
	1062-16-0722		Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel
	1062-16-0722-PS		Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Nickel, Partial Reel
	1062-16-0988		Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Selective Gold
	1062-16-0988-PS		Socket, Stamped & Formed, Size 16, 14-18Awg, .075-.140 Insulation,Selective Gold, Partial Reel
	1062-16-1222		Socket, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel
	1062-16-1222-PS		Socket, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel, Partial Reel
	1062-16-1422		Socket, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel, Sleeveless
	1062-16-1422-PS		Socket, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation,Nickel, Seleeveless, Partial Reel
	1062-16-1444		Socket, Stamped & Formed, Size 16, 12-16Awg, .075-.140 Insulation, Gold, Sleeveless
AT62-20-0122	1062-20-0122		Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel
	1062-20-0122-PS		Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel, Partial Reel
AT62-20-0144	1062-20-0144		Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation, Gold
	1062-20-0144-PS		Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation, Gold, Partial Reel
	1062-20-0222		Socket, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Nickel
	1062-20-0222-PS		Socket, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Nickel, Partial Reel
	1062-20-0244		Socket, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation,Gold
	1062-20-0244-PS		Socket, Stamped & Formed, Size 20, 16-22Awg, .051-.085 Insulation, Gold, Partial Reel
	1062-20-0322		Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel, Sleeveless
	1062-20-0322-PS		Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation,Nickel, Sleeveless, Partial Reel
	1062-20-0344		Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation, Gold, Sleeveless
	1062-20-0344-PS		Socket, Stamped & Formed, Size 20, 16-22Awg, .075-.125 Insulation, Gold, Sleeveless, Partial Reel
MODIFICATIONS	MOD #		DESCRIPTION
<i>E</i>	EC01		End Cap
	EC01BLK		End Cap Black 2/3/4/6 pin
	ECBLK		End Cap Black 8/12 pin

L	LC01		Latch Guard End Cap
	LM01		Latch Guard End Cap / Reduced Diameter Seal
M	MM01		Reduced Diameter Seal / End Cap
	MM01BLK		Reduced Diameter Seal / End Cap / Black 2/3/4/6 pin
	MMBLK		Reduced Diameter Seal / End Cap / Black 8/12 pin
	MM03		Reduced Diameter Seal / Shrink Boot Adapter
	MM03BLK		Reduced Diameter Seal / Shrink Boot Adapter / Black 2/3/4/6 pin
N	NR01		NO Rear Seal
	NS01		SPECIAL
	NES		Non Extended Shroud
	NMM1		Non Extended Shroud / Reduced Diameter Seal / End Cap
	NRD1		Non Extended Shroud / Reduced Diameter Seal
	NSS1		Non Extended Shroud / Solid Rear Grommet / End Cap
P	PM		Panel Mount (FLANGE)
R	R		Resistor
	RD01		Reduced Diameter Seal
	RD01BLK		Reduced Diameter Seal / Black 2/3/4/6 pin
	RDBLK		Reduced Diameter Seal / Black 8/12 pin
	RJ120		Resistor (120 OHM) with J1939 Wedge / Gold Contacts / Solid Rear Seal / End Cap
	RJ120BK		Resistor (120 OHM) with J1939 Wedge / Gold Contacts / Solid Rear Seal / End Cap / Black
	RJL120		Resistor (120 OHM) with J1939 Wedge / Gold Contacts / Solid Rear Seal / Latch Guard End Cap
	RY01		Receptacle 3 WAY Y Connector J1939
S	SB01		Shrink Boot Adapter
	SB01BLK		Shrink Boot Adapter / Black 2/3/4/6 pin
	SR01(COLOR)		Strain Relief End Cap
	SR01BLK		Strain Relief End Cap / Black 2/3/4/6 pin
	SRBLK		Strain Relief End Cap / Black 8/12 pin
	SS01		Solid Rear Grommet / End Cap

COLOR MOD'S	MOD #		DESCRIPTION
	BLK / BK		Black
	BLU / BL		Blue
	BRN / BN		Brown
	GRN / GN		Green
	RED / RD		Red
	WHT / WT		White
	YEL / YL		Yellow