Note: This datasheet may be out of date.
Please download the latest datasheet of BLM18PG600SN1# from the official website of Murata Manufacturing

Co., Ltd.

https://www.murata.com/en-us/products/productdetail?partno=BLM18PG600SN1%23

### BLM18PG600SN1#

"#" indicates a package specification code.








< List of part numbers with package codes >

BLM18PG600SN1J BLM18PG600SN1D BLM18PG600SN1B



### Appearance & Shape





(in mm)

- 1.The chip ferrite beads BLM series is designed to function nearly as a resistor at noise frequencies, which greatly reduces the possibility of resonance and leaves signal wave forms undistorted.
  BLM series is effective in circuits without stable ground lines because BLM series does not need a
- connection to ground.

  2.The nickel barrier structure of the external electrodes provides excellent solder heat resistance.
- 3.BLM\_P series can be used in high current circuits due to its low DC resistance. It can match power lines to a maximum of 3ADC.

# Applications

Other Usage For general



## Packaging Information

| Packaging | Specifications   | Minimum<br>Order Quantity |
|-----------|------------------|---------------------------|
| J         | 330mm Paper Tape | 10000                     |
| D         | 180mm Paper Tape | 4000                      |
| В         | Bulk(Bag)        | 1000                      |

1 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2019/11/14



Co., Ltd. https://www.murata.com/en-us/products/productdetail?partno=BLM18PG600SN1%23

### Please download the latest datasheet of BLM18PG600SN1# from the official website of Murata Manufacturing

## BLM18PG600SN1#

"#" indicates a package specification code.

Note: This datasheet may be out of date



| Shape                           | SMD            |
|---------------------------------|----------------|
| Size Code (in mm)               | 1608           |
| Size Code (in inch)             | 0603           |
| Length                          | 1.6mm          |
| Length Tolerance                | ±0.15mm        |
| Width                           | 0.8mm          |
| Width Tolerance                 | ±0.15mm        |
| Thickness                       | 0.8mm          |
| Thickness Tolerance             | ±0.15mm        |
| Impedance (at 100MHz)           | 60Ω            |
| Impedance (at 100MHz) Tolerance | (Тур.)         |
| Rated Current (at 85°C)         | 1A             |
| Rated Current (at 125°C)        | 1A             |
| DC Resistance(max.)             | 0.1Ω           |
| Operating Temperature Range     | -55°C to 125°C |
| Mass(typ.)                      | 0.005g         |
| Number of Circuit               | 1              |

2 of 3

#### Attention

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2019/11/14


<sup>1.</sup> This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.


Co., Ltd. https://www.murata.com/en-us/products/productdetail?partno=BLM18PG600SN1%23

## BLM18PG600SN1#

"#" indicates a package specification code.







Impedance-Frequency Characteristics

**Equivalent Circuit** 

3 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

