


# DATA SHEET O-Ring 112206

## PART INFORMATION

Part number	112206
Inside diameter d1	12,42 mm
Cross-section d2	1,78 mm
Size standard	BS014/AS014
Tolerance range according to	ISO 3601-1
Rubber family	EPDM
Rubber compound	EP851
Quality acceptance criteria on aspect	ISO 3601-3



## EP851 COMPOUND INFORMATION

#### **Original characteristics**

Hardness Sh A Tensile strength Elongation at break Compression set TR10 Brittle point Operational temperature range \* Peak temperature

Rubber color

80 16 MPa 160 % 12 % (24h 150°C) -46 °C -55 °C -50 °C / 140 °C 175 °C

Black

### **EPDM FAMILY**

#### Very good resistance

Water, steam and water-based solutions Synthetic brake fluids Atmospheric agents Low temperature

Poor resistance

Mineral oils and hydrocarbons

Particularities

Fairly good mechanical behaviour

#### **Typical applications**

Hot and cold water taps Drinking water SF6 circuit breakers Cooling circuit Brake circuit Heating circuit

\* The temperature range is given as an indication and can be influenced by the environment, the fluids in contact and the operating conditions.



LE JOINT FRANCAIS SNC 1 rue Gutenberg ZI Ouest de Bazouges - 53200 CHATEAU-GONTIER - FRANCE www.oring.hutchinson.fr - oring@hutchinson.com We make it **possible**