

Datasheet revision 1.1 www.chipquik.com

Multi-Purpose Silicone Grease (Clear) 20g Squeeze Tube

Product Highlights

Multi-Purpose Silicone Grease Insulates Electronic Components Water and Moisture Resistant Lubricates and Seals Parts Excellent Dielectric Grease Non-Curing

Common Uses

Lubricating and Sealing. Dielectric Grease.



Surfaces should be clean and dry. Unscrew cap, cut the tip off. Tool or form the silicone grease as per application requirements. Apply the silicone to surfaces and remove the excess silicone after tooling with a dry clean cloth.

Specifications

Meets and Exceeds:

VOC:

VOC Compliant (<3%), Low Odor

Operating Temperature Range:

Curing Time:

Mil-S-8660C, SAE-AS-8660

VOC Compliant (<3%), Low Odor

-57°C to +204°C (-70°F to +400°F)

Non-Curing Grease, Retains Consistency

Color: Clear

Size: 20g squeeze tube
Dielectric Strength: 460 V/mil (18 kV/mm)

Storage and Handling

Store refrigerated or at room temperature 3-25°C (37-77°F).

Shelf Life

>60 months

Transportation

This product has no shipping restrictions. Shipping below 0°C (32°F) or above 25°C (77°F) for normal transit times by ground or air will not impact this product's stated shelf life.



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Chip Quik: MPSG10C-20G