



# Ermeto DIN male stud high pressure hydraulic tube fittings | Product Series

**Filter by**

No filters selected

**Product Series**

- Heavy (932)
- Light (1531)
- Very light (104)

**Shape**

- Straight male stud connector (2567)

**Connection 1 Type**

- Male BSPP thread (DIN 3852-2, type A) (38)
- Male BSPP thread - ED (ISO 1179) (536)
- Male BSPP thread - ED (ISO 9974) (7)
- Male BSPP thread - ED-seal (ISO 1179) (100)
- Male BSPP thread - metal sealing edge (ISO 1179) (375)
- Male NPT thread (SAE J476) (405)
- Male UNF/UN thread - O-ring (ISO 11926) (210)
- Male metric thread (DIN 3852-1, type A) (16)
- Male metric thread - ED (ISO 9974) (292)
- Male metric thread - ED-seal (ISO 9974) (42)
- Male metric thread - O-ring (ISO 6149) (162)
- Male metric thread - metal sealing edge (ISO 9974) (197)
- Male short BSPT taper thread (DIN 3852-2, type C) (101)
- Male short metric taper thread (DIN 3852-1, type C) (86)

**Connection 1 Size**

- 1 1/16-12UN-2A (29)
- 1 1/2-11.5 NPT (21)
- 1 1/4-11.5 NPT (28)
- 1 5/16-12UN-2A (31)
- 1 5/8-12UN-2A (23)
- 1 7/8-12UN-2A (3)
- 1-11.5 NPT (50)
- 1/2-14 NPT (77)
- 1/4-18 NPT (55)
- 1/8-27 NPT (41)
- 3/4-14 NPT (67)
- 3/4-16UNF-2A (38)
- 3/8-18 NPT (67)
- 7/16-20UNF-2A (24)
- 7/8-14UNF-2A (34)

**Connection 2 Type**

- 24° DKO swivel (201)
- 24° cone end (2365)
- Standpipe adjustable (1)

**Connection 2 Tube Outside Diameter**

- 10 mm (308)
- 12 mm (373)



Where to Buy

The main function of Ermeto DIN male stud high pressure hydraulic tube fittings is to connect different numbers of tubes and hoses. This broad range of fittings is available in steel and in stainless steel.

Technical Specifications +

Full Product Description +

Related Documents +

[View Catalog](#) [Share / Email](#)

Showing 1 to 2,567 of 2,567 entries

[Edit Table Columns](#)

Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GEO06SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 12x1.5	24° cone end	6 mm	Steel
<a href="#">GEO06ZSMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 12x1.5	24° cone end	6 mm	Steel
<a href="#">GEO06SMOMD71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 12x1.5	24° cone end	6 mm	Stainless Steel
<a href="#">GEO08SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° cone end	8 mm	Steel
<a href="#">GEO08SMOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° cone end	8 mm	Steel
<a href="#">GEO10SMOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 16x1.5	24° cone end	10 mm	Steel
<a href="#">EGE15LREDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	15 mm	Steel
<a href="#">EGE15LRED71</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	15 mm	Stainless Steel
<a href="#">GEO12SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° cone end	12 mm	Steel
<a href="#">GEO08ZSMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° cone end	8 mm	Steel
<a href="#">GEO08SMOMD71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° cone end	8 mm	Stainless Steel
<a href="#">EGE12SREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/8 A	24° DKO swivel	12 mm	Steel
<a href="#">EGE12SRED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/8 A	24° DKO swivel	12 mm	Stainless Steel
<a href="#">GEO10ZSM71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 16x1.5	24° cone end	10 mm	Stainless Steel
<a href="#">GEO12SMOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° cone end	12 mm	Steel
<a href="#">EGE30SREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 1/4 A	24° DKO swivel	30 mm	Steel
<a href="#">EGE30SRED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 1/4 A	24° DKO swivel	30 mm	Stainless Steel
<a href="#">GEO12ZSMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° cone end	12 mm	Steel
<a href="#">GEO12SMOMD71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° cone end	12 mm	Stainless Steel
<a href="#">EGE38SREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 1/2 A	24° DKO swivel	38 mm	Steel
<a href="#">EGE38SRED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 1/2 A	24° DKO swivel	38 mm	Stainless Steel
<a href="#">GEO12SM71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° cone end	12 mm	Stainless Steel
<a href="#">GEO16SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° cone end	16 mm	Steel
<a href="#">GEO12ZSM71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° cone end	12 mm	Stainless Steel
<a href="#">GEO16SMOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° cone end	16 mm	Steel
<a href="#">GEO16ZSMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° cone end	16 mm	Steel
<a href="#">GEO16SMOMD71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° cone end	16 mm	Stainless Steel
<a href="#">EGE12SR1/4EDDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/4 A	24° DKO swivel	12 mm	Steel
<a href="#">EGE12SR1/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/4 A	24° DKO swivel	12 mm	Stainless Steel
<a href="#">GEO16SM71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° cone end	16 mm	Stainless Steel
<a href="#">GEO20SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 27x2.0	24° cone end	20 mm	Steel
<a href="#">GEO16ZSM71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° cone end	16 mm	Stainless Steel
<a href="#">GEO20SMOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 27x2.0	24° cone end	20 mm	Steel
<a href="#">GE30SR171</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE38SRCE</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/2 A	24° cone end	38 mm	Steel



- 15 mm (170)
- 16 mm (126)
- 18 mm (143)
- 20 mm (119)
- 22 mm (156)
- 25 mm (113)
- 28 mm (134)
- 30 mm (93)
- 35 mm (107)
- 38 mm (71)
- 4 mm (35)
- 42 mm (83)
- 5 mm (1)

**Materials of Construction**

- Brass (166)
- Stainless Steel (1015)
- Steel (1385)

**Optional Accessories**

- Pre-assembled with EO-2 functional nut (371)
- Pre-assembled with nut and EO-D cutting ring (102)
- Pre-assembled with nut and EO-DPR cutting ring (377)
- Pre-assembled with nut and EO-PSR cutting ring (434)
- n/a (1283)

**Seal Material**

- FKM(VIT) (871)
- Metal Sealing Edge (528)
- NBR (1168)

[Help us improve our filters](#)

**Get your Parker account Today!**

Create one account to manage everything you do with Parker, from your shopping preferences to your application access.

[Register now](#)

Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GE30ZSR171</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE38SRCFX</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/2 A	24° cone end	38 mm	Steel
<a href="#">GE38SR71X</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/2 A	24° cone end	38 mm	Stainless Steel
<a href="#">GE38SR71</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/2 A	24° cone end	38 mm	Stainless Steel
<a href="#">GE38SR11/4CF</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/4 A	24° cone end	38 mm	Steel
<a href="#">GE38SR11/4CFX</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/4 A	24° cone end	38 mm	Steel
<a href="#">GE38SR11/471X</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/4 A	24° cone end	38 mm	Stainless Steel
<a href="#">GE38SR11/471</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/4 A	24° cone end	38 mm	Stainless Steel
<a href="#">GE04LLRCF</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/8 tap.	24° cone end	4 mm	Steel
<a href="#">GE04LLRCFX</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/8 tap.	24° cone end	4 mm	Steel
<a href="#">GE04LLR71X</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/8 tap.	24° cone end	4 mm	Stainless Steel
<a href="#">GE04LLR71</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/8 tap.	24° cone end	4 mm	Stainless Steel
<a href="#">GE06LLRCF</a>	Very light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	R 1/8 tap.	24° cone end	6 mm	Steel
<a href="#">GE06LLRCFX</a>	Very light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	R 1/8 tap.	24° cone end	6 mm	Steel
<a href="#">GE06LLR71X</a>	Very light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	R 1/8 tap.	24° cone end	6 mm	Stainless Steel
<a href="#">EGE16SMEDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 22x1.5	24° DKO swivel	16 mm	Steel
<a href="#">GE06LLR71</a>	Very light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	R 1/8 tap.	24° cone end	6 mm	Stainless Steel
<a href="#">GE08LLRCF</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/8 tap.	24° cone end	8 mm	Steel
<a href="#">GE08LLRCFX</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/8 tap.	24° cone end	8 mm	Steel
<a href="#">EGE18LREDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	18 mm	Steel
<a href="#">EGE18LRED71</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	18 mm	Stainless Steel
<a href="#">GE08LLR71X</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/8 tap.	24° cone end	8 mm	Stainless Steel
<a href="#">GE08LLR71</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/8 tap.	24° cone end	8 mm	Stainless Steel
<a href="#">GE08LLR1/4CF</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/4 tap.	24° cone end	8 mm	Steel
<a href="#">GE08LLR1/4CFX</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/4 tap.	24° cone end	8 mm	Steel
<a href="#">GE08LLR1/471X</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/4 tap.	24° cone end	8 mm	Stainless Steel
<a href="#">GE08LLR1/471</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/4 tap.	24° cone end	8 mm	Stainless Steel
<a href="#">GE10LLRCF</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/4 tap.	24° cone end	10 mm	Steel
<a href="#">GE10LLRCFX</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/4 tap.	24° cone end	10 mm	Steel
<a href="#">GE10LLR71X</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/4 tap.	24° cone end	10 mm	Stainless Steel
<a href="#">GE10LLR71</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/4 tap.	24° cone end	10 mm	Stainless Steel
<a href="#">GE08SR1/2ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	8 mm	Stainless Steel
<a href="#">GE12LLRCFX</a>	Very light	Straight male stud connector	Male short BSPT taper thread (DIN 3852-2, type C)	R 1/4 tap.	24° cone end	12 mm	Steel
<a href="#">GE08SR1/2EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	8 mm	Stainless Steel
<a href="#">GE08ZSR1/2ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	8 mm	Stainless Steel
<a href="#">GE10SREDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	10 mm	Steel
<a href="#">GE10SREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	10 mm	Steel
<a href="#">GE10SRED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10ZSREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	10 mm	Steel
<a href="#">GE10SREDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10ZSRED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10SR1/4EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	10 mm	Steel
<a href="#">EGE16SMED71</a>	Heavy	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 22x1.5	24° DKO swivel	16 mm	Stainless Steel
<a href="#">EGE20SMEDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 27x2.0	24° DKO swivel	20 mm	Steel
<a href="#">GE10SR1/4EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	10 mm	Steel
<a href="#">GE10SR1/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10ZSR1/4EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	10 mm	Steel
<a href="#">GE10SR1/4EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10ZSR1/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10SR1/2EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	10 mm	Steel
<a href="#">GE10SR1/2EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	10 mm	Steel
<a href="#">GE10SR1/2ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10ZSR1/2EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	10 mm	Steel
<a href="#">GE10SR1/2EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10ZSR1/2ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE12SREDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	12 mm	Steel
<a href="#">GE12SREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	12 mm	Steel
<a href="#">GE12SRED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	12 mm	Stainless Steel
<a href="#">GE12ZSREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	12 mm	Steel
<a href="#">GE12SREDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	12 mm	Stainless Steel









Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GE25SR11/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	25 mm	Stainless Steel
<a href="#">GE25ZSR11/4EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	25 mm	Steel
<a href="#">GE25SR11/4EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	25 mm	Stainless Steel
<a href="#">EGE12LR1/4EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/4 A	24° DKO swivel	12 mm	Steel
<a href="#">EGE12LR1/4ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/4 A	24° DKO swivel	12 mm	Stainless Steel
<a href="#">GE25ZSR11/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	25 mm	Stainless Steel
<a href="#">GE25SR11/2EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	25 mm	Steel
<a href="#">EGE08SREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/4 A	24° DKO swivel	8 mm	Steel
<a href="#">EGE08SRED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/4 A	24° DKO swivel	8 mm	Stainless Steel
<a href="#">GE25SR11/2EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	25 mm	Steel
<a href="#">GE25SR11/2ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	25 mm	Stainless Steel
<a href="#">GE25ZSR11/2EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	25 mm	Steel
<a href="#">GE25SR11/2EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	25 mm	Stainless Steel
<a href="#">EGE20SREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/4 A	24° DKO swivel	20 mm	Steel
<a href="#">EGE20SRED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/4 A	24° DKO swivel	20 mm	Stainless Steel
<a href="#">GE25ZSR11/2ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	25 mm	Stainless Steel
<a href="#">GE30SREDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	30 mm	Steel
<a href="#">EGE15L1/2NPTCF</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° DKO swivel	15 mm	Steel
<a href="#">EGE18L1/2NPTCF</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° DKO swivel	18 mm	Steel
<a href="#">GE30SREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	30 mm	Steel
<a href="#">GE30SRED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE30ZSREDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	30 mm	Steel
<a href="#">GE30SREDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE30ZSRED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE30SR1EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	30 mm	Steel
<a href="#">GE30SR1EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	30 mm	Steel
<a href="#">GE30SR1ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE30ZSR1EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	30 mm	Steel
<a href="#">GE30SR1EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	30 mm	Stainless Steel
<a href="#">EGE042LMCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 48x2.0	24° DKO swivel	42 mm	Steel
<a href="#">EGE006SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 12x1.5	24° DKO swivel	6 mm	Steel
<a href="#">GE30ZSR1ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE30SR11/2EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	30 mm	Steel
<a href="#">EGE06LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 10x1.0	24° DKO swivel	6 mm	Steel
<a href="#">EGE06LMED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 10x1.0	24° DKO swivel	6 mm	Stainless Steel
<a href="#">GE30SR11/2EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	30 mm	Steel
<a href="#">GE30SR11/2ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE30ZSR11/2EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	30 mm	Steel
<a href="#">GE30SR11/2EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	30 mm	Stainless Steel
<a href="#">EGE15LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 18x1.5	24° DKO swivel	15 mm	Steel
<a href="#">EGE15LMED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 18x1.5	24° DKO swivel	15 mm	Stainless Steel
<a href="#">GE30ZSR11/2ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE38SREDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	38 mm	Steel
<a href="#">EGE35LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 42x2.0	24° DKO swivel	35 mm	Steel
<a href="#">EGE35LMED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 42x2.0	24° DKO swivel	35 mm	Stainless Steel
<a href="#">GE12ZLR3/4ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	12 mm	Stainless Steel
<a href="#">GE15LREDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	15 mm	Steel
<a href="#">EGE12SMEDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 18x1.5	24° DKO swivel	12 mm	Steel
<a href="#">EGE12SMED71</a>	Heavy	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 18x1.5	24° DKO swivel	12 mm	Stainless Steel
<a href="#">GE15LREDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	15 mm	Steel
<a href="#">GE15LRED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15ZLREDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	15 mm	Steel
<a href="#">GE15LREDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15ZLRED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15LR3/8EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	15 mm	Steel
<a href="#">GE15LR3/8EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	15 mm	Steel
<a href="#">GE15LR3/8ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15ZLR3/8EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	15 mm	Steel
<a href="#">GE15LR3/8EDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15ZLR3/8ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	15 mm	Stainless Steel















Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">EGE08SMEDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 14x1.5	24° DKO swivel	8 mm	Steel
<a href="#">EGE08SMED71</a>	Heavy	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 14x1.5	24° DKO swivel	8 mm	Stainless Steel
<a href="#">GE06ZLR1/4EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	6 mm	Steel
<a href="#">GE06LR1/4EDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	6 mm	Stainless Steel
<a href="#">EGE10SMEDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 16x1.5	24° DKO swivel	10 mm	Steel
<a href="#">EGE10SMED71</a>	Heavy	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 16x1.5	24° DKO swivel	10 mm	Stainless Steel
<a href="#">GE06LR1/4ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LR3/8EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	6 mm	Steel
<a href="#">GE06ZLR1/4ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LR3/8EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	6 mm	Steel
<a href="#">GE06ZLR3/8EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	6 mm	Steel
<a href="#">GE06LR3/8EDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LR3/8ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LR1/2EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	6 mm	Steel
<a href="#">GE06ZLR3/8ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LR1/2EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	6 mm	Steel
<a href="#">EGE15LM22X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 22x1.5	24° DKO swivel	15 mm	Steel
<a href="#">EGE15LM22X1.5ED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 22x1.5	24° DKO swivel	15 mm	Stainless Steel
<a href="#">GE06ZLR1/2EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	6 mm	Steel
<a href="#">GE06LR1/2EDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	6 mm	Stainless Steel
<a href="#">EGE30S11/4NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/4-11.5 NPT	24° DKO swivel	30 mm	Steel
<a href="#">EGE38S11/2NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° DKO swivel	38 mm	Steel
<a href="#">GE06LR1/2ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	6 mm	Stainless Steel
<a href="#">GE08LREDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	8 mm	Steel
<a href="#">GE06ZLR1/2ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	6 mm	Stainless Steel
<a href="#">GE08LREDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	8 mm	Steel
<a href="#">EGE12LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 16x1.5	24° DKO swivel	12 mm	Steel
<a href="#">EGE12LMED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 16x1.5	24° DKO swivel	12 mm	Stainless Steel
<a href="#">GE08ZLREDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	8 mm	Steel
<a href="#">EGE20S3/4NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	3/4-14 NPT	24° DKO swivel	20 mm	Steel
<a href="#">EGE25S1NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1-11.5 NPT	24° DKO swivel	25 mm	Steel
<a href="#">GE30S11/4NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/4-11.5 NPT	24° cone end	30 mm	Stainless Steel
<a href="#">GE30S11/2NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° cone end	30 mm	Steel
<a href="#">GE30ZS11/4NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/4-11.5 NPT	24° cone end	30 mm	Stainless Steel
<a href="#">GE30S11/2NPTCFX</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° cone end	30 mm	Steel
<a href="#">EGE12LM22X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 22x1.5	24° DKO swivel	12 mm	Steel
<a href="#">EGE12LM22X1.5ED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 22x1.5	24° DKO swivel	12 mm	Stainless Steel
<a href="#">GE30S11/2NPT71X</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° cone end	30 mm	Stainless Steel
<a href="#">EGEO12LMCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 16x1.5	24° DKO swivel	12 mm	Steel
<a href="#">EGEO15LMCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° DKO swivel	15 mm	Steel
<a href="#">GE30S11/2NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° cone end	30 mm	Stainless Steel
<a href="#">GE38S1NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1-11.5 NPT	24° cone end	38 mm	Steel
<a href="#">GE38S1NPTCFX</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1-11.5 NPT	24° cone end	38 mm	Steel
<a href="#">EGE18LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 22x1.5	24° DKO swivel	18 mm	Steel
<a href="#">EGE18LMED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 22x1.5	24° DKO swivel	18 mm	Stainless Steel
<a href="#">GE38S1NPT71X</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1-11.5 NPT	24° cone end	38 mm	Stainless Steel
<a href="#">EGE22LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 26x1.5	24° DKO swivel	22 mm	Steel
<a href="#">EGE22LMED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 26x1.5	24° DKO swivel	22 mm	Stainless Steel
<a href="#">GE38S1NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1-11.5 NPT	24° cone end	38 mm	Stainless Steel
<a href="#">GE38S11/4NPTCFX</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/4-11.5 NPT	24° cone end	38 mm	Steel
<a href="#">EGEO18LMCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° DKO swivel	18 mm	Steel
<a href="#">EGEO22LM27X2CF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 27x2.0	24° DKO swivel	22 mm	Steel
<a href="#">GE38S11/4NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/4-11.5 NPT	24° cone end	38 mm	Steel
<a href="#">GE38S11/4NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/4-11.5 NPT	24° cone end	38 mm	Stainless Steel
<a href="#">GE38S11/4NPT71X</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/4-11.5 NPT	24° cone end	38 mm	Stainless Steel
<a href="#">EGEO08SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° DKO swivel	8 mm	Steel
<a href="#">EGEO10SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 16x1.5	24° DKO swivel	10 mm	Steel
<a href="#">GE38S11/2NPTCFX</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° cone end	38 mm	Steel
<a href="#">EGEO28LMCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° DKO swivel	28 mm	Steel
<a href="#">EGEO35LMCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 42x2.0	24° DKO swivel	35 mm	Steel





















Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GEO25SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° cone end	25 mm	Steel
<a href="#">GEO20ZSM71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 27x2.0	24° cone end	20 mm	Stainless Steel
<a href="#">GEO25SMOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° cone end	25 mm	Steel
<a href="#">EGEO20SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 27x2.0	24° DKO swivel	20 mm	Steel
<a href="#">EGEO25SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° DKO swivel	25 mm	Steel
<a href="#">GEO25ZSMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° cone end	25 mm	Steel
<a href="#">GEO25SMOMD71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° cone end	25 mm	Stainless Steel
<a href="#">GEO25SM71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° cone end	25 mm	Stainless Steel
<a href="#">GEO30SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 42x2.0	24° cone end	30 mm	Steel
<a href="#">GEO30SMOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 42x2.0	24° cone end	30 mm	Steel
<a href="#">GEO30ZSMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 42x2.0	24° cone end	30 mm	Steel
<a href="#">GEO30SMOMD71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 42x2.0	24° cone end	30 mm	Stainless Steel
<a href="#">GEO30SM71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 42x2.0	24° cone end	30 mm	Stainless Steel
<a href="#">GEO38SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 48x2.0	24° cone end	38 mm	Steel
<a href="#">GEO38SMOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 48x2.0	24° cone end	38 mm	Steel
<a href="#">GE30S11/4NPT71X</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/4-11.5 NPT	24° cone end	30 mm	Stainless Steel
<a href="#">GEO38ZSMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 48x2.0	24° cone end	38 mm	Steel
<a href="#">GEO38SMOMD71</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 48x2.0	24° cone end	38 mm	Stainless Steel
<a href="#">EGEO30SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 42x2.0	24° DKO swivel	30 mm	Steel
<a href="#">EGEO38SMCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 48x2.0	24° DKO swivel	38 mm	Steel
<a href="#">GEO6LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	6 mm	Steel
<a href="#">GEO6LMEDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	6 mm	Steel
<a href="#">EGE28LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 33x2.0	24° DKO swivel	28 mm	Steel
<a href="#">EGE28LMED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 33x2.0	24° DKO swivel	28 mm	Stainless Steel
<a href="#">GEO6ZLMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	6 mm	Steel
<a href="#">GEO6LMEDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	6 mm	Stainless Steel
<a href="#">EGE08LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 12x1.5	24° DKO swivel	8 mm	Steel
<a href="#">EGE08LMED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 12x1.5	24° DKO swivel	8 mm	Stainless Steel
<a href="#">GEO6LMED71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	6 mm	Stainless Steel
<a href="#">GEO8LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	8 mm	Steel
<a href="#">GEO6ZLMED71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	6 mm	Stainless Steel
<a href="#">GEO8LMEDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	8 mm	Steel
<a href="#">EGE22L3/4NPTCF</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/4-14 NPT	24° DKO swivel	22 mm	Steel
<a href="#">EGE28L1NPTCF</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1-11.5 NPT	24° DKO swivel	28 mm	Steel
<a href="#">GEO8ZLMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	8 mm	Steel
<a href="#">GEO8LMEDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	8 mm	Stainless Steel
<a href="#">EGE35L11/4NPTCF</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1 1/4-11.5 NPT	24° DKO swivel	35 mm	Steel
<a href="#">EGE42L11/2NPTCF</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° DKO swivel	42 mm	Steel
<a href="#">GEO8LMED71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	8 mm	Stainless Steel
<a href="#">GEO8ZLMED71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	8 mm	Stainless Steel
<a href="#">GE10LMEDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	10 mm	Steel
<a href="#">EGE06S1/4NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1/4-18 NPT	24° DKO swivel	6 mm	Steel
<a href="#">EGE08S1/4NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1/4-18 NPT	24° DKO swivel	8 mm	Steel
<a href="#">GE10LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	10 mm	Steel
<a href="#">GE10ZLMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	10 mm	Steel
<a href="#">GE10LMEDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	10 mm	Stainless Steel
<a href="#">EGE10LMEDCF</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 14x1.5	24° DKO swivel	10 mm	Steel
<a href="#">EGE10LMED71</a>	Light	Straight male stud connector	Male metric thread - ED-seal (ISO 9974)	M 14x1.5	24° DKO swivel	10 mm	Stainless Steel
<a href="#">GE10LMED71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	10 mm	Stainless Steel
<a href="#">GE10ZLMED71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	10 mm	Stainless Steel
<a href="#">GE10LM12X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	10 mm	Steel
<a href="#">GE10LM12X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	10 mm	Steel
<a href="#">GE10ZLM12X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	10 mm	Steel
<a href="#">GE25SRCFX</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	25 mm	Steel
<a href="#">EGE12LR1/2EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	12 mm	Steel
<a href="#">EGE12LR1/2ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	12 mm	Stainless Steel
<a href="#">GE25SRCF</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	25 mm	Steel
<a href="#">GE25SR71X</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	25 mm	Stainless Steel
<a href="#">EGE10S3/8NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	3/8-18 NPT	24° DKO swivel	10 mm	Steel
<a href="#">EGE12S3/8NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	3/8-18 NPT	24° DKO swivel	12 mm	Steel





























Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">EGE08S1/4NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1/4-18 NPT	24° DKO swivel	8 mm	Stainless Steel
<a href="#">EGE08SR1/8EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/8 A	24° DKO swivel	8 mm	Steel
<a href="#">EGE08SR3/8ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/8 A	24° DKO swivel	8 mm	Stainless Steel
<a href="#">EGE08SR3/8EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/8 A	24° DKO swivel	8 mm	Steel
<a href="#">EGE10L1/4NPT71</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/4-18 NPT	24° DKO swivel	10 mm	Stainless Steel
<a href="#">EGE10L3/8NPTCF</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/8-18 NPT	24° DKO swivel	10 mm	Steel
<a href="#">EGE10LM12X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° DKO swivel	10 mm	Steel
<a href="#">EGE10LR1/2ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	10 mm	Stainless Steel
<a href="#">EGE10LR1/2EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	10 mm	Steel
<a href="#">EGE10LR1/8EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/8 A	24° DKO swivel	10 mm	Steel
<a href="#">EGE10LREDCRCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/4 A	24° DKO swivel	10 mm	Steel
<a href="#">EGE10SM12X1.5EDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° DKO swivel	10 mm	Steel
<a href="#">EGE10SR1/2EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	10 mm	Steel
<a href="#">EGE10SR1/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/4 A	24° DKO swivel	10 mm	Stainless Steel
<a href="#">EGE10SR1/4EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/4 A	24° DKO swivel	10 mm	Steel
<a href="#">EGE12LM12X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° DKO swivel	12 mm	Steel
<a href="#">EGE12LM18X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 18x1.5	24° DKO swivel	12 mm	Steel
<a href="#">EGE12S3/8NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	3/8-18 NPT	24° DKO swivel	12 mm	Stainless Steel
<a href="#">EGE12SM16X1.5EDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 16x1.5	24° DKO swivel	12 mm	Steel
<a href="#">EGE15L1/2NPT71</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° DKO swivel	15 mm	Stainless Steel
<a href="#">EGE15LR3/4EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/4 A	24° DKO swivel	15 mm	Steel
<a href="#">EGE15LR3/8ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/8 A	24° DKO swivel	15 mm	Stainless Steel
<a href="#">EGE15LR3/8EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/8 A	24° DKO swivel	15 mm	Steel
<a href="#">EGE15LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	15 mm	Brass
<a href="#">EGE16S1/2NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° DKO swivel	16 mm	Stainless Steel
<a href="#">EGE16S1/2NPTCF</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° DKO swivel	16 mm	Steel
<a href="#">EGE16SR1/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/4 A	24° DKO swivel	16 mm	Stainless Steel
<a href="#">EGE16SR3/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/4 A	24° DKO swivel	16 mm	Stainless Steel
<a href="#">EGE16SR3/4EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/4 A	24° DKO swivel	16 mm	Steel
<a href="#">EGE16SR3/8ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/8 A	24° DKO swivel	16 mm	Stainless Steel
<a href="#">EGE16SR3/8EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/8 A	24° DKO swivel	16 mm	Steel
<a href="#">EGE18L1/2NPT71</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° DKO swivel	18 mm	Stainless Steel
<a href="#">EGE18LR3/8EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/8 A	24° DKO swivel	18 mm	Steel
<a href="#">EGE18LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	18 mm	Brass
<a href="#">EGE20S1/2NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° DKO swivel	20 mm	Stainless Steel
<a href="#">EGE20SR1/2ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	20 mm	Stainless Steel
<a href="#">EGE20SR1/2EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	20 mm	Steel
<a href="#">EGE20SR1ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 A	24° DKO swivel	20 mm	Stainless Steel
<a href="#">EGE20SR1EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 A	24° DKO swivel	20 mm	Steel
<a href="#">EGE22L3/4NPT71</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/4-14 NPT	24° DKO swivel	22 mm	Stainless Steel
<a href="#">EGE22LR1/2ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	22 mm	Stainless Steel
<a href="#">EGE22LR1/2EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1/2 A	24° DKO swivel	22 mm	Steel
<a href="#">EGE22LR1EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 A	24° DKO swivel	22 mm	Steel
<a href="#">EGE22LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/4 A	24° DKO swivel	22 mm	Brass
<a href="#">EGE25S1NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1-11.5 NPT	24° DKO swivel	25 mm	Stainless Steel
<a href="#">EGE25SR11/4EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 1/4 A	24° DKO swivel	25 mm	Steel
<a href="#">EGE25SR3/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/4 A	24° DKO swivel	25 mm	Stainless Steel
<a href="#">EGE25SR3/4EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/4 A	24° DKO swivel	25 mm	Steel
<a href="#">EGE28L1NPT71</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1-11.5 NPT	24° DKO swivel	28 mm	Stainless Steel
<a href="#">EGE28LR3/4ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/4 A	24° DKO swivel	28 mm	Stainless Steel
<a href="#">EGE28LR3/4EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 3/4 A	24° DKO swivel	28 mm	Steel
<a href="#">EGE28LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 A	24° DKO swivel	28 mm	Brass
<a href="#">EGE30SR1ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 A	24° DKO swivel	30 mm	Stainless Steel
<a href="#">EGE30SR1EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 A	24° DKO swivel	30 mm	Steel
<a href="#">EGE35L11/4NPT71</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1 1/4-11.5 NPT	24° DKO swivel	35 mm	Stainless Steel
<a href="#">EGE35LR11/2ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 1/2 A	24° DKO swivel	35 mm	Stainless Steel
<a href="#">EGE35LR1EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 A	24° DKO swivel	35 mm	Steel
<a href="#">EGE38S11/2NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° DKO swivel	38 mm	Stainless Steel
<a href="#">EGE38SR11/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 1/4 A	24° DKO swivel	38 mm	Stainless Steel
<a href="#">EGE38SR11/4EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 1/4 A	24° DKO swivel	38 mm	Steel



Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">EGE38SR1EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 A	24° DKO swivel	38 mm	Steel
<a href="#">EGE42LR11/4ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 1/4 A	24° DKO swivel	42 mm	Stainless Steel
<a href="#">EGE42LR11/4EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED-seal (ISO 1179)	G 1 1/4 A	24° DKO swivel	42 mm	Steel
<a href="#">EGE008LM14X1.5CF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° DKO swivel	8 mm	Steel
<a href="#">EVGE06LMEDMS</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	Standpipe adjustable	6 mm	Brass
<a href="#">GE04LLM10X1KEG71</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 10x1.0 tap.	24° cone end	4 mm	Stainless Steel
<a href="#">GE04LLM10X1KEGCF</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 10x1.0 tap.	24° cone end	4 mm	Steel
<a href="#">GE04LLM10X1KEGCFX</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 10x1.0 tap.	24° cone end	4 mm	Steel
<a href="#">GE04LLM6X1KEG71</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 06x1.0 tap.	24° cone end	4 mm	Stainless Steel
<a href="#">GE04LLM6X1KEG71X</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 06x1.0 tap.	24° cone end	4 mm	Stainless Steel
<a href="#">GE04LLM6X1KEGCF</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 06x1.0 tap.	24° cone end	4 mm	Steel
<a href="#">GE04LLM6X1KEGCFX</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 06x1.0 tap.	24° cone end	4 mm	Steel
<a href="#">GE04LLMEDOMDCF</a>	Very light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	4 mm	Steel
<a href="#">GE04LLMMS</a>	Very light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 10x1.0	24° cone end	4 mm	Brass
<a href="#">GE04LLRMS</a>	Very light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	R 1/8 tap.	24° cone end	4 mm	Brass
<a href="#">GE05LLMCFX</a>	Very light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 08x1.0 tap.	24° cone end	5 mm	Steel
<a href="#">GE06L1/2NPTMS</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° cone end	6 mm	Brass
<a href="#">GE06L1/4NPTMS</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/4-18 NPT	24° cone end	6 mm	Brass
<a href="#">GE06L1/8NPTMS</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/8-27 NPT	24° cone end	6 mm	Brass
<a href="#">GE06L7/16UNFOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	7/16-20UNF-2A	24° cone end	6 mm	Steel
<a href="#">GE06LLM6X1KEG71</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 06x1.0 tap.	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LLM6X1KEGCF</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 06x1.0 tap.	24° cone end	6 mm	Steel
<a href="#">GE06LLM6X1KEGCFX</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 06x1.0 tap.	24° cone end	6 mm	Steel
<a href="#">GE06LLMEDOMDCF</a>	Very light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	6 mm	Steel
<a href="#">GE06LLMMS</a>	Very light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 10x1.0	24° cone end	6 mm	Brass
<a href="#">GE06LLR1/4KEGCF</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/4 tap.	24° cone end	6 mm	Steel
<a href="#">GE06LLRMS</a>	Very light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	R 1/8 tap.	24° cone end	6 mm	Brass
<a href="#">GE06LM10X1KEGCFX</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 10x1.0 tap.	24° cone end	6 mm	Steel
<a href="#">GE06LM12X1.571X</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 12x1.5 tap.	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LM12X1.5A71X</a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 12x1.5	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LM12X1.5CF</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 12x1.5	24° cone end	6 mm	Steel
<a href="#">GE06LM12X1.5CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 12x1.5	24° cone end	6 mm	Steel
<a href="#">GE06LM12X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	6 mm	Steel
<a href="#">GE06LM12X1.5EDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LM12X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	6 mm	Steel
<a href="#">GE06LM14EDVOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	6 mm	Steel
<a href="#">GE06LM14X1.571X</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 14x1.5	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LM14X1.5CF</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 14x1.5	24° cone end	6 mm	Steel
<a href="#">GE06LM14X1.5CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 14x1.5	24° cone end	6 mm	Steel
<a href="#">GE06LM14X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	6 mm	Steel
<a href="#">GE06LM16X1.5CF</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 16x1.5	24° cone end	6 mm	Steel
<a href="#">GE06LM16X1.5CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 16x1.5	24° cone end	6 mm	Steel
<a href="#">GE06LM6KEG71</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 10x1.0 tap.	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LM8X171</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 08x1.0	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LM8X1CF</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 08x1.0	24° cone end	6 mm	Steel
<a href="#">GE06LM8X1EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 08x1.0	24° cone end	6 mm	Steel
<a href="#">GE06LM8X1KEGCF</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 08x1.0 tap.	24° cone end	6 mm	Steel
<a href="#">GE06LM8X1KEGCFX</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 08x1.0 tap.	24° cone end	6 mm	Steel
<a href="#">GE06LMACFX</a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 10x1.0	24° cone end	6 mm	Steel
<a href="#">GE06LMMS</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 10x1.0	24° cone end	6 mm	Brass
<a href="#">GE06LR1/2EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 9974)	G 1/2 A	24° cone end	6 mm	Steel
<a href="#">GE06LR1/2MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	6 mm	Brass
<a href="#">GE06LR1/4ACF</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/4 A	24° cone end	6 mm	Steel
<a href="#">GE06LR1/4EDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	6 mm	Brass
<a href="#">GE06LR1/4EDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	6 mm	Brass
<a href="#">GE06LR1/4EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 9974)	G 1/4 A	24° cone end	6 mm	Steel
<a href="#">GE06LR1/4MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	6 mm	Brass
<a href="#">GE06LR1/4MSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	6 mm	Brass
<a href="#">GE06LR1/8KEGMS</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/8 tap.	24° cone end	6 mm	Brass
<a href="#">GE06LR3/8DPR71MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	6 mm	Brass



Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GE06LR3/8KEG71</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/8 tap.	24° cone end	6 mm	Stainless Steel
<a href="#">GE06LR3/8MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	6 mm	Brass
<a href="#">GE06LRACF</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/8 A	24° cone end	6 mm	Steel
<a href="#">GE06LRACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/8 A	24° cone end	6 mm	Steel
<a href="#">GE06LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/8 A	24° cone end	6 mm	Brass
<a href="#">GE06LREDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/8 A	24° cone end	6 mm	Brass
<a href="#">GE06LRMS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/8 A	24° cone end	6 mm	Brass
<a href="#">GE06LRMSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/8 A	24° cone end	6 mm	Brass
<a href="#">GE06SRACF</a>	Heavy	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/8 A	24° cone end	6 mm	Steel
<a href="#">GE06SRMS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	6 mm	Brass
<a href="#">GE08L1/2NPTMS</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° cone end	8 mm	Brass
<a href="#">GE08L1/4NPTMS</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/4-18 NPT	24° cone end	8 mm	Brass
<a href="#">GE08L9/16UNFCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-18UNF-2A	24° cone end	8 mm	Steel
<a href="#">GE08L9/16UNFOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-18UNF-2A	24° cone end	8 mm	Steel
<a href="#">GE08LL1/8NPTMS</a>	Very light	Straight male stud connector	Male NPT thread (SAE J476)	1/8-27 NPT	24° cone end	8 mm	Brass
<a href="#">GE08LLM8X1KEGCF</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 08x1.0 tap.	24° cone end	8 mm	Steel
<a href="#">GE08LLM8X1KEGCFX</a>	Very light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 08x1.0 tap.	24° cone end	8 mm	Steel
<a href="#">GE08LLMMS</a>	Very light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 10x1.0	24° cone end	8 mm	Brass
<a href="#">GE08LLR1/4MS</a>	Very light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	8 mm	Brass
<a href="#">GE08LLREDCF</a>	Very light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	M 10x1.0	24° cone end	8 mm	Steel
<a href="#">GE08LLRMS</a>	Very light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	R 1/8 tap.	24° cone end	8 mm	Brass
<a href="#">GE08LM10X171</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 10x1.0	24° cone end	8 mm	Stainless Steel
<a href="#">GE08LM10X1A71X</a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 10x1.0	24° cone end	8 mm	Stainless Steel
<a href="#">GE08LM10X1CF</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 10x1.0	24° cone end	8 mm	Steel
<a href="#">GE08LM10X1CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 10x1.0	24° cone end	8 mm	Steel
<a href="#">GE08LM10X1ED71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	8 mm	Stainless Steel
<a href="#">GE08LM10X1EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	8 mm	Steel
<a href="#">GE08LM10X1EDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	8 mm	Stainless Steel
<a href="#">GE08LM10X1EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	8 mm	Steel
<a href="#">GE08LM10X1EDVOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	8 mm	Steel
<a href="#">GE08LM14X1.5CF</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 14x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM14X1.5CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 14x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM14X1.5ED71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	8 mm	Stainless Steel
<a href="#">GE08LM14X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM14X1.5EDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	8 mm	Stainless Steel
<a href="#">GE08LM14X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM16X1.5CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 16x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM16X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 16x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM18X1.5CF</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 18x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM18X1.5CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 18x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM18X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 18x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM18X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 18x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM22EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 22x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM22X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 22x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM26X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LM8X1EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 08x1.0	24° cone end	8 mm	Steel
<a href="#">GE08LM8X1EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 08x1.0	24° cone end	8 mm	Steel
<a href="#">GE08LMACF</a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 12x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LMACFX</a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 12x1.5	24° cone end	8 mm	Steel
<a href="#">GE08LMMS</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 12x1.5	24° cone end	8 mm	Brass
<a href="#">GE08LR1/2EDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	8 mm	Brass
<a href="#">GE08LR1/2KEG71</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	8 mm	Stainless Steel
<a href="#">GE08LR1/2KEGCFX</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	8 mm	Steel
<a href="#">GE08LR1/2MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	8 mm	Brass
<a href="#">GE08LR1/2MSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	8 mm	Brass
<a href="#">GE08LR1/4KEGMS</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/4 tap.	24° cone end	8 mm	Brass
<a href="#">GE08LR1/4KEGMSX</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/4 tap.	24° cone end	8 mm	Brass
<a href="#">GE08LR1/8EDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/8 A	24° cone end	8 mm	Brass
<a href="#">GE08LR1/8EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/8 A	24° cone end	8 mm	Steel
<a href="#">GE08LR1/8MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/8 A	24° cone end	8 mm	Brass



Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#"><u>GE08LR3/4EDOMDCF</u></a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	8 mm	Steel
<a href="#"><u>GE08LR3/8DPR71MS</u></a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	8 mm	Brass
<a href="#"><u>GE08LR3/8EDVOMDCF</u></a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	8 mm	Steel
<a href="#"><u>GE08LR3/8KEG71</u></a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/8 tap.	24° cone end	8 mm	Stainless Steel
<a href="#"><u>GE08LR3/8KEGCF</u></a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/8 tap.	24° cone end	8 mm	Steel
<a href="#"><u>GE08LR3/8KEGCFX</u></a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/8 tap.	24° cone end	8 mm	Steel
<a href="#"><u>GE08LR3/8MS</u></a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	8 mm	Brass
<a href="#"><u>GE08LRACFX</u></a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/4 A	24° cone end	8 mm	Steel
<a href="#"><u>GE08LREDMS</u></a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	8 mm	Brass
<a href="#"><u>GE08LREDOMDMS</u></a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	8 mm	Brass
<a href="#"><u>GE08LRMS</u></a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	8 mm	Brass
<a href="#"><u>GE08LRMSX</u></a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	8 mm	Brass
<a href="#"><u>GE08S1/8NPT71X</u></a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1/8-27 NPT	24° cone end	8 mm	Stainless Steel
<a href="#"><u>GE08S9/16UNFCFX</u></a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-18UNF-2A	24° cone end	8 mm	Steel
<a href="#"><u>GE08S9/16UNFOMDCF</u></a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-18UNF-2A	24° cone end	8 mm	Steel
<a href="#"><u>GE08SM12EDOMDCF</u></a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	8 mm	Steel
<a href="#"><u>GE08SM12X1.5CF</u></a>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 12x1.5	24° cone end	8 mm	Steel
<a href="#"><u>GE08SM12X1.5EDCF</u></a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	8 mm	Steel
<a href="#"><u>GE08SM16X1.5EDOMD71</u></a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 16x1.5	24° cone end	8 mm	Stainless Steel
<a href="#"><u>GE08SR1/2MS</u></a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	8 mm	Brass
<a href="#"><u>GE08SR1/4KEGCFX</u></a>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/4 tap.	24° cone end	8 mm	Steel
<a href="#"><u>GE08SR1/8CF</u></a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/8 A	24° cone end	8 mm	Steel
<a href="#"><u>GE08SR1/8EDOMD71</u></a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/8 A	24° cone end	8 mm	Stainless Steel
<a href="#"><u>GE08SR1/8EDOMDCF</u></a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/8 A	24° cone end	8 mm	Steel
<a href="#"><u>GE08SR3/8EDVOMDCF</u></a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	8 mm	Steel
<a href="#"><u>GE08SR3/8MS</u></a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	8 mm	Brass
<a href="#"><u>GE08SRMS</u></a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	8 mm	Brass
<a href="#"><u>GE08SRMSX</u></a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	8 mm	Brass
<a href="#"><u>GE10L1/2NPTMS</u></a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° cone end	10 mm	Brass
<a href="#"><u>GE10L1/4NPTMS</u></a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/4-18 NPT	24° cone end	10 mm	Brass
<a href="#"><u>GE10L1/4NPTMSX</u></a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/4-18 NPT	24° cone end	10 mm	Brass
<a href="#"><u>GE10L3/4UNFOMDCF</u></a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	3/4-14 NPT	24° cone end	10 mm	Steel
<a href="#"><u>GE10L3/8NPTMS</u></a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/8-18 NPT	24° cone end	10 mm	Brass
<a href="#"><u>GE10L3/8NPTMSX</u></a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/8-18 NPT	24° cone end	10 mm	Brass
<a href="#"><u>GE10L7/16UNF71X</u></a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	7/16-20UNF-2A	24° cone end	10 mm	Stainless Steel
<a href="#"><u>GE10L9/16UNFCF</u></a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-18UNF-2A	24° cone end	10 mm	Steel
<a href="#"><u>GE10L9/16UNFOMD71</u></a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-18UNF-2A	24° cone end	10 mm	Stainless Steel
<a href="#"><u>GE10L9/16UNFOMDCF</u></a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-18UNF-2A	24° cone end	10 mm	Steel
<a href="#"><u>GE10L9/16UNFVOMDCF</u></a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-18UNF-2A	24° cone end	10 mm	Steel
<a href="#"><u>GE10LLRMS</u></a>	Very light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	R 1/4 tap.	24° cone end	10 mm	Brass
<a href="#"><u>GE10LM10X1EDOMDCF</u></a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	10 mm	Steel
<a href="#"><u>GE10LM10X1EDVOMDCF</u></a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	10 mm	Steel
<a href="#"><u>GE10LM12X1.5ACFX</u></a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 12x1.5	24° cone end	10 mm	Steel
<a href="#"><u>GE10LM14X1.5KEGCFX</u></a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 14x1.5 tap.	24° cone end	10 mm	Steel
<a href="#"><u>GE10LMACFX</u></a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 14x1.5	24° cone end	10 mm	Steel
<a href="#"><u>GE10LR1/2ACFX</u></a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	10 mm	Steel
<a href="#"><u>GE10LR1/2EDMS</u></a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	10 mm	Brass
<a href="#"><u>GE10LR1/2EDOMDMS</u></a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	10 mm	Brass
<a href="#"><u>GE10LR1/2EDVOMDCF</u></a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	10 mm	Steel
<a href="#"><u>GE10LR1/2KEG71</u></a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	10 mm	Stainless Steel
<a href="#"><u>GE10LR1/2KEGCF</u></a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	10 mm	Steel
<a href="#"><u>GE10LR1/2KEGCFX</u></a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	10 mm	Steel
<a href="#"><u>GE10LR1/2MS</u></a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	10 mm	Brass
<a href="#"><u>GE10LR1/2MSX</u></a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	10 mm	Brass
<a href="#"><u>GE10LR1/4KEGMS</u></a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/4 tap.	24° cone end	10 mm	Brass
<a href="#"><u>GE10LR1/8EDVOMDCF</u></a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/8 A	24° cone end	10 mm	Steel
<a href="#"><u>GE10LR1/8KEGCFX</u></a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/8 tap.	24° cone end	10 mm	Steel
<a href="#"><u>GE10LR1/8MS</u></a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/8 A	24° cone end	10 mm	Brass
<a href="#"><u>GE10LR3/4EDOMD71</u></a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	10 mm	Stainless Steel
<a href="#"><u>GE10LR3/4EDOMDCF</u></a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	10 mm	Steel



Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GE10LR3/8ACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 3/8 A	24° cone end	10 mm	Steel
<a href="#">GE10LR3/8EDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	10 mm	Brass
<a href="#">GE10LR3/8EDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	10 mm	Brass
<a href="#">GE10LR3/8EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	10 mm	Steel
<a href="#">GE10LR3/8KEG71</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/8 tap.	24° cone end	10 mm	Stainless Steel
<a href="#">GE10LR3/8KEG71X</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/8 tap.	24° cone end	10 mm	Stainless Steel
<a href="#">GE10LR3/8KEGCF</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/8 tap.	24° cone end	10 mm	Steel
<a href="#">GE10LR3/8KEGCFX</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/8 tap.	24° cone end	10 mm	Steel
<a href="#">GE10LR3/8MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	10 mm	Brass
<a href="#">GE10LR3/8MSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	10 mm	Brass
<a href="#">GE10LRACF</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/4 A	24° cone end	10 mm	Steel
<a href="#">GE10LRACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/4 A	24° cone end	10 mm	Steel
<a href="#">GE10LRDPR71MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	10 mm	Brass
<a href="#">GE10LREDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	10 mm	Brass
<a href="#">GE10LREDVITOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	10 mm	Brass
<a href="#">GE10LRMS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	10 mm	Brass
<a href="#">GE10LRMSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	10 mm	Brass
<a href="#">GE10S7/16UNFOMD71</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	7/16-20UNF-2A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10S7/16UNFOMDCF</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	7/16-20UNF-2A	24° cone end	10 mm	Steel
<a href="#">GE10SM10X1EDOMD71</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 10x1.0	24° cone end	10 mm	Stainless Steel
<a href="#">GE10SM12X1.5CF</a>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 12x1.5	24° cone end	10 mm	Steel
<a href="#">GE10SM12X1.5EDOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	10 mm	Steel
<a href="#">GE10SM14EDOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	10 mm	Steel
<a href="#">GE10SM18X1.5EDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 18x1.5	24° cone end	10 mm	Steel
<a href="#">GE10SMACFX</a>	Heavy	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 16x1.5	24° cone end	10 mm	Steel
<a href="#">GE10SR1/2EDVOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	10 mm	Steel
<a href="#">GE10SR1/2MS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	10 mm	Brass
<a href="#">GE10SR1/4EDVOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	10 mm	Steel
<a href="#">GE10SR1/4KEGCF</a>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/4 tap.	24° cone end	10 mm	Steel
<a href="#">GE10SR1/4KEGMS</a>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/4 tap.	24° cone end	10 mm	Brass
<a href="#">GE10SR1/4MS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	10 mm	Brass
<a href="#">GE10SR1/8ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/8 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10SR1/8EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/8 A	24° cone end	10 mm	Steel
<a href="#">GE10SR3/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	10 mm	Stainless Steel
<a href="#">GE10SRMS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	10 mm	Brass
<a href="#">GE10SRMSX</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	10 mm	Brass
<a href="#">GE12L1/2NPTMS</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° cone end	12 mm	Brass
<a href="#">GE12L1/2NPTMSX</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° cone end	12 mm	Brass
<a href="#">GE12L3/4NPT71</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/4-14 NPT	24° cone end	12 mm	Stainless Steel
<a href="#">GE12L3/4NPT71X</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/4-14 NPT	24° cone end	12 mm	Stainless Steel
<a href="#">GE12L3/4NPTCF</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/4-14 NPT	24° cone end	12 mm	Steel
<a href="#">GE12L3/4NPTCFX</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/4-14 NPT	24° cone end	12 mm	Steel
<a href="#">GE12L3/8NPTMS</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/8-18 NPT	24° cone end	12 mm	Brass
<a href="#">GE12L7/16UNFOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	7/16-20UNF-2A	24° cone end	12 mm	Steel
<a href="#">GE12L9/16UNFVOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-20UNF-2A	24° cone end	12 mm	Steel
<a href="#">GE12LM12X1.5CF</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 12x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LM12X1.5CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 12x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LM12X1.5EDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	12 mm	Stainless Steel
<a href="#">GE12LM12X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LM12X1.5EDVOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LM14EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LM14X1.5EDVOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LM16X1.5KEG71</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	M 16x1.5 tap.	24° cone end	12 mm	Stainless Steel
<a href="#">GE12LM18EDVOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 18x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LM22EDVOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 22x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LM22X1.5ACFX</a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 22x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LMACF</a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 16x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LMACFX</a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 16x1.5	24° cone end	12 mm	Steel
<a href="#">GE12LR1/2A71</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	12 mm	Stainless Steel



Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GE12LR1/2ACF</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	12 mm	Steel
<a href="#">GE12LR1/2ACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	12 mm	Steel
<a href="#">GE12LR1/2DPR71MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	12 mm	Brass
<a href="#">GE12LR1/2EDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	12 mm	Brass
<a href="#">GE12LR1/2EDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	12 mm	Brass
<a href="#">GE12LR1/2EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	12 mm	Steel
<a href="#">GE12LR1/2KEGMS</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	G 1/2 A	24° cone end	12 mm	Brass
<a href="#">GE12LR1/2MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	12 mm	Brass
<a href="#">GE12LR1/2MSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	12 mm	Brass
<a href="#">GE12LR1/4ACF</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/4 A	24° cone end	12 mm	Steel
<a href="#">GE12LR1/4EDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	12 mm	Brass
<a href="#">GE12LR1/4EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	12 mm	Steel
<a href="#">GE12LR1/4KEGMS</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	G 1/4 A	24° cone end	12 mm	Brass
<a href="#">GE12LR1/4MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	12 mm	Brass
<a href="#">GE12LR1/4MSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	12 mm	Brass
<a href="#">GE12LR1/8KEGCFX</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	G 1/8 A	24° cone end	12 mm	Steel
<a href="#">GE12LR171</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	12 mm	Stainless Steel
<a href="#">GE12LR1CFX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	12 mm	Steel
<a href="#">GE12LR3/4EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	12 mm	Steel
<a href="#">GE12LR3/8KEGMS</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/8 tap.	24° cone end	12 mm	Brass
<a href="#">GE12LRA71X</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 3/8 A	24° cone end	12 mm	Stainless Steel
<a href="#">GE12LRACF</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 3/8 A	24° cone end	12 mm	Steel
<a href="#">GE12LRACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 3/8 A	24° cone end	12 mm	Steel
<a href="#">GE12LRDPR71MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	12 mm	Brass
<a href="#">GE12LREDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	12 mm	Brass
<a href="#">GE12LRMS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	12 mm	Brass
<a href="#">GE12LRMSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	12 mm	Brass
<a href="#">GE12S7/16UNFCF</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	7/16-20UNF-2A	24° cone end	12 mm	Steel
<a href="#">GE12S7/8UNFOMD71</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	7/8-14UNF-2A	24° cone end	12 mm	Stainless Steel
<a href="#">GE12S7/8UNFOMDCF</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	7/8-14UNF-2A	24° cone end	12 mm	Steel
<a href="#">GE12S9/16UNF71X</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-18UNF-2A	24° cone end	12 mm	Stainless Steel
<a href="#">GE12SM12X1.5CFX</a>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 12x1.5	24° cone end	12 mm	Steel
<a href="#">GE12SM12X1.5EDOMD71</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	12 mm	Stainless Steel
<a href="#">GE12SM12X1.5EDOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	12 mm	Steel
<a href="#">GE12SM16EDOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 16x1.5	24° cone end	12 mm	Steel
<a href="#">GE12SM16X1.5CF</a>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 16x1.5	24° cone end	12 mm	Steel
<a href="#">GE12SM16X1.5CFX</a>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 16x1.5	24° cone end	12 mm	Steel
<a href="#">GE12SM16X1.5EDOMD71</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 16x1.5	24° cone end	12 mm	Stainless Steel
<a href="#">GE12SM20X1.5CFX</a>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 20x1.5	24° cone end	12 mm	Steel
<a href="#">GE12SR1/2A71</a>	Heavy	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	12 mm	Stainless Steel
<a href="#">GE12SR1/2ACF</a>	Heavy	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	12 mm	Steel
<a href="#">GE12SR1/2EDVOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	12 mm	Steel
<a href="#">GE12SR1/2MS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	12 mm	Brass
<a href="#">GE12SR1/4ACFX</a>	Heavy	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/4 A	24° cone end	12 mm	Steel
<a href="#">GE12SR1/4EDVOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	12 mm	Steel
<a href="#">GE12SR1/4KEG71X</a>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/4 tap.	24° cone end	12 mm	Stainless Steel
<a href="#">GE12SR1/4MS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	12 mm	Brass
<a href="#">GE12SR1/8EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/8 A	24° cone end	12 mm	Stainless Steel
<a href="#">GE12SR3/471</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	12 mm	Stainless Steel
<a href="#">GE12SR3/4CFX</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	12 mm	Steel
<a href="#">GE12SR3/4EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	12 mm	Steel
<a href="#">GE12SR3/4EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	12 mm	Stainless Steel
<a href="#">GE12SR3/4EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	12 mm	Steel
<a href="#">GE12SR3/4KEG71X</a>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	G 3/4 A	24° cone end	12 mm	Stainless Steel
<a href="#">GE12SRMS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	12 mm	Brass
<a href="#">GE12ZSR3/4ED71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	12 mm	Stainless Steel
<a href="#">GE15L1/2NPTMS</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° cone end	15 mm	Brass
<a href="#">GE15L1/2NPTMSX</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/2-14 NPT	24° cone end	15 mm	Brass
<a href="#">GE15L1/4NPTCFX</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1/4-18 NPT	24° cone end	15 mm	Steel
<a href="#">GE15L11/16UNCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 1/16-12UN-2A	24° cone end	15 mm	Steel



Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GE15L11/16UNOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 1/16-12UN-2A	24° cone end	15 mm	Steel
<a href="#">GE15L9/16UNFOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	9/16-18UNF-2A	24° cone end	15 mm	Steel
<a href="#">GE15LM12EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 12x1.5	24° cone end	15 mm	Steel
<a href="#">GE15LM14X1.5CFX</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	15 mm	Steel
<a href="#">GE15LM14X1.5EDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	15 mm	Stainless Steel
<a href="#">GE15LM14X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	15 mm	Steel
<a href="#">GE15LM16EDVOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 16x1.5	24° cone end	15 mm	Steel
<a href="#">GE15LM20X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 20x1.5	24° cone end	15 mm	Steel
<a href="#">GE15LM22EDVOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 22x1.5	24° cone end	15 mm	Steel
<a href="#">GE15LM26X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	15 mm	Steel
<a href="#">GE15LM26X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	15 mm	Steel
<a href="#">GE15LM26X1.5EDVOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	15 mm	Steel
<a href="#">GE15LM27X2EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 27x2.0	24° cone end	15 mm	Steel
<a href="#">GE15LR1/2KEGMS</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	15 mm	Brass
<a href="#">GE15LR1/2KEGMSX</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	15 mm	Brass
<a href="#">GE15LR1/471</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15LR1/4CF</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	15 mm	Steel
<a href="#">GE15LR1/4CFX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	15 mm	Steel
<a href="#">GE15LR1/4EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	15 mm	Steel
<a href="#">GE15LR1/4EDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15LR1/4EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	15 mm	Steel
<a href="#">GE15LR11/4EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	15 mm	Steel
<a href="#">GE15LR1ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15LR1EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	15 mm	Steel
<a href="#">GE15LR3/4EDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	15 mm	Brass
<a href="#">GE15LR3/4EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	15 mm	Steel
<a href="#">GE15LR3/4KEG71</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/4 tap.	24° cone end	15 mm	Stainless Steel
<a href="#">GE15LR3/4KEGCFX</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/4 tap.	24° cone end	15 mm	Steel
<a href="#">GE15LR3/4MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	15 mm	Brass
<a href="#">GE15LR3/4MSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	15 mm	Brass
<a href="#">GE15LR3/8A71X</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 3/8 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15LR3/8DPR71MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	15 mm	Brass
<a href="#">GE15LR3/8EDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	15 mm	Brass
<a href="#">GE15LR3/8EDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	15 mm	Brass
<a href="#">GE15LR3/8EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	15 mm	Steel
<a href="#">GE15LR3/8MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	15 mm	Brass
<a href="#">GE15LR3/8MSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	15 mm	Brass
<a href="#">GE15LRA71</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15LRACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	15 mm	Steel
<a href="#">GE15LRDPR71MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	15 mm	Stainless Steel
<a href="#">GE15LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	15 mm	Brass
<a href="#">GE15LREDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	15 mm	Brass
<a href="#">GE15LRMS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	15 mm	Brass
<a href="#">GE15LRMSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	15 mm	Brass
<a href="#">GE16S11/16UNOMDCF</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 1/16-12UN-2A	24° cone end	16 mm	Steel
<a href="#">GE16SM14X1.5ACFX</a>	Heavy	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 14x1.5	24° cone end	16 mm	Steel
<a href="#">GE16SM14X1.5CFX</a>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 14x1.5	24° cone end	16 mm	Steel
<a href="#">GE16SM16EDOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 16x1.5	24° cone end	16 mm	Steel
<a href="#">GE16SM20EDOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 20x1.5	24° cone end	16 mm	Steel
<a href="#">GE16SM27X2CFX</a>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 27x2.0	24° cone end	16 mm	Steel
<a href="#">GE16SM27X2EDOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 27x2.0	24° cone end	16 mm	Steel
<a href="#">GE16SMACFX</a>	Heavy	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 22x1.5	24° cone end	16 mm	Steel
<a href="#">GE16SR1/2KEG71</a>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	16 mm	Stainless Steel
<a href="#">GE16SR1/2KEGCF</a>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	16 mm	Steel
<a href="#">GE16SR1/2KEGCFX</a>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	16 mm	Steel
<a href="#">GE16SR1/4CFX</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/4 A	24° cone end	16 mm	Steel
<a href="#">GE16SR1/4EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	16 mm	Stainless Steel
<a href="#">GE16SR1/4EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	16 mm	Steel
<a href="#">GE16SR1EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	16 mm	Steel
<a href="#">GE16SR1EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	16 mm	Steel



Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<u>GE16SR3/4ACF</u>	Heavy	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 3/4 A	24° cone end	16 mm	Steel
<u>GE16SR3/4EDVOMDCF</u>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	16 mm	Steel
<u>GE16SR3/8EDVOMDCF</u>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	16 mm	Steel
<u>GE16SR3/8KEGCFX</u>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/8 tap.	24° cone end	16 mm	Steel
<u>GE16SRACF</u>	Heavy	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	16 mm	Steel
<u>GE16SRACFX</u>	Heavy	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	16 mm	Steel
<u>GE16SREDCFX</u>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	16 mm	Steel
<u>GE16SRMS</u>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	16 mm	Brass
<u>GE16SRMSX</u>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	16 mm	Brass
<u>GE18L11/16UNOMDCF</u>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 1/16-12UN-2A	24° cone end	18 mm	Steel
<u>GE18L15/8UNOMDCF</u>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 5/8-12UN-2A	24° cone end	18 mm	Steel
<u>GE18LM14X1.5EDOMDCF</u>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 14x1.5	24° cone end	18 mm	Steel
<u>GE18LM16X1.5EDOMDCF</u>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 16x1.5	24° cone end	18 mm	Steel
<u>GE18LM26EDVOMDCF</u>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	18 mm	Steel
<u>GE18LM26X1.5CF</u>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 26x1.5	24° cone end	18 mm	Steel
<u>GE18LM26X1.5CFX</u>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 26x1.5	24° cone end	18 mm	Steel
<u>GE18LM26X1.5EDCF</u>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	18 mm	Steel
<u>GE18LM26X1.5EDOMDCF</u>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	18 mm	Steel
<u>GE18LM27X2CFX</u>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 27x2.0	24° cone end	18 mm	Steel
<u>GE18LM27X2EDOMDCF</u>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 27x2.0	24° cone end	18 mm	Steel
<u>GE18LMMS</u>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	G 1/2 A	24° cone end	18 mm	Brass
<u>GE18LR1/2KEGMS</u>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	18 mm	Brass
<u>GE18LR1/4EDOMDCF</u>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/4 A	24° cone end	18 mm	Steel
<u>GE18LR171</u>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	18 mm	Stainless Steel
<u>GE18LR1CF</u>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	18 mm	Steel
<u>GE18LR1CFX</u>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	18 mm	Steel
<u>GE18LR1ED71</u>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	18 mm	Stainless Steel
<u>GE18LR1EDCF</u>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	18 mm	Steel
<u>GE18LR1EDOMD71</u>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	18 mm	Stainless Steel
<u>GE18LR1EDOMDCF</u>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	18 mm	Steel
<u>GE18LR3/4EDOMDMS</u>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	18 mm	Brass
<u>GE18LR3/4EDVOMDCF</u>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	18 mm	Steel
<u>GE18LR3/4KEGCFX</u>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/4 tap.	24° cone end	18 mm	Steel
<u>GE18LR3/4MS</u>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	18 mm	Brass
<u>GE18LR3/8EDVOMDCF</u>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	18 mm	Steel
<u>GE18LRACFX</u>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	18 mm	Steel
<u>GE18LRDPR71MS</u>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	18 mm	Brass
<u>GE18LREDMS</u>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	18 mm	Brass
<u>GE18LREDOMDMS</u>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	18 mm	Brass
<u>GE18LRMS</u>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	18 mm	Brass
<u>GE18LRMSX</u>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	18 mm	Brass
<u>GE20S15/16UNOMDCF</u>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 5/16-12UN-2A	24° cone end	20 mm	Steel
<u>GE20SM18X1.5EDOMDCF</u>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 18x1.5	24° cone end	20 mm	Steel
<u>GE20SM22X1.5CF</u>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 22x1.5	24° cone end	20 mm	Steel
<u>GE20SM22X1.5CFX</u>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 22x1.5	24° cone end	20 mm	Steel
<u>GE20SM22X1.5EDOMD71</u>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 22x1.5	24° cone end	20 mm	Stainless Steel
<u>GE20SM22X1.5EDOMDCF</u>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 22x1.5	24° cone end	20 mm	Steel
<u>GE20SM26X1.5ACFX</u>	Heavy	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 26x1.5	24° cone end	20 mm	Steel
<u>GE20SM26X1.5EDOMDCF</u>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	20 mm	Steel
<u>GE20SM33X2EDOMDCF</u>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 33x2.0	24° cone end	20 mm	Steel
<u>GE20SMMS</u>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 27x2.0	24° cone end	20 mm	Brass
<u>GE20SR1/2EDVOMDCF</u>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 9974)	G 1/2 A	24° cone end	20 mm	Steel
<u>GE20SR1/2MS</u>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	20 mm	Brass
<u>GE20SR11/2EDOMD71</u>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	20 mm	Stainless Steel
<u>GE20SR11/2EDOMDCF</u>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	20 mm	Steel
<u>GE20SR3/4KEGCF</u>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/4 tap.	24° cone end	20 mm	Steel
<u>GE20SR3/8EDOMD71</u>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	20 mm	Stainless Steel
<u>GE20SR3/8EDOMDCF</u>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	20 mm	Steel
<u>GE20SRMS</u>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	20 mm	Brass
<u>GE20SRMSX</u>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	20 mm	Brass





Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GE22L11/16UNFCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 1/16-12UN-2A	24° cone end	22 mm	Steel
<a href="#">GE22L11/16UNVOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 1/16-12UN-2A	24° cone end	22 mm	Steel
<a href="#">GE22L15/16UNVOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 5/16-12UN-2A	24° cone end	22 mm	Steel
<a href="#">GE22L3/4NPTMS</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/4-14 NPT	24° cone end	22 mm	Brass
<a href="#">GE22L3/4NPTMSX</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	3/4-14 NPT	24° cone end	22 mm	Brass
<a href="#">GE22L3/4UNFCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	3/4-16UNF-2A	24° cone end	22 mm	Steel
<a href="#">GE22L3/4UNFOMD71</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	3/4-16UNF-2A	24° cone end	22 mm	Stainless Steel
<a href="#">GE22L3/4UNFOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	3/4-16UNF-2A	24° cone end	22 mm	Steel
<a href="#">GE22L7/8UNFVOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	7/8-14UNF-2A	24° cone end	22 mm	Steel
<a href="#">GE22LM18X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 18x1.5	24° cone end	22 mm	Steel
<a href="#">GE22LM18X1.5X</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 18x1.5	24° cone end	22 mm	Steel
<a href="#">GE22LM22EDVOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 22x1.5	24° cone end	22 mm	Steel
<a href="#">GE22LM27X2CF</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 27x2.0	24° cone end	22 mm	Steel
<a href="#">GE22LM27X2CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 27x2.0	24° cone end	22 mm	Steel
<a href="#">GE22LM27X2EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 27x2.0	24° cone end	22 mm	Steel
<a href="#">GE22LM27X2EDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 27x2.0	24° cone end	22 mm	Stainless Steel
<a href="#">GE22LM27X2EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 27x2.0	24° cone end	22 mm	Steel
<a href="#">GE22LM30X1.5CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 30x1.5	24° cone end	22 mm	Steel
<a href="#">GE22LM33X2CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 33x2.0	24° cone end	22 mm	Steel
<a href="#">GE22LM33X2EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 33x2.0	24° cone end	22 mm	Steel
<a href="#">GE22LMACFX</a>	Light	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 27x2.0	24° cone end	22 mm	Steel
<a href="#">GE22LMMS</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 27x2.0	24° cone end	22 mm	Brass
<a href="#">GE22LR1/2EDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	22 mm	Brass
<a href="#">GE22LR1/2EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	22 mm	Steel
<a href="#">GE22LR1/2KEG71X</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	22 mm	Stainless Steel
<a href="#">GE22LR1/2KEGCF</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	22 mm	Steel
<a href="#">GE22LR1/2MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	22 mm	Brass
<a href="#">GE22LR1/2MSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	22 mm	Brass
<a href="#">GE22LR11/4EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	22 mm	Steel
<a href="#">GE22LR1EDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	22 mm	Brass
<a href="#">GE22LR1KEGMS</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1 tap.	24° cone end	22 mm	Brass
<a href="#">GE22LR1MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	22 mm	Brass
<a href="#">GE22LR3/4KEGMS</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/4 tap.	24° cone end	22 mm	Brass
<a href="#">GE22LR3/871X</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/8 A	24° cone end	22 mm	Stainless Steel
<a href="#">GE22LR3/8EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	22 mm	Steel
<a href="#">GE22LR3/8EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	22 mm	Steel
<a href="#">GE22LRACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1 A	24° cone end	22 mm	Steel
<a href="#">GE22LRAMS</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1 A	24° cone end	22 mm	Brass
<a href="#">GE22LRDPR71MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	22 mm	Brass
<a href="#">GE22LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	22 mm	Brass
<a href="#">GE22LREDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	22 mm	Brass
<a href="#">GE22LRMS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	22 mm	Brass
<a href="#">GE22LRMSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	22 mm	Brass
<a href="#">GE25S11/16UNOMDVICF</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 1/16-12UN-2A	24° cone end	25 mm	Steel
<a href="#">GE25S15/16UNVOMDCF</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 5/16-12UN-2A	24° cone end	25 mm	Steel
<a href="#">GE25S1NPTMS</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1-11.5 NPT	24° cone end	25 mm	Brass
<a href="#">GE25SM22EDOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 22x1.5	24° cone end	25 mm	Steel
<a href="#">GE25SM27X2EDOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 27x2.0	24° cone end	25 mm	Steel
<a href="#">GE25SMACFX</a>	Heavy	Straight male stud connector	Male metric thread (DIN 3852-1, type A)	M 33x2.0	24° cone end	25 mm	Steel
<a href="#">GE25SR1/2CF</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1/2 A	24° cone end	25 mm	Steel
<a href="#">GE25SR1/2EDVOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 9974)	G 1/2 A	24° cone end	25 mm	Steel
<a href="#">GE25SR11/271</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/2 A	24° cone end	25 mm	Stainless Steel
<a href="#">GE25SR11/4EDVOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 9974)	G 1 1/4 A	24° cone end	25 mm	Steel
<a href="#">GE25SR3/4EDVIOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 9974)	G 3/4 A	24° cone end	25 mm	Steel
<a href="#">GE25SR3/4EDVOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 9974)	G 3/4 A	24° cone end	25 mm	Steel
<a href="#">GE25SR3/4KEG71</a>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/4 tap.	24° cone end	25 mm	Stainless Steel
<a href="#">GE25SR3/4MS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	25 mm	Brass
<a href="#">GE25SR71</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	25 mm	Stainless Steel
<a href="#">GE25SRACFX</a>	Heavy	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1 A	24° cone end	25 mm	Steel
<a href="#">GE25SRMS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	25 mm	Brass



Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GE28L11/16UNVOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 1/16-12UN-2A	24° cone end	28 mm	Steel
<a href="#">GE28L15/16UNVOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 5/16-12UN-2A	24° cone end	28 mm	Steel
<a href="#">GE28L15/8UNOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 5/8-12UN-2A	24° cone end	28 mm	Steel
<a href="#">GE28LM22EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 22x1.5	24° cone end	28 mm	Steel
<a href="#">GE28LM26EDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	28 mm	Stainless Steel
<a href="#">GE28LM26EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	28 mm	Steel
<a href="#">GE28LM26X1.5CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 26x1.5	24° cone end	28 mm	Steel
<a href="#">GE28LM26X1.5EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 26x1.5	24° cone end	28 mm	Steel
<a href="#">GE28LM27EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 27x2.0	24° cone end	28 mm	Steel
<a href="#">GE28LM27X2CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 27x2.0	24° cone end	28 mm	Steel
<a href="#">GE28LM27X2EDOMD71</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 27x2.0	24° cone end	28 mm	Stainless Steel
<a href="#">GE28LM30X1.5EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 30x1.5	24° cone end	28 mm	Steel
<a href="#">GE28LM42X2EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 42x2.0	24° cone end	28 mm	Steel
<a href="#">GE28LR1/2ACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1/2 A	24° cone end	28 mm	Steel
<a href="#">GE28LR1/2ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	28 mm	Stainless Steel
<a href="#">GE28LR1/2EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	28 mm	Steel
<a href="#">GE28LR1/2EDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	28 mm	Stainless Steel
<a href="#">GE28LR1/2EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	28 mm	Steel
<a href="#">GE28LR1/2KEG71X</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	28 mm	Stainless Steel
<a href="#">GE28LR1/2KEGCF</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1/2 tap.	24° cone end	28 mm	Steel
<a href="#">GE28LR11/2EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	28 mm	Steel
<a href="#">GE28LR11/2EDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	28 mm	Stainless Steel
<a href="#">GE28LR11/2EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	28 mm	Steel
<a href="#">GE28LR11/4EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	28 mm	Steel
<a href="#">GE28LR11/4KEGCFX</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1 1/4 tap.	24° cone end	28 mm	Steel
<a href="#">GE28LR1KEGMS</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1 tap.	24° cone end	28 mm	Brass
<a href="#">GE28LR3/4ACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 3/4 A	24° cone end	28 mm	Steel
<a href="#">GE28LR3/4EDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	28 mm	Brass
<a href="#">GE28LR3/4EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	28 mm	Steel
<a href="#">GE28LR3/4KEG71X</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 3/4 tap.	24° cone end	28 mm	Stainless Steel
<a href="#">GE28LR3/4MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	28 mm	Brass
<a href="#">GE28LR3/8EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/8 A	24° cone end	28 mm	Steel
<a href="#">GE28LRA71</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1 A	24° cone end	28 mm	Stainless Steel
<a href="#">GE28LRACF</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1 A	24° cone end	28 mm	Steel
<a href="#">GE28LRACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1 A	24° cone end	28 mm	Steel
<a href="#">GE28LRAMS</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1 A	24° cone end	28 mm	Brass
<a href="#">GE28LRAMSX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1 A	24° cone end	28 mm	Brass
<a href="#">GE28LRDPR71MS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	28 mm	Brass
<a href="#">GE28LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	28 mm	Brass
<a href="#">GE28LREDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	28 mm	Brass
<a href="#">GE28LRMS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	28 mm	Brass
<a href="#">GE28LRMSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	28 mm	Brass
<a href="#">GE28ZLR1/2ED71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	28 mm	Stainless Steel
<a href="#">GE30S15/16UNVOMDCF</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 5/16-12UN-2A	24° cone end	30 mm	Steel
<a href="#">GE30SM22X1.5CFX</a>	Heavy	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 22x1.5	24° cone end	30 mm	Steel
<a href="#">GE30SR11/2CF</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/2 A	24° cone end	30 mm	Steel
<a href="#">GE30SR11/2CFX</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/2 A	24° cone end	30 mm	Steel
<a href="#">GE30SR11/2EDVOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	30 mm	Steel
<a href="#">GE30SR1EDVOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	30 mm	Steel
<a href="#">GE30SR1MS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	30 mm	Brass
<a href="#">GE30SR3/471X</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 3/4 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE30SR3/4EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	30 mm	Steel
<a href="#">GE30SR3/4EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	30 mm	Stainless Steel
<a href="#">GE30SR3/4EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	30 mm	Steel
<a href="#">GE30SRMS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	30 mm	Brass
<a href="#">GE35L11/2NPT71</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° cone end	35 mm	Stainless Steel
<a href="#">GE35L11/2NPTCFX</a>	Light	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° cone end	35 mm	Steel
<a href="#">GE35L15/8UNVOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 5/8-12UN-2A	24° cone end	35 mm	Steel
<a href="#">GE35LM33X2EDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 33x2.0	24° cone end	35 mm	Steel
<a href="#">GE35LM33X2EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 33x2.0	24° cone end	35 mm	Steel



Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GE35LM48X2EDOMDCF</a>	Light	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 48x2.0	24° cone end	35 mm	Steel
<a href="#">GE35LR1/2EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	35 mm	Steel
<a href="#">GE35LR1/2EDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	35 mm	Stainless Steel
<a href="#">GE35LR11/2EDNOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	35 mm	Stainless Steel
<a href="#">GE35LR11/2EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	35 mm	Steel
<a href="#">GE35LR1KEGCF</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	G 1 A	24° cone end	35 mm	Steel
<a href="#">GE35LR3/4EDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	35 mm	Steel
<a href="#">GE35LR3/4EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 3/4 A	24° cone end	35 mm	Steel
<a href="#">GE35LRA71X</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1 A	24° cone end	35 mm	Stainless Steel
<a href="#">GE35LRACFX</a>	Light	Straight male stud connector	Male BSPP thread (DIN 3852-2, type A)	G 1 A	24° cone end	35 mm	Steel
<a href="#">GE35LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	35 mm	Brass
<a href="#">GE35LRMS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 A	24° cone end	35 mm	Brass
<a href="#">GE38S11/2NPT71</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° cone end	38 mm	Stainless Steel
<a href="#">GE38S11/2NPT71X</a>	Heavy	Straight male stud connector	Male NPT thread (SAE J476)	1 1/2-11.5 NPT	24° cone end	38 mm	Stainless Steel
<a href="#">GE38S17/8UNOMDCF</a>	Heavy	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 7/8-12UN-2A	24° cone end	38 mm	Steel
<a href="#">GE38SM42X2EDOMDCF</a>	Heavy	Straight male stud connector	Male metric thread - ED (ISO 9974)	M 42x2.0	24° cone end	38 mm	Steel
<a href="#">GE38SR11/2KEGCF</a>	Heavy	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1 1/2 tap.	24° cone end	38 mm	Steel
<a href="#">GE38SR11/4EDVOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	38 mm	Steel
<a href="#">GE38SR1EDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	38 mm	Steel
<a href="#">GE38SR1EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	38 mm	Stainless Steel
<a href="#">GE38SR1EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	38 mm	Steel
<a href="#">GE38SR2EDOMD71</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 2 A	24° cone end	38 mm	Stainless Steel
<a href="#">GE38SR2EDOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 2 A	24° cone end	38 mm	Steel
<a href="#">GE38SRMS</a>	Heavy	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/2 A	24° cone end	38 mm	Brass
<a href="#">GE42L17/8UNCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 7/8-12UN-2A	24° cone end	42 mm	Steel
<a href="#">GE42L17/8UNOMDCF</a>	Light	Straight male stud connector	Male UNF/UN thread - O-ring (ISO 11926)	1 7/8-12UN-2A	24° cone end	42 mm	Steel
<a href="#">GE42LM42X2CFX</a>	Light	Straight male stud connector	Male metric thread - metal sealing edge (ISO 9974)	M 42x2.0	24° cone end	42 mm	Steel
<a href="#">GE42LR1/2EDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	42 mm	Stainless Steel
<a href="#">GE42LR11/4EDVOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/4 A	24° cone end	42 mm	Steel
<a href="#">GE42LR11/4KEGCFX</a>	Light	Straight male stud connector	Male short metric taper thread (DIN 3852-1, type C)	R 1 1/4 tap.	24° cone end	42 mm	Steel
<a href="#">GE42LR2EDOMD71</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 2 A	24° cone end	42 mm	Stainless Steel
<a href="#">GE42LR2EDOMDCF</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 2 A	24° cone end	42 mm	Steel
<a href="#">GE42LREDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	42 mm	Brass
<a href="#">GE42LREDOMDMS</a>	Light	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 1/2 A	24° cone end	42 mm	Brass
<a href="#">GE42LRMS</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/2 A	24° cone end	42 mm	Brass
<a href="#">GE42LRMSX</a>	Light	Straight male stud connector	Male BSPP thread - metal sealing edge (ISO 1179)	G 1 1/2 A	24° cone end	42 mm	Brass
<a href="#">GEO04LLMOMD71</a>	Very light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 08x1.0 tap.	24° cone end	4 mm	Stainless Steel
<a href="#">GEO06LMCFX</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 10x1.0	24° cone end	6 mm	Steel
<a href="#">GEO08LM10X1OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 10x1.0	24° cone end	8 mm	Steel
<a href="#">GEO08LM14X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° cone end	8 mm	Steel
<a href="#">GEO08LM16X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 16x1.5	24° cone end	8 mm	Steel
<a href="#">GEO08SM12X1.5OMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 12x1.5	24° cone end	8 mm	Steel
<a href="#">GEO10LM12X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 12x1.5	24° cone end	10 mm	Steel
<a href="#">GEO10LM16X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 16x1.5	24° cone end	10 mm	Steel
<a href="#">GEO10LM18X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° cone end	10 mm	Steel
<a href="#">GEO12LM12X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 12x1.5	24° cone end	12 mm	Steel
<a href="#">GEO12LM14X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° cone end	12 mm	Steel
<a href="#">GEO12LM14X1.5VOMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° cone end	12 mm	Steel
<a href="#">GEO12LM18X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° cone end	12 mm	Steel
<a href="#">GEO12LM22X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° cone end	12 mm	Steel
<a href="#">GEO12LM22X1.5VOMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° cone end	12 mm	Steel
<a href="#">GEO12LMCFX</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 16x1.5	24° cone end	12 mm	Steel
<a href="#">GEO12SM14X1.5OMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° cone end	12 mm	Steel
<a href="#">GEO12SM16X1.5OMDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 16x1.5	24° cone end	12 mm	Steel
<a href="#">GEO15LM14X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 14x1.5	24° cone end	15 mm	Steel
<a href="#">GEO15LM22OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° cone end	15 mm	Steel
<a href="#">GEO15LM27X2OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 27x2.0	24° cone end	15 mm	Steel
<a href="#">GEO18LM18OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° cone end	18 mm	Steel
<a href="#">GEO18LM18X1.5OMDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 18x1.5	24° cone end	18 mm	Steel
<a href="#">GEO18LM26X1.5CF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 26x1.5	24° cone end	18 mm	Steel



Parts	Product Series	Shape	Connection 1 Type	Connection 1 Size	Connection 2 Type	Connection 2 Tube Outside Diameter	Materials of Construct
<a href="#">GEO20SM22X1.50MDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 22x1.5	24° cone end	20 mm	Steel
<a href="#">GEO20SM33X20MDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° cone end	20 mm	Steel
<a href="#">GEO22LM26X1.50MDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 26x1.5	24° cone end	22 mm	Steel
<a href="#">GEO22LM33X20MDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° cone end	22 mm	Steel
<a href="#">GEO28LM27X20MDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 27x2.0	24° cone end	28 mm	Steel
<a href="#">GEO28LM42X20MDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 42x2.0	24° cone end	28 mm	Steel
<a href="#">GEO30SM33X20MDCF</a>	Heavy	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° cone end	30 mm	Steel
<a href="#">GEO35LM27X20MDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 27x2.0	24° cone end	35 mm	Steel
<a href="#">GEO35LM33X20MDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 33x2.0	24° cone end	35 mm	Steel
<a href="#">GEO42LM42X20MDCF</a>	Light	Straight male stud connector	Male metric thread - O-ring (ISO 6149)	M 42x2.0	24° cone end	42 mm	Steel
<a href="#">GE16SREDVITOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1/2 A	24° cone end	16 mm	Steel
<a href="#">GE25SREDVITOMDCF</a>	Heavy	Straight male stud connector	Male BSPP thread - ED (ISO 1179)	G 1 A	24° cone end	25 mm	Steel

Previous 1 Next

Show ALL entries

## Recommended



**[Ermeto DIN fitting components for high pressure hydraulic tube fittings](#)**




**[Accessories for Ermeto hydraulic DIN fittings](#)**



**[Seamless EO tubes and tube bends](#)**



**[Assembly tools for EO assembly machines](#)**



**[Cutting and bending tools](#)**



**[EO-NIROMONT lubricant for fitting assembly, flaring and forming tools](#)**

