Note: This datasheet may be out of date.

Please download the latest datasheet of DE1E3KX222MA4BP01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE1E3KX222MA4BP01F

DE1E3KX222MA4BP01F


















Appearance & Shape







References

Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	250

Mass (typ.)	
1 piece	0.59g



Notices

X1/Y1 Class Certified Products, Halogen-free Products

1 of 4

Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date.

Please download the latest datasheet of DE1E3KX222MA4BP01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE1E3KX222MA4BP01F

DE1E3KX222MA4BP01F



Specifications

L size or Outer diameter D	9.0mm max.	
T size	7.0mm max.	
Lead spacing F	10.0±1.0mm	
Lead diameter d	0.6±0.05mm	
Paint dripping e	Up to the end of crimp	
Capacitance	2200pF ±20%	
Rated voltage	300Vac(r.m.s.)	
Temperature characteristics	E(JIS)	
Capacitance change rate	+20/-55%	
Temperature range of	-25°C to 85°C	
temperature characteristics	-25 C 10 05 C	
Operating Temperature	-40°C to 125°C	
Range		

2 of 4

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




Note: This datasheet may be out of date. Please download the latest datasheet of DE1E3KX222MA4BP01F from the official website of Murata Manufacturing Co., Ltd.

DE1E3KX222MA4BP01F




Characteristic Data


The charts below may show another part number which shares its characteristics.








DE1E3KX222MA4BP01F R DCOV, 20degC



DE1E3KX222MA4BP01F C-DC bias capchange, 20.0degC, AC1



DE1E3KX222MA4BP01F C-AC Voltage capchange, DCOV, 20.0

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Note: This datasheet may be out of date.

Please download the latest datasheet of DE1E3KX222MA4BP01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE1E3KX222MA4BP01F

DE1E3KX222MA4BP01F





DE1E3KX222MA4BP01F S21 DC0V, 20degC

4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

