

Note: This datasheet may be out of date.

Please download the latest datasheet of DK1E3EA152M86RBH01 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DK1E3EA152M86RBH01

DK1E3EA152M86RBH01
























Appearance & Shape





References

Packaging	Specifications	Standard Packing Quantity
R	330Embossed Tape	2500

Mass (typ.)	
1 piece	0.28g



Notices

X1/Y1 Class Certified Products, Rated Voltage X1:440Vac(r.m.s.)/Y1:300Vac(r.m.s.)/1kVdc

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. $Please\ download\ the\ latest\ data sheet\ of\ DK1E3EA152M86RBH01\ from\ the\ official\ website\ of\ Muratangle and the statest and the stat$ Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DK1E3EA152M86RBH01

DK1E3EA152M86RBH01



Specifications

Length	11.4±0.5mm
Width	6.0±0.5mm
Thickness	2.5mm max.
Capacitance	1500pF ±20%
Metal terminal width e	0.75±0.3mm
Operating Temperature Range	-40°C to 125°C
Rated Voltage	300Vac(r.m.s.)
Capacitance change rate	+20/-55%
Temperature characteristics	E(JIS)
(complied standard)	
Temperature range of	-25°C to 85°C
temperature characteristics	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date. Please download the latest datasheet of DK1E3EA152M86RBH01 from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-gb/products/productdetail?partno=DK1E3EA152M86RBH01


DK1E3EA152M86RBH01





Characteristic Data


The charts below may show another part number which shares its characteristics.











DK1E3EA152M86RBHO1 C-Temp. capchange, DCOV,

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering






Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of DK1E3EA152M86RBH01 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DK1E3EA152M86RBH01

DK1E3EA152M86RBH01



DK1E3EA152M86RBHO1 S21 DCOV,20degC

4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

