Note: This datasheet may be out of date.

Please download the latest datasheet of GJM1555C1H6R2WB01# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GJM1555C1H6R2WB01%23

"#" indicates a package specification code.

GJM1555C1H6R2WB01#
















< List of part numbers with package codes > GJM1555C1H6R2WB01J GJM1555C1H6R2WB01W

GJM1555C1H6R2WB01D



Appearance & Shape







References

| Packaging | Specifications | Standard Packing Quantity |
|-----------|-------------------------|---------------------------------|
| J | 330mm Paper Tape | 50000 |
| W | 180mm Paper Tape (W8P1) | 20000 |
| D | 180mm Paper Tape | 10000 |

| Mass (typ.) | | |
|-------------|-------|--|
| 1 piece | 1.6mg | |
| φ180mm Reel | 118g | |

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



GJM1555C1H6R2WB01#

Note: This datasheet may be out of date.

Please download the latest datasheet of GJM1555C1H6R2WB01# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GJM1555C1H6R2WB01%23

"#" indicates a package specification code.



Specifications

| Length | 1.0±0.05mm |
|--|----------------|
| Width | 0.5±0.05mm |
| Thickness | 0.5±0.05mm |
| Capacitance | 6.2pF ±0.05pF |
| Distance between external terminals g | 0.3mm min. |
| External terminal size e | 0.15 to 0.35mm |
| Operating Temperature Range | -55°C to 125°C |
| Rated Voltage | 50Vdc |
| Size code in inch(mm) | 0402 (1005M) |
| тс | 0±30ppm/°C |
| Temperature characteristics (complied standard) | C0G(EIA) |
| Temperature range of temperature characteristics | 25°C to 125°C |

2 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




GJM1555C1H6R2WB01#

"#" indicates a package specification code.




Characteristic Data


The charts below may show another part number which shares its characteristics.








GJM1555C1H6R2WB01 R DCOV, 25degC



GJM1555C1H6R2WB01 C-DC bias capchange, 25.0degC, AC1V



GJM1555C1H6R2WB01 C-AC Voltage capchange, DCOV, 25.0d

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




GJM1555C1H6R2WB01#


Note: This datasheet may be out of date.

Please download the latest datasheet of GJM1555C1H6R2WB01# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GJM1555C1H6R2WB01%23

"#" indicates a package specification code.





4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

