

### Note: This datasheet may be out of date. Please download the latest datasheet of GRM1555C1H3R6CA01# from the official website of Murata Manufacturing Co., Ltd.

# GRM1555C1H3R6CA01#

"#" indicates a package specification code.













< List of part numbers with package codes > GRM1555C1H3R6CA01J GRM1555C1H3R6CA01W GRM1555C1H3R6CA01D



# Appearance & Shape







Packaging	Specifications	Minimum Order Quantity
J	330mm Paper Tape	50000
W	180mm Paper Tape (W8P1)	20000
D	180mm Paper Tape	10000

Mass (typ.)	
1 piece	1.6mg
φ180mm Reel	118g

1 of 4

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of GRM1555C1H3R6CA01# from the official website of Murata Manufacturing Co., Ltd.

# GRM1555C1H3R6CA01#

"#" indicates a package specification code.



Length	1.0±0.05mm	
Width	0.5±0.05mm	
Thickness	0.5±0.05mm	
Capacitance	3.6pF ±0.25pF	
Distance between external terminals g	0.3mm min.	
External terminal size e	0.15 to 0.35mm	
Operating Temperature Range	-55°C to 125°C	
Rated Voltage	50Vdc	
Size code in inch(mm)	0402 (1005M)	
тс	0±30ppm/°C	
Temperature characteristics (complied standard)	C0G(EIA)	
Temperature range of temperature characteristics	25°C to 125°C	

2 of 4

## Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.






### Note: This datasheet may be out of date Please download the latest datasheet of GRM1555C1H3R6CA01# from the official website of Murata Manufacturing Co., Ltd.


# GRM1555C1H3R6CA01#


"#" indicates a package specification code.




The charts below may show another part number which shares its characteristics.









GRM1555C1H3R6CA01 C-DC bias capchange, 25.0degC, AC1V

GRM1555C1H3R6CA01 C-AC Voltage capchange, DCOV, 25.0d

3 of 4

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Note: This datasheet may be out of date Please download the latest datasheet of GRM1555C1H3R6CA01# from the official website of Murata

Manufacturing Co., Ltd.

# GRM1555C1H3R6CA01#

"#" indicates a package specification code.





4 of 4

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

