





LIGHT PIPES SECURED TO METAL CAGE COVER

COVER DESIGNED TO SNAP ONTO THE SFP+ CAGE ASSEMBLY



LIGHT PIPE NOT SHOWN FOR CLARIFY






PART NO. AND WEEK/YEAR DATE CODE TO BE PRINTED ON BACK OF COVER APPROXIMATELY AS SHOWN. SEE TABLE BELOW FOR DATE CODE INFORMATION.

WEEK/YEAR DATE CODE TABLE	
WK	01 THRU 52 OR 53 EXAMPLE: 01 = FIRST WEEK OF YEAR 52 = LAST WEEK OF YEAR
YR	19, 20, 21, ETC. EXAMPLE: YEAR 2019 = 19.

- MATERIAL:  
COVER: COPPER ALLOY  
LIGHT PIPE: POLYCARBONATE (94-V0 RATED)
- THIS LIGHT PIPE ASSEMBLY IS TO BE USED WITH THE SFP+ 1X4 CAGE ASSEMBLY P/N 7475404\*\*
- IT IS RECOMMENDED THAT THE CAGE BE PRESSED INTO OR SOLDERED TO THE PCB PRIOR TO ASSEMBLING THE LIGHT PIPE ASSEMBLY.
- No RoHS EXEMPTIONS.

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
▽ = 0	DIMENSION UNITS: mm	SCALE: 2:1	CURRENT REV DESC: SEE REVISION TABLE		
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 610070	PRODUCT CUSTOMER DRAWING	
▽ = 0	ANGULAR TOL ± 1.0°		DRWN: PKUMARG 2017/03/03		
▽ = 0	4 PLACES ±		CHK'D: TKUMARKC 2019/01/08	DOC PART: ASY	REVISION: C
▽ = 0	3 PLACES ±		APPR: RCHEN08 2019/01/09	MATERIAL NUMBER: 747540041	
▽ = 0	2 PLACES ± 0.15		INITIAL REVISION:		
▽ = 0	1 PLACE ± 0.25		DRWN: PKUMARG 2017/03/03	SERIES: 74754	
▽ = 0	0 PLACES ±		APPR: RCHEN08 2019/01/09		
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING: C-SIZE		





HOST PCB LAYOUT NOTES (SCALE 10:1)

- LED SHOULD BE PLACED RELATIVE TO THE SFP CONNECTOR POST HOLES
- LAYOUT APPLIES TO EACH PORT



SYMBOLS										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																									
DIMENSION UNITS		SCALE		CURRENT REV DESC: SEE REVISION TABLE																															
mm		3:1																																	
GENERAL TOLERANCES (UNLESS SPECIFIED)										EC NO: 610070										<b>SFP+ 1X4 LIGHT PIPE ASSEMBLY, LOW PROFILE</b>															
ANGULAR TOL ± 1.0°										DRWN: PKUMARG 2017/03/03																									
4 PLACES ±										CHK'D: TKUMARKC 2019/01/08										<b>PRODUCT CUSTOMER DRAWING</b>															
3 PLACES ±										APPR: RCHEN08 2019/01/09																									
2 PLACES ± 0.15										INITIAL REVISION:										DOCUMENT NUMBER				DOC TYPE				DOC PART				REVISION			
1 PLACE ± 0.25										DRWN: PKUMARG 2017/03/03										747540041				PSD				ASY				C			
0 PLACES ±										APPR: RCHEN08 2019/01/09										MATERIAL NUMBER				CUSTOMER				SHEET NUMBER							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										THIRD ANGLE PROJECTION		DRAWING		SERIES		74754		747540041				2 OF 3													








LIGHT PIPES SECURED TO METAL CAGE COVER

COVER DESIGNED TO SNAP ONTO THE SFP+ CAGE ASSEMBLY



- 1. MATERIAL:  
COVER: COPPER ALLOY  
LIGHT PIPE: POLYCARBONATE (94-V0 RATED)
- 2. THIS LIGHT PIPE ASSEMBLY IS TO BE USED WITH THE SFP+ 1X4 CAGE ASSEMBLY P/N 7475404\*\*
- 3. IT IS RECOMMENDED THAT THE CAGE BE PRESSED INTO OR SOLDERED TO THE PCB PRIOR TO ASSEMBLING THE LIGHT PIPE ASSEMBLY.
- 4. THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2002/95/EC)

ENTER DESCRIPTION EC NO: USY2009-0023 DRAWN BY: CHYDARINWE 2008/07/11 CHECKED BY: CHYDARINWE 2008/07/14 APPROV: K JANOTA 2008/07/22 REV DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± REF. 3 PLACES ± --- ± REF. 2 PLACES ± 0.15 ± REF. 1 PLACE ± 0.25 ± REF. ANGULAR ± 1 °		DIMENSION STYLE MM ONLY		SCALE 4:1		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	
	DRAWN BY: K LLOYD DATE: 2007/08/28		CHECKED BY: MA JOHNSTON DATE: 2007/08/28		APPROVED BY: RMAHMOOD DATE: 2007/08/28		MATERIAL NO. 747540041		DOCUMENT NO. SD-74754-0041		SHEET NO. 1 OF 2	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											



HOST PCB LAYOUT NOTES (SCALE 10:1)

1. LED SHOULD BE PLACED RELATIVE TO THE SFP CONNECTOR POST HOLES
2. LAYOUT APPLIES TO EACH PORT

OPTIONAL REAR EMI CONTACT AREA

<b>ENTER DESCRIPTION</b> IEC NO. USY2009-0023 DRAWN BY 2008/07/14 CHYDARINE APPR:KJANTA 2008/07/22	<b>QUALITY SYMBOLS</b> ▽=0 ▽=0	<b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b>		DIMENSION STYLE <b>MM ONLY</b>	SCALE 4:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± REF.	3 PLACES ± --- ± REF.	2 PLACES ± 0.15 ± REF.	1 PLACE ± 0.25 ± REF.	ANGULAR ± 1°	DRAWN BY DATE K LLOYD 2007/08/28	CHECKED BY DATE MA JOHNSTON 2007/08/28	APPROVED BY DATE RMAHMOOD 2007/08/28
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO. <b>747540041</b>	DOCUMENT NO. <b>SD-74754-0041</b>	TITLE <b>SFP+ 1X4 LIGHT PIPE ASSEMBLY, LOW PROFILE</b>		
		MOLEX INCORPORATED			SHEET NO. 2 OF 2	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			