

Product Data Sheet for KleenGuard® G40 Latex Coated Gloves - Hand Specific / Grey & Black

### Product Information

<b>Customer Facing Code</b>	97270 - 97274
<b>Description</b>	KleenGuard® G40 Latex Coated Gloves - Hand Specific / Grey & Black
<b>PDS Reference</b>	20/06/2020
<b>Status</b>	On Sale

### Packaging Configuration

<b>Case Contents</b>	97270: 5 Bags x 12 Pairs = 60 Pairs 97271: 5 Bags x 12 Pairs = 60 Pairs 97272: 5 Bags x 12 Pairs = 60 Pairs 97273: 5 Bags x 12 Pairs = 60 Pairs 97274: 5 Bags x 12 Pairs = 60 Pairs
<b>Outer Pack Material</b>	Corrugated

### Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
97270-7	10036000972709	036000972702	50 x 27 x 20	5.206/5.64	E5	1.20 x 0.80 x 1.35	6 x 6 =36	1.08
97271-8	10036000972716	036000972719	50 x 27 x 20	5.256/5.69	E5	1.20 x 0.80 x 1.35	6 x 6 =36	1.08
97272-9	10036000972723	036000972726	50 x 27 x 20	5.52/5.96	E5	1.20 x 0.80 x 1.35	6 x 6 =36	1.13
97273-10	10036000972730	036000972733	50 x 27 x 20	6.12/6.56	E5	1.20 x 0.80 x 1.35	6 x 6 =36	1.25
97274-11	10036000972747	036000972740	50 x 27 x 20	6.816/7.25	E5	1.20 x 0.80 x 1.35	6 x 6 =36	1.39

### Product Description

KleenGuard® gloves are designed to protect hands against mechanical hazards, getting the job done when safety and flexibility is key. Each hand specific pair of gloves combines thermal and mechanical protection for handling a wider range of applications. Available in a choice of five sizes with colour-coded cuffs offering PPE category 2 protection, heat resistance and excellent grip. Perfect for heavy duty mechanical, manufacturing and construction environments. These gloves have a latex 'crinkle' finish for excellent grip and the seamless knitted nylon backing offers breathability and comfort in extended use. High tear resistance providing high durability and reducing costs. For other glove sizes, see product codes 97270, 97271, 97272 and 97273. 5 bags x 12 pairs hand specific, grey & black gloves, 11, (120 total)

### Features and Benefits

Features	Benefits
<b>EN 407 X2XXXX</b>	Contact heat 250 degrees C for >15 secs
<b>EU Rating of 4 for Tear resistance</b>	Better durability, Most important measurement on EU scale
<b>Excellent dry Grip</b>	Results in improved productivity, Good grip for light oily applications (better protection), Lowers chance of dropping things in material handling
<b>Manufactured to minimize latex protein levels</b>	Results in improved safety compliance

# Product Data Sheet for KleenGuard® G40 Latex Coated Gloves - Hand Specific / Grey & Black

## Product Configuration

<b>Sterile</b>	No	<b>Latex Free</b>	No
<b>Main Protection Type</b>	General purpose	<b>Application</b>	Industrial
<b>Ambidextrous</b>	No	<b>Powdered</b>	No
<b>Material</b>	Latex	<b>Coated</b>	Palm Coated
<b>Liner</b>	Seamless Knitted Polyester	<b>Coating</b>	Latex
<b>Colour</b>	Grey & Black	<b>Chlorinated</b>	No
<b>Gauge</b>	10	<b>Glove Shape</b>	Hand Specific
<b>Length</b>	160 - 240 mm		

## International Standards and Symbols

### Solution

#### Safer Workplace

We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.



#### Productive Workplace

The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.



### Standard R+E

#### EN 407: 2004

Heat Protection: This standard specifies test methods, general requirements, thermal performance levels and the making of gloves against heat and/or fire. (a) Burning Behavior (b) Contact Heat, (c) Convective Heat, (d) Radiant Heat, (e) Small splashes of molten metal, (f) Large quantities of molten metal. (Values range from 1-4)



#### CE Mark

Simple - CAT I, Intermediate - CAT II or Complex - CAT III



### Packaging

<b>Unit Of Sale</b>	Case	<b>Max Weight(kg)</b>	7.98
<b>Case Dimension(LXWXH)(cm)</b>	50 x 27 x 20	<b>Inner Pack Material</b>	Paper

### Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.

Protect from heat and radioactive sources.

Keep Dry. Store in a cool, dry place.

5 cycles of washing in a domestic machine with standard cleaning agents @ 40°C

# Product Data Sheet for KleenGuard® G40 Latex Coated Gloves - Hand Specific / Grey & Black

## Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

<b>Websites</b>	<a href="http://www.kcprofessional.co.uk">www.kcprofessional.co.uk</a>	<b>Storage conditions</b>	Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.
<b>Durability</b>	This product has a five years shelf life from the date of manufacture.		
<b>Customer Service Number</b>	For more information please contact Customer Service during regular office hours-0870 551 044		
<b>Country of Origin</b>	SRI LANKA		