


LUMAWISE | ALR AA TE Internal #: 2393866-1 ANSI Street Lighting Photocells, AMERICAS, Electronic, 105 – 305 VAC, Industrial / Commercial, ALR AA

View on TE.com >

Connectors > Lighting Connectors > Street Lighting Controls > ANSI Street Lighting Photocells



Street Lighting Photo Control Product Availability: AMERICAS

Street Lighting Photo Control Technology: Electronic

Street Lighting Photo Control Voltage Rating: 105 – 305 VAC

Street Lighting Photo Control Product Type: Commercial, Industrial

Street Lighting Photo Control Dimensions: 31.8 x 58.5 x 33.0 mm [1.25 x 2.30 x 1.30 in]

Features

Product Type Features

connectivity

Street Lighting Photo Control Technology	Electronic		
Street Lighting Photo Control Product Type	Commercial, Industrial		
Sealable	Yes		
Connector & Contact Terminates To	Wire & Cable		
Configuration Features			
Number of Positions	3		
Electrical Characteristics			
Street Lighting Photo Control Voltage Rating	105 – 305 VAC		
Load Rating (Ballast)	1800 VA		
Load Rating (Tungsten)	1000 W		
Fail Mode	On		
Surge Protection	15kA kA		
Relay Rating	30A General Purpose		
Body Features			

2393866-1

ANSI Street Lighting Photocells, AMERICAS, Electronic, 105 – 305 VAC, Industrial / Commercial, ALR AA



Color	Black
COIOF	DIACK
Mechanical Attachment	
Street Lighting Photo Control Mounting Style	Fixed Mount
Connector Mounting Type	Panel Mount
Dimensions	
MOV Diameter	20 mm
Street Lighting Photo Control Dimensions	31.8 x 58.5 x 33.0 mm[1.25 x 2.30 x 1.30 in]
Usage Conditions	
Operating Temperature Range	-40 – 70 °C[-40 – 158 °F]
Operation/Application	
Turn OFF Time Delay	2 – 5 seconds
Turn ON Light Level	1.5 fc
Turn ON Time Delay	Instant On seconds
Industry Standards	
Standards	ANSI C136.24
Product Availability	
Street Lighting Photo Control Product Availability	AMERICAS

Other

OFF/ON Ratio	1.5:1
Wire Leads	7.6 in
Street Lighting Photo Control Frequency	50/60 Hz

Product Compliance

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Cd (7.5% in Component Part) Article Safe Usage Statements:

2393866-1

ANSI Street Lighting Photocells, AMERICAS, Electronic, 105 – 305 VAC, Industrial / Commercial, ALR AA



Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2324697-4		TE Part # 2324697-5	TE Part # 2324697-6	TE Part # 2324697-2
TE Fail # 2324097-4	F	TE Fall # 2324077-3	TE Fall # 2324077-0	IE Fall # 2324077-2
PUSH GRIP CONNE	ECTOR 4P	PUSH GRIP CONNECTOR 5P	PUSH GRIP CONNECTOR 6P	PUSH GRIP CONNECTOR 2P



Also in the Series | ALR AA

2393866-1

ANSI Street Lighting Photocells, AMERICAS, Electronic, 105 – 305 VAC, Industrial / Commercial, ALR AA





Documents

Product Drawings ALR-AA-2000EL Photocontrol

English

CAD Files

Customer View Model ENG_CVM_CVM_2393866-1_1.3d_stp.zip

English

Customer View Model ENG_CVM_CVM_2393866-1_1.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2393866-1_1.3d_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages LUMAWISE ALR AA Series

English

Product Specifications

Application Specification

English

Agency Approvals INTERTEK_CERT_105081826CHI_001_C1

English