RS Review Date: 01/07/23

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Safety data sheet according to Regulation (EC) 2020/878

Revision date 17/07/2023 Revision Number 0.32

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product Name RS Pro Screen Wash With Deicer

Product Code(s) 819-4071, ZP

Safety data sheet number 00879

Unique Formula Identifier (UFI) JRX7-H0C8-E007-HW1M

Pure substance/mixture Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Antifreeze

Uses advised against No specific uses advised against are identified

### 1.3. Details of the supplier of the safety data sheet

#### **Supplier**

RS Components Ltd Birchington Road Corby Northants NN17 9RS +44 (0) 845 850 9900 RCustomerServicesUK@rs-components.com

RS Components Ltd Glenview Industrial Estate Herberton Road Rialto Dublin 12 +353 (0) 1 415 3100

enquiries.ie@rs-components.com

### For further information, please contact

E-mail address RCustomerServicesUK@rs-components.com

### 1.4. Emergency telephone number

Emergency Telephone POISON INFORMATION CENTRE (Beaumont Hospital, Republic of Ireland only) +353 (0)1

809 2166 (08:00 - 22:00)

#### Emergency Telephone -

Page 1/17

+44 1235 239670 (24hr)

+44 (0) 1865 407333 (24hr)

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flammable liquids Category 3 - (H226)

#### 2.2. Label elements



#### Signal word Warning

#### **Hazard statements**

H226 - Flammable liquid and vapour

#### Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P370 + P378 - In case of fire: Use dry chemical, CO2, water spray or regular foam to extinguish.

P403 + P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information**This product does not contain any known or suspected endocrine disruptors.

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

	Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
Į			number	Index No)	to Regulation (EC) No.	concentration		(long-term)

				1272/2008 [CLP]	limit (SCL)		
Ethanol 64-17-5	10-30	01-2119457610-43-00 00	200-578-6	Flam. Liq. 2 (H225)	-	-	-
Propan-2-ol 67-63-0	1-5	01-2119457558-25-00 00	200-661-7	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
Methanol 67-56-1	0.1-1	01-2119433307-44-00 00	200-659-6	Acute Tox. 3 (H311) STOT SE 1 (H370) Acute Tox. 3 (H301) Flam. Liq. 2 (H225) Acute Tox. 3 (H331)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-

#### Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate
No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapour - mg/L	hour - gas - ppm
Ethanol	7060	No data available	116.9	No data available	No data available
64-17-5			133.8		
Propan-2-ol	1870	4059	No data available	30.1002	No data available
67-63-0					
Methanol	6200	15840	No data available	41.6976	No data available
67-56-1					

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation** Remove to fresh air.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes.

**Ingestion** Rinse mouth.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to doctors**Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A

vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers.

Revision date 17/07/2023

Use according to package label instructions.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat,

sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**Exposure Limits**This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Ethanol	-	TWA: 1000 ppm	TWA: 1000 ppm	TWA: 1000 mg/m <sup>3</sup>	TWA: 1000 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1907 mg/m <sup>3</sup>		TWA: 1900 mg/m <sup>3</sup>
		STEL 2000 ppm			
		STEL 3800 mg/m <sup>3</sup>			
Propan-2-ol	-	TWA: 200 ppm	TWA: 200 ppm	STEL: 1225.0 mg/m <sup>3</sup>	TWA: 400 ppm
67-63-0		TWA: 500 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 980.0 mg/m <sup>3</sup>	TWA: 999 mg/m <sup>3</sup>
		STEL 800 ppm	STEL: 400 ppm		STEL: 500 ppm
		STEL 2000 mg/m <sup>3</sup>	STEL: 1000 mg/m <sup>3</sup>		STEL: 1250 mg/m <sup>3</sup>
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>	TWA: 260.0 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>
	*	STEL 800 ppm	STEL: 250 ppm	K*	*
		STEL 1040 mg/m <sup>3</sup>	STEL: 333 mg/m <sup>3</sup>		
		H*	D*		
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Ethanol	-	TWA: 1000 mg/m <sup>3</sup>	TWA: 1000 ppm	TWA: 500 ppm	TWA: 1000 ppm
64-17-5		Ceiling: 3000 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
			STEL: 2000 ppm	STEL: 1000 ppm	STEL: 1300 ppm
			STEL: 3800 mg/m <sup>3</sup>	STEL: 1900 ma/m <sup>3</sup>	STEL: 2500 ma/m <sup>3</sup>

Propan-2-ol	-	TWA: 500 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 150 ppm	TWA: 200 ppm
67-63-0		Ceiling: 1000 mg/m <sup>3</sup>	TWA: 490 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>
		D*	STEL: 400 ppm	STEL: 250 ppm	STEL: 250 ppm
			STEL: 980 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup>	STEL: 620 mg/m <sup>3</sup>
Methanol	*	TWA: 250 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 200 ppm	Ceiling: 1000 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 250 mg/m <sup>3</sup>	TWA: 270 mg/m <sup>3</sup>
	TWA: 260 mg/m <sup>3</sup>	D*	H*	STEL: 250 ppm	STEL: 250 ppm
			STEL: 400 ppm	STEL: 350 mg/m <sup>3</sup>	STEL: 330 mg/m <sup>3</sup>
			STEL: 520 mg/m <sup>3</sup>	A*	iho*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Ethanol	TWA: 1000 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 1000 ppm	TWA: 1000 ppm
64-17-5	TWA: 1900 mg/m <sup>3</sup>	TWA: 380 mg/m <sup>3</sup>	TWA: 380 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
	STEL: 5000 ppm		Peak: 800 ppm		STEL: 2000 ppm
	STEL: 9500 mg/m <sup>3</sup>		Peak: 1520 mg/m <sup>3</sup>		STEL: 3800 mg/m <sup>3</sup>
Propan-2-ol	STEL: 400 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 400 ppm	TWA: 500 mg/m <sup>3</sup>
67-63-0	STEL: 980 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>	TWA: 200 ppm
			Peak: 400 ppm	STEL: 500 ppm	STEL: 1000 mg/m <sup>3</sup>
			Peak: 1000 mg/m <sup>3</sup>	STEL: 1225 mg/m <sup>3</sup>	STEL: 400 ppm
					b*
Methanol	TWA: 200 ppm	TWA: 100 ppm	TWA: 100 ppm	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 130 mg/m <sup>3</sup>	TWA: 130 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	STEL: 1000 ppm	H*	Peak: 200 ppm	STEL: 250 ppm	b*
	STEL: 1300 mg/m <sup>3</sup>		Peak: 260 mg/m <sup>3</sup>	STEL: 325 mg/m <sup>3</sup>	
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Ethanol	STEL: 1000 ppm	- Italy WIDEI O	STEL: 1000 ppm	TWA: 1000 mg/m <sup>3</sup>	STEL: 1000 ppm
64-17-5	OTEL. 1000 ppin		STEL: 1884 mg/m <sup>3</sup>	1 1 VVA. 1000 mg/m	STEL: 1900 mg/m <sup>3</sup>
			oree. rooring/iii		TWA: 500 ppm
					TWA: 1000 mg/m <sup>3</sup>
Propan-2-ol	TWA: 200 ppm	_	TWA: 200 ppm	TWA: 350 mg/m <sup>3</sup>	STEL: 250 ppm
67-63-0	STEL: 400 ppm		TWA: 492 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup>
	Sk*		STEL: 400 ppm		TWA: 150 ppm
			STEL: 983 mg/m <sup>3</sup>		TWA: 350 mg/m <sup>3</sup>
Methanol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 262 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>
	STEL: 600 ppm	cute*	STEL: 250 ppm	Ada*	O*
	STEL: 780 mg/m <sup>3</sup>		STEL: 328 mg/m <sup>3</sup>		
	Sk*		cute*		
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Ethanol	-	-	TWA: 137 ppm	TWA: 500 ppm	TWA: 1900 mg/m <sup>3</sup>
64-17-5			TWA: 260 mg/m <sup>3</sup>	TWA: 950 mg/m <sup>3</sup>	
			STEL: 1000 ppm	STEL: 625 ppm	
			STEL: 1900 mg/m <sup>3</sup>	STEL: 1187.5 mg/m <sup>3</sup>	
			H*		
Propan-2-ol	-	-	-	TWA: 100 ppm	STEL: 1200 mg/m <sup>3</sup>
67-63-0				TWA: 245 mg/m <sup>3</sup>	TWA: 900 mg/m <sup>3</sup>
				STEL: 150 ppm	skóra*
				STEL: 306.25 mg/m <sup>3</sup>	
Methanol	TWA: 200 ppm	skin*	TWA: 100 ppm	TWA: 100 ppm	STEL: 300 mg/m <sup>3</sup>
67-56-1	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 133 mg/m <sup>3</sup>	TWA: 130 mg/m <sup>3</sup>	TWA: 100 mg/m <sup>3</sup>
	Peau*	TWA: 260 mg/m <sup>3</sup>	H*	STEL: 150 ppm	Prohibited -
				STEL: 162.5 mg/m <sup>3</sup>	substances or
				H*	mixtures containing
					Methanol in weight
					concentration
					>3%;except fuels
		1		I	used in the model
					building, powerboating, fuel

Revision date	17/07/2023
---------------	------------

							cells and biofuels skóra*
Chemical name		Portugal	Romania	Slovakia	Slo	venia	Spain
Ethanol	STE	L: 1000 ppm	TWA: 1000 ppm	TWA: 500 ppm	TWA: 9	960 mg/m <sup>3</sup>	STEL: 1000 ppm
64-17-5			TWA: 1900 mg/m <sup>3</sup>	TWA: 960 mg/m <sup>3</sup>		500 ppm	STEL: 1910 mg/m <sup>3</sup>
			STEL: 5000 ppm	Ceiling: 1920 mg/m <sup>3</sup>		1000 ppm	
			STEL: 9500 mg/m <sup>3</sup>		STEL: 1	920 mg/m <sup>3</sup>	
Propan-2-ol		A: 200 ppm	TWA: 81 ppm	TWA: 200 ppm		200 ppm	TWA: 200 ppm
67-63-0	STE	EL: 400 ppm	TWA: 200 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	_	500 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>
			STEL: 203 ppm	Ceiling: 1000 mg/m <sup>3</sup>		400 ppm	STEL: 400 ppm
			STEL: 500 mg/m <sup>3</sup>			000 mg/m <sup>3</sup>	STEL: 1000 mg/m <sup>3</sup>
Methanol		A: 200 ppm	TWA: 200 ppm	TWA: 200 ppm		200 ppm	TWA: 200 ppm
67-56-1		A: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>		260 mg/m <sup>3</sup>	TWA: 266 mg/m <sup>3</sup>
		L: 250 ppm	P*	K*		800 ppm	vía dérmica*
	(	Cutânea*			STEL: 1	040 mg/m <sup>3</sup>	
						K*	
Chemical name			weden	Switzerland			ted Kingdom
Ethanol			KGV: 1000 ppm	TWA: 500 ppm			A: 1000 ppm
64-17-5			KGV: 1900 mg/m <sup>3</sup>	<u> </u>			A: 1920 mg/m <sup>3</sup>
		NGV: 500 ppm		• • • • • • • • • • • • • • • • • • • •			EL: 3000 ppm
		NGV: 1000 mg/m <sup>3</sup>		STEL: 1920 mg/m <sup>3</sup>		STEL: 5760 mg/m <sup>3</sup>	
Propan-2-ol			e KGV: 250 ppm	TWA: 200 ppm		TWA: 400 ppm	
67-63-0			KGV: 600 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>			A: 999 mg/m <sup>3</sup>
			150 ppm	STEL: 400 ppn			EL: 500 ppm
			350 mg/m <sup>3</sup>	STEL: 1000 mg/			L: 1250 mg/m <sup>3</sup>
Methanol			e KGV: 250 ppm	TWA: 200 ppm			VA: 200 ppm
67-56-1			KGV: 350 mg/m <sup>3</sup>	TWA: 260 mg/n			A: 266 mg/m <sup>3</sup>
			200 ppm	STEL: 400 ppn			EL: 250 ppm
		NGV: :	250 mg/m <sup>3</sup>	STEL: 520 mg/r	n <sup>3</sup>	STE	:L: 333 mg/m <sup>3</sup>
			H*	H*			Sk*

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Propan-2-ol	-	-	-	50 mg/L - blood	-
67-63-0				(Acetone) - at the	
				end of the work shift	
				50 mg/L - urine	
				(Acetone) - at the	
				end of the work shift	
Methanol	-	-	-	7.0 mg/g Creatinine -	0.47 mmol/L (urine -
67-56-1				urine (Methanol) - at	Methanol end of
				the end of the work	- 7
				shift	15 mg/L (urine -
					Methanol end of
					shift)
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Propan-2-ol	-	-	-	25 mg/L (whole	25 mg/L (whole
67-63-0					blood - Acetone end
				of shift)	of shift)
					25 mg/L (urine -
					Acetone end of shift)
				25 mg/L - BAT (end	
				of exposure or end	
				of shift) urine	
				25 mg/L - BAT (end	
				of exposure or end	
1	i e			of shift) blood	1

Hungary

Methanol 67-56-1

Chemical name

Propan-2-ol

67-63-0

		Rev	isior	n date 17/07/2023
15 mg/L - urine (Methanol) - end of shift		15 mg/L (urine - Methanol end of shift) 15 mg/L (urine - Methanol for long-term exposures: at the end of the shift after several shifts) 15 mg/L - BAT (for long-term exposures: at the end of the shift after several shifts) urine 15 mg/L - BAT (end of exposure or end		15 mg/L (urine - Methanol end of shift) 15 mg/L (urine - Methanol for long-term exposures: at the end of the shift after several shifts)
d	Italy	of shift) urin  / MDLPS		Italy AIDII
- Acetone it end of ek)		- 40 mg/L - urine (Aceto - end of shift at end of workweek		nd of shift at end of
- Methanol hift)	Methanol -		15 mg/L - urine (Methanol) - end of shift	

Methanol	30 mg/L (urine - Methanol	15 mg/L (urine - Methanol	-	15 mg/L - urine
67-56-1	end of shift)	end of shift)		(Methanol) - end of shift
	940 µmol/L (urine -	,		`
	Methanol end of shift)			
Chemical name	Latvia	Luxembourg	Romania	Slovakia
Propan-2-ol	-	-	50 mg/L - urine (Acetone)	-
67-63-0			- end of shift	
Methanol	-	-	6 mg/L - urine (Methanol)	30 mg/L (urine - Methanol
67-56-1			- end of shift	end of exposure or work
				shift)
				30 mg/L (urine - Methanol
				after all work shifts)
Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Propan-2-ol	25 mg/L - blood (Acetone)	40 mg/L (urine - Acetone	25 mg/L (urine - Acetone	-
67-63-0	- at the end of the work	end of workweek)	end of shift)	
	shift		0.4 mmol/L (urine -	
	25 mg/L - urine (Acetone)		Acetone end of shift)	
	- at the end of the work		25 mg/L (whole blood -	
	shift		Acetone end of shift)	
			0.4 mmol/L (whole blood -	
			Acetone end of shift)	
Methanol	15 mg/L - urine	15 mg/L (urine - Methanol	30 mg/L (urine - Methanol	-
67-56-1	(Methanol) - at the end of	end of shift)	end of shift, and after	
	the work shift; for		several shifts (for	
	long-term exposure: at the		long-term exposures))	
	end of the work shift after		936 µmol/L (urine -	
	several consecutive		Methanol end of shift, and	
	workdays		after several shifts (for	

Ireland

40 mg/L (urine - Acetone

end of shift at end of workweek)

## Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
Ethanol 64-17-5	-	343 mg/kg bw/day [4] [6]	950 mg/m³ [4] [6] 1900 mg/m³ [5] [7]
Propan-2-ol 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m³ [4] [6]

long-term exposures))

Chemical name	Oral	Dermal	Inhalation
Methanol	-	20 mg/kg bw/day [4] [6]	130 mg/m³ [4] [6]
67-56-1		20 mg/kg bw/day [4] [7]	130 mg/m³ [4] [7]
			130 mg/m³ [5] [6]
			130 mg/m³ [5] [7]

### **Derived No Effect Level (DNEL) - General Public** No information available.

Chemical name	Oral	Dermal	Inhalation
Ethanol	87 mg/kg bw/day [4] [6]	-	114 mg/m³ [4] [6]
64-17-5			950 mg/m³ [5] [7]
Propan-2-ol	26 mg/kg bw/day [4] [6]	-	89 mg/m³ [4] [6]
67-63-0			
Methanol	4 mg/kg bw/day [4] [6]	4 mg/kg bw/day [4] [6]	26 mg/m³ [4] [6]
67-56-1	4 mg/kg bw/day [4] [7]	4 mg/kg bw/day [4] [7]	26 mg/m³ [4] [7]
			26 mg/m³ [5] [6]
			26 mg/m³ [5] [7]

## Predicted No Effect Concentration (PNEC) No information available.

Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
		(intermittent release)		(intermittent release)	
Propan-2-ol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-
Methanol 67-56-1	20.8 mg/L	1540 mg/L	2.08 mg/L	-	-

	Chemical name	Freshwater	Marine sediment	Sewage treatment	Soil	Food chain
		sediment				
	Propan-2-ol	552 mg/kg sediment	552 mg/kg sediment	2251 mg/L	28 mg/kg soil dw	160 mg/kg food
	67-63-0	dw	dw			
ſ	Methanol	77 mg/kg sediment	7.7 mg/kg sediment	100 mg/L	100 mg/kg soil dw	-
	67-56-1	dw	dw			

### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

None known

None known

**Environmental exposure controls** No information available.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColourColourlessOdourSolvent.

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableNone knownInitial boiling point and boiling rangeNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

imits

Lower flammability or explosive No data available

limits

Flash point 29 °C None known **Autoignition temperature** No data available None known **Decomposition temperature** None known None known No data available None known No data available pH (as aqueous solution) No data available None known Kinematic viscosity Dynamic viscosity No data available None known Water solubility Miscible in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known

No data available

Relative density No data available Bulk density 0.95 kg/l

Liquid Density No data available

Relative vapour density

No data available

None known

**Particle characteristics** 

Vapour pressure

Particle Size No information available Particle Size Distribution No information available

#### 9.2. Other information

9.2.1. Information with regards to physical hazard classes

Explosive properties Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidizing.

9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** No information available.

10.2. Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

**Incompatible materials**None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

## SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

#### **Numerical measures of toxicity**

No information available

#### The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 7,620.90 mg/kg

 ATEmix (dermal)
 19,607.80 mg/kg

 ATEmix (inhalation-gas)
 53,200.00 ppm

 ATEmix (inhalation-vapour)
 185.10 mg/l

 ATEmix (inhalation-dust/mist)
 38.076 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h
			= 133.8 mg/L (Rat) 4 h
Propan-2-ol	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	> 10000 ppm (Rat) 6 h
Methanol	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

**STOT - single exposure**Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** The substance/mixture does not contain components considered to have endocrine

disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2. Other information

Other adverse effects No information available.

## SECTION 12: Ecological information

12.1. Toxicity

**Ecotoxicity** 

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	

Ethanol	-	LC50: 12.0 - 16.0mL/L	_	LC50: 9268 - 14221mg/L
Lindinoi		(96h, Oncorhynchus		(48h, Daphnia magna)
		mykiss)		EC50: =2mg/L (48h,
		LC50: >100mg/L (96h,		Daphnia magna)
		Pimephales promelas)		_ = = = = = = = = = = = = = = = = = = =
		LC50: 13400 - 15100mg/L		
		(96h, Pimephales		
		promelas)		
Propan-2-ol	EC50: >1000mg/L (96h,	LC50: =9640mg/L (96h,	-	EC50: =13299mg/L (48h,
·	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: =11130mg/L (96h,		. ,
	EC50: >1000mg/L (72h,	Pimephales promelas)		
	Desmodesmus	LC50: >1400000µg/L		
	subspicatus)	(96h, Lepomis		
		macrochirus)		
Methanol	-	LC50: =28200mg/L (96h,	-	-
		Pimephales promelas)		
		LC50: >100mg/L (96h,		
		Pimephales promelas)		
		LC50: 19500 - 20700mg/L		
		(96h, Oncorhynchus		
		mykiss)		
		LC50: 18 - 20mL/L (96h,		
		Oncorhynchus mykiss)		
		LC50: 13500 - 17600mg/L		
		(96h, Lepomis		
	ı	1 1 1	1	1

### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

Chemical name	Partition coefficient
Ethanol	-0.35
Propan-2-ol	0.05
Methanol	-0.77

macrochirus)

### 12.4. Mobility in soil

**Mobility in soil** No information available.

### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment**The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment	
Ethanol	The substance is not PBT / vPvB PBT assessment does	
	not apply	
Propan-2-ol	The substance is not PBT / vPvB PBT assessment doe	
	not apply	
Methanol	The substance is not PBT / vPvB PBT assessment de	
	not apply Further information relevant for the PBT	
	assessment is necessary	

### 12.6. Endocrine disrupting properties

#### **Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## **SECTION 14: Transport information**

1/	١	T	Α	
4	4		4	

**14.1 UN number or ID number 14.2 UN proper shipping name**UN1993
Flammable liquid, n.o.s. (Ethanol, Methanol)

14.3 Transport hazard class(es) 3
14.4 Packing group | | |

**Description** UN1993, Flammable liquid, n.o.s. (Ethanol, Methanol), 3, III No

14.5 Environmental hazards14.6 Special precautions for user Special Provisions

Special Provisions A3 ERG Code 3L

**IMDG** 

**14.1 UN number or ID number 14.2 UN proper shipping name**UN1993
Flammable liquid, n.o.s. (Ethanol, Methanol)

14.3 Transport hazard class(es) 3
14.4 Packing group | ||

**Description**UN1993, Flammable liquid, n.o.s. (Ethanol, Methanol), 3, III, (29°C c.c.)

14.5 Environmental hazards N
14.6 Special precautions for user

Special Provisions 223, 274, 955

EmS-No F-E, S-E

14.7 Maritime transport in bulk according to IMO instruments

ort in bulk No information available

RID

**14.1 UN number or ID number** UN1993

**14.2 UN proper shipping name** Flammable liquid, n.o.s. (Ethanol, Methanol)

14.3 Transport hazard class(es) 314.4 Packing group | | | | |

**Description** UN1993, Flammable liquid, n.o.s. (Ethanol, Methanol), 3, III

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 274, 601
Classification code F1

ADR

14.1 UN number or ID number UN1993

**14.2 UN proper shipping name** Flammable liquid, n.o.s. (Ethanol, Methanol)

14.3 Transport hazard class(es)14.4 Packing group

**Description** UN1993, Flammable liquid, n.o.s. (Ethanol, Methanol), 3, III, (D/E)

14.5 Environmental hazards No14.6 Special precautions for user

Special Provisions 274, 601
Classification code F1
Tunnel restriction code (D/E)

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
Ethanol - 64-17-5	RG 84
Propan-2-ol - 67-63-0	RG 84
Methanol - 67-56-1	RG 84

Water hazard class (WGK) slightly hazardous to water (WGK 1)

Chemical name	Netherlands - List of	Netherlands - List of	Netherlands - List of
	Carcinogens	Mutagens	Reproductive Toxins
Ethanol	Present	-	Fertility Category 1A Development Category 1A Can be harmful via breastfeeding

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Propan-2-ol - 67-63-0	Use restricted. See item 75.	-
Methanol - 67-56-1	Use restricted. See item 69.	-
	Use restricted. See item 75.	

### **Persistent Organic Pollutants**

Not applicable

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methanol - 67-56-1	500	5000

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Chemical name

Ethanol - 64-17-5

Propan-2-ol - 67-63-0

Biocidal Products Regulation (EU) No 528/2012 (BPR)
Product-type 1: Human hygiene Product-type 2:
Disinfectants and algaecides not intended for direct
application to humans or animals Product-type 4: Food and
feed area

Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 1: Human hygiene

Revision date 17/07/2023

#### **International Inventories**

**TSCA** Contact supplier for inventory compliance status **DSL/NDSL** Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status **KECL** Contact supplier for inventory compliance status **PICCS** AIIC Contact supplier for inventory compliance status **NZIoC** Contact supplier for inventory compliance status

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

#### 15.2. Chemical safety assessment

**Chemical Safety Report** No information available

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H319 - Causes serious eve irritation

H331 - Toxic if inhaled

H336 - May cause drowsiness or dizziness

H370 - Causes damage to organs

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA STEL

Maximum limit value Skin designation Ceiling

Page 16 / 17

#### Sensitisers

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapour	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	
Serious eye damage/eye irritation	Calculation method	
Respiratory sensitisation	Calculation method	
Skin sensitisation	Calculation method	
Mutagenicity	Calculation method	
Carcinogenicity	Calculation method	
Reproductive toxicity	Calculation method	
STOT - single exposure	Calculation method	
STOT - repeated exposure	Calculation method	
Acute aquatic toxicity	Calculation method	
Chronic aquatic toxicity	Calculation method	
Aspiration hazard	Calculation method	
Ozone	Calculation method	
Flammable liquids	On basis of test data	

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)

European Chemicals Agency (ECHA) (ECHA\_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 17/07/2023

## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**