27mm Encased Miniature Speaker with Leads

multicomp PRO

RoHS

Compliant



Specifications

Resonant Frequency (According to IEC 268-5) : 850Hz ±15% / 2.53Vrms

Frequency Range : 500 - 20,000Hz

Sound Pressure Level @ 0.8W/0.1m @ 2kHz : $90dB \pm 3dB$ Total Harmonic Distortion (@ 2kHz/0.8W/10cm) : $\leq 10\%$ Max. Operating Temperature : $-25^{\circ}C$ to $+75^{\circ}C$

Weight : 3g

Material Specifications

Frame & Front Cover : PPA
Diaphragm : PEEK
Voice Coil : Copper Wire


Solder Joints : SUS (Stainless Steel)

Plate : SPCC
Magnet : NdFeB
Yoke : SPCC
Plastic : PC & ABS

Fixing


Wire : 1571 32# Red & Black

Diagram




Dimensions : Millimetres Tolerance : ±0.2mm

Frequency Response Curve



Typical THD Curve




Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

27mm Encased Miniature Speaker with Leads



Typical Impedance Curve



Part Number Table

Description	Part Number
27mm Encased Miniature Speaker with Leads, 8Ω, 90dB, 500Hz-20kHz	MCABS-247-RC

Important Notice: This data sheet and its contents (the "Information") belong to the members of the AVNET group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp Pro is the registered trademark of Premier Farnell Limited 2019.

Newark.com/multicomp-pro Farnell.com/multicomp-pro Element14.com/multicomp-pro

