Skip to content

<u>Corporate Home</u> | ▶ Electronic Components | <u>Segments</u> | <u>Who We Are</u>

Worldwide





Our commitment. Your advantage.

Search

By:



Sign In | Register (Why Register?)

Products



Connectors

Electromechanical

Components

Electronic Modules

Fiber Optics

Filters

Identification Labeling

Products

Passive Components

Power Sources

RF & Microwave Products

Tooling Products

Touch Screen Displays

Tubing, Molded and

Harnessing Products

Wire, Cable and Cable


Assemblies

List all Product Types



1825058-7 Product Details

Downloaded from Arrow.com 2007/TE/bin/TE Connect?C=1 & M=BYPN&TCPN=1825058-7&RQPN=1825058-7 (2 of 4)27/09/2007 10:28:55 •



1825058-7



DIP, Rotary DIP, SIP Switches and DIP Shunts - Standard



Always EU RoHS/ELV Compliant (Statement of Compliance)

Product Highlights:

- DIP Switch
- PCB Mount Style = Surface Mount
- Single Pole Single Throw Configuration (Pole-Throw)
- Actuator Style = Extended, Slide
- Not Sealed

View all Features

Quick Links

- Check
 Pricing &
 Availability
- Search for Tooling
- Product
 Feature
 Selector
- Contact Us
 About This
 Product

Documentation & Additional Information

Product Drawings:

• DIP SWITCH, ADE-SMT SERIES (PDF, English)

Catalog Pages/Data Sheets:

• None Available

Product Specifications:

• None Available

Application Specifications:

• None Available

Instruction Sheets:

• None Available

CAD Files:

• None Available

Additional Information:

• Product Line Information

Related Products:

Tooling

List all Documents

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Product Type = DIP Switch
- PCB Mount Style = Surface Mount
- <u>Configuration (Pole-Throw)</u> = Single Pole Single Throw
- <u>Actuator Style</u> = Extended, Slide
- Sealed = No
- Number of Switches = 4
- Termination Style = Outside "L"

Body Related Features:

- Series = AD
- Centerline (mm [in]) = 2.54 [0.100]

Contact Related Features:

- Auto-Insertable = Yes
- Contact Material = Copper Alloy
- Contact Mating Area Plating = Gold Flash

Housing Related Features:

- Housing Color = Black
- Housing Material = PPS
- Housing Flammability Rating = UL 94V-0

Industry Standards:

- RoHS/ELV Compliance = RoHS compliant, ELV compliant
- <u>Lead Free Solder Processes</u> = Reflow solder capable to 245°C, Reflow solder capable to 260°C
- RoHS/ELV Compliance History = Always was RoHS compliant

Other:

• Brand = Tyco Electronics

Provide Website Feedback | Contact Customer Support

Home | Customer Support | Suppliers | Site Map | Privacy Policy | Browser Support

© 2007 Tyco Electronics Corporation All Rights Reserved