

### Note: This datasheet may be out of date. Please download the latest datasheet of GRT188C81C475KE13# from the official website of Murata Manufacturing Co., Ltd.

#### ducts/productdetail?partno=GRT188C81C475KE13%23

## GRT188C81C475KE13#

"#" indicates a package specification code.


















< List of part numbers with package codes > GRT188C81C475KE13J GRT188C81C475KE13D



# Appearance & Shape







### References

Packaging	Specifications	Minimum Order Quantity
J	330mm Paper Tape	10000
D	180mm Paper Tape	4000

Mass (typ.)	
1 piece	8.1mg
φ180mm Reel	154g



Derating1

1 of 4

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date.  ${\it Please \ download \ the \ latest \ data sheet \ of \ GRT188C81C475KE13\# \ from \ the \ official \ website \ of \ Murata}$ Manufacturing Co., Ltd.

http://www.murata.com/en-US/products/productdetail?partno=GRT188C81C475KE13%23

# GRT188C81C475KE13#

"#" indicates a package specification code.



Length	1.6±0.15mm
Width	0.8±0.15mm
Thickness	0.8±0.15mm
Capacitance	4.7μF ±10%
Distance between external terminals g	0.6mm min.
External terminal size e	0.2 to 0.55mm
Operating Temperature Range	-55°C to 105°C
Rated Voltage	16Vdc
Size code in inch(mm)	0603 (1608M)
Capacitance change rate	±22.0%
Temperature characteristics (complied standard)	X6S(EIA)
Temperature range of temperature characteristics	-55°C to 105°C

2 of 4

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




## GRT188C81C475KE13#


Note: This datasheet may be out of date Please download the latest datasheet of GRT188C81C475KE13# from the official website of Murata Manufacturing Co., Ltd.

"#" indicates a package specification code.





The charts below may show another part number which shares its characteristics.











3 of 4

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Note: This datasheet may be out of date Please download the latest datasheet of GRT188C81C475KE13# from the official website of Murata Manufacturing Co., Ltd.

oductdetail?partno=GRT188C81C475KE13%23

# GRT188C81C475KE13#

"#" indicates a package specification code.





4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

