muRata Capacitor Data Sheet GRT188R61H105ME13# "#" indicates a package specification code.						
In Production Lamment AEC- 2200 Cmax. Reflow ReHS REACH Derating						
< List of part numbers with package codes > GRT188R61H105ME13J , GRT188R61H105ME13J						
Shape		Note	es			
		Derating1				
		References				
		Packaging	Specifications	Minimum quantity		
		D	φ180mm Paper taping	4000		
		J	φ330mm Paper taping	10000		
		-				
L size	1.6 ±0.1mm	Mass (typ.)				
W size	0.8 ±0.1mm	1 piece 6.3mg		6.3mg		
T size	0.8 ±0.1mm	φ180mm Reel 14		144g		
External terminal width e	0.2 to 0.5mm					
Distance between external terminals g	0.5mm min.					
Size code in inch(mm)	0603 (1608M)					

Specifications

Capacitance	1.0µF ±20%
Rated voltage	50Vdc
Temperature characteristics (complied standard)	X5R(EIA)
Capacitance change rate	±15.0%
Temperature range of temperature characteristics	-55 to 85℃
Operating temperature range	-55 to 85°C

🔔 Attention

This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.