

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Cable marker carrier, white, unlabeled, mounting type: Assembly with cable ties, cable diameter: > 5 mm, lettering field size: 20 mm x 8 mm

## Your advantages

- The polyamide conductor and cable marker can be used as a universal marking label for conductor and cable bundles indoors
- Can be labeled with a marker pen, by hand or using a label

## Commercial Data

Item number	0807083
Packing unit	50 pc
Minimum order quantity	50 pc
Sales Key	BG231A
Product Key	BG231A
Catalog Page	Page 237 (C-3-2019)
GTIN	4017918160197
Weight per Piece (including packing)	0.56 g
Weight per Piece (excluding packing)	0.5 g
Customs tariff number	39269097
Country of origin	DE

# Cable marker carrier - KME



0807083

<https://www.phoenixcontact.com/gb/products/0807083>

## Technical Data

### Product properties

Product type	Marker carrier cable
Type	Mounting set

### Dimensions

Width	9 mm
Length	20 mm

### External dimensions

Outside diameter	1 mm ... 20 mm
------------------	----------------

### Material specifications

Color	white
Material	PA
Flammability rating according to UL 94	V2
Relative insulation material temperature index (Elec., UL 746 B)	125 °C
Components	free from silicone and halogen

### Cable / line

External cable diameter	> 5 mm
-------------------------	--------

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
---------------------------------	-------------------

### Mounting

Mounting type	Assembly with cable ties
---------------	--------------------------

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



## Classifications

### ECLASS

ECLASS-9.0	27400401
ECLASS-10.0.1	27400401
ECLASS-11.0	27281105

### ETIM

ETIM 8.0	EC001530
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>

## Accessories

### Label

Label - EML (20X8)R - 0816786

<https://www.phoenixcontact.com/gb/products/0816786>



Label, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 2500

---

### Label

Label - EML (20X8)R YE - 0816799

<https://www.phoenixcontact.com/gb/products/0816799>



Label, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 2500

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>

## Label

Label - EML (20X8)RL YE - 0816155

<https://www.phoenixcontact.com/gb/products/0816155>



Label, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 10000

---

## Label

Label - EML (20X8)R/TL - 0802999

<https://www.phoenixcontact.com/gb/products/0802999>



Label, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 1000

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>

## Label

Label - EML (20X8)R-EX - 0803254

<https://www.phoenixcontact.com/gb/products/0803254>



Label, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLL, THERMOMARK ROLL X1, THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK S1.1, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 2500

---

## Label

Label - EML (20X8)RXL - 0802762

<https://www.phoenixcontact.com/gb/products/0802762>



Label, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 20000

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



## Fabric label

Fabric label - EMLC (20X8)R - 0815680

<https://www.phoenixcontact.com/gb/products/0815680>



Fabric label, Size according to customer specifications, maximum width: 100 mm, maximum height: 500 mm, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 2500

---

## Fabric label

Fabric label - EMLC (20X8)R YE - 0800235

<https://www.phoenixcontact.com/gb/products/0800235>



Fabric label, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 2500

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



## Fabric label

Fabric label - EMLC (20X8)RL YE - 0815800

<https://www.phoenixcontact.com/gb/products/0815800>



Fabric label, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 10000

---

## Label

Label - EMLP (20X8)R - 0819482

<https://www.phoenixcontact.com/gb/products/0819482>



Label, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 500



# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



## Device marker

Device marker - LS-EMLP (20X8) SR - 0831712

<https://www.phoenixcontact.com/gb/products/0831712>

Device marker, Sheet, silver, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 160



---

## Device marker

Device marker - LS-EMLP (20X8) WH - 0831685

<https://www.phoenixcontact.com/gb/products/0831685>

Device marker, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 160



# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



## Device marker

Device marker - LS-EMLP (20X8) YE - 0831739

<https://www.phoenixcontact.com/gb/products/0831739>

Device marker, Sheet, yellow, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 160



---

## Plastic label

Plastic label - UC-EMLP (20X8) - 0819327

<https://www.phoenixcontact.com/gb/products/0819327>

Plastic label, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 10



# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



## Plastic label

Plastic label - UC-EMLP (20X8) SR - 0828097

<https://www.phoenixcontact.com/gb/products/0828097>




Plastic label, Sheet, silver, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 10

---

## Plastic label

Plastic label - UC-EMLP (20X8) YE - 0822631

<https://www.phoenixcontact.com/gb/products/0822631>



Plastic label, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 10

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



## Label

Label - US-EML (20X8) - 0800458

<https://www.phoenixcontact.com/gb/products/0800458>



Label, Card, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 64

---

## Label

Label - US-EML (20X8) YE - 0800460

<https://www.phoenixcontact.com/gb/products/0800460>



Label, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 64

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



## Label

Label - US-EMLF (20X8) YE - 0803842

<https://www.phoenixcontact.com/gb/products/0803842>



Label, Card, yellow, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 64

---

## Label

Label - EMLP (20X8)R BU - 1096318

<https://www.phoenixcontact.com/gb/products/1096318>



Label, Roll, blue, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 500

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>

## Label

Label - EMLP (20X8)R RD - 1096319

<https://www.phoenixcontact.com/gb/products/1096319>



Label, Roll, red, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 500

---

## Label

Label - EMLP (20X8)R YE - 1096321

<https://www.phoenixcontact.com/gb/products/1096321>



Label, Roll, yellow, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 500

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



## Label

Label - MM-EML (20X8)R C1 WH/BK - 1116204

<https://www.phoenixcontact.com/gb/products/1116204>



Label, Roll, white/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 297

---

## Label

Label - MM-EML (20X8)R C1 YE/BK - 1116205

<https://www.phoenixcontact.com/gb/products/1116205>



Label, Roll, yellow/black, unlabeled, can be labeled with: THERMOMARK GO, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 297

# Cable marker carrier - KME

0807083

<https://www.phoenixcontact.com/gb/products/0807083>



## Label

Label - EML-D (20X8)R - 1182298

<https://www.phoenixcontact.com/gb/products/1182298>



Label, detectable, Roll, white, unlabeled, can be labeled with: THERMOMARK ROLLMASTER 300/600, THERMOMARK X1.2, THERMOMARK ROLL X1, THERMOMARK ROLL 2.0, THERMOMARK ROLL, mounting type: adhesive, lettering field size: 20 mm x 8 mm, Number of individual labels: 2500

---

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd

Halesfield 13, Telford

Shropshire, TF7 4PG

01952 681700

[info@phoenixcontact.co.uk](mailto:info@phoenixcontact.co.uk)