

Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of LQH43MN101J03# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=LQH43MN101J03%23

"#" indicates a package specification code.

Size Code 4532 (1812) in mm (in inch)

LQH43MN101J03#




< List of part numbers with package codes > LQH43MN101J03K LQH43MN101J03L

1.0min.

1.0min







(in mm)



References

Packaging	Specifications	Standard
		Packing
		Quantity
К	330Embossed Tape	2500
L	180Embossed Tape	500

Mass (typ.)			
1 piece	0.13g		



Notices

When rated current is applied to the products, selftemperature rise shall be limited to 20°C max and inductance will be within ±10% of initial inductance value.

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

- without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





LQH43MN101J03#

Note: This datasheet may be out of date. Please download the latest datasheet of LQH43MN101J03# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=LQH43MN101J03%23

"#" indicates a package specification code.



Specifications

L size	4.5±0.3mm
W size	3.2±0.2mm
T size	2.6±0.2mm
Size code inch (mm)	1812 (4532)
Inductance	100µH±5%
Inductance Test Frequency	1MHz
Rated current (Itemp) (Based on Temperature rise)	160mA
Max. of DC resistance	2.5Ω
Class of magnetic shield	No Shield
Q(min.)	40
Q Test Frequency	796kHz
Self resonance frequency (min.)	6.8MHz
Operating Temperature Range(Self-temperature rise is not included)	-40℃ to 85℃
Series	LQH43MN_03

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of LQH43MN101J03# from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=LQH43MN101J03%23


"#" indicates a package specification code.



Characteristic Data

LQH43MN101J03#





Q-Frequency Characteristics

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



3 of 3

Impedance - Current Characteristics