

Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of LQM21NNR56K10# from the official website of Murata Manufacturing Co., Ltd. ata.com/en-US/products/productdetail?partno=LQM21NNR56K10%23

## LQM21NNR56K10#

"#" indicates a package specification code.

#### Size Code 2012 (0805) in mm (in inch)



< List of part numbers with package codes > LQM21NNR56K10J LQM21NNR56K10B LQM21NNR56K10D





#### 0.5±0.3 2.0±0.2 1.25±0.2 (in mm) Inductance: 0.1 to 2.2µH 0.85±0.2 Dimension of t

Inductance: 2.7 to 4.7µH 1.25±0.2



#### References

Packaging	Specifications	Minimum Order Quantity
J	330mm Paper Tape	10000
В	Bulk(Bag)	1000
D	180mm Paper Tape	4000

Mass (typ.)
-------------

```
1 piece
```

0.01g

1 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention



Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of LQM21NNR56K10# from the official website of Murata Manufacturing Co., Ltd. http://www.murata.com/en-US/products/productdetail?partno=LQM21NNR56K10%23

### LQM21NNR56K10#

"#" indicates a package specification code.

# Specifications

L size	2.0±0.2mm	
W size	1.25±0.2mm	
T size	0.85±0.2mm	
Size code inch (mm)	0805 (2012)	
Inductance	0.56µH±10%	
Inductance Test Frequency	25MHz	
Rated current (Isat) (Based on Inductance change)	150mA	
Rated current (Itemp) (Based on Temperature rise)	150mA	
Max. of DC resistance	0.63Ω	
Class of magnetic shield	Ferrite Core	
Q(min.)	25	
Q Test Frequency	25MHz	
Self resonance frequency (min.)	140MHz	
Operating Temperature Range(Self- temperature rise is not included)	-40°C to 85°C	
Series	LQM21NN_10	

2 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Attention




Product Search Data Sheet


Note: This datasheet may be out of date. Please download the latest datasheet of LQM21NNR56K10# from the official website of Murata Manufacturing Co., Ltd. n/en-US/products/productdetail?partno=LQM21NNR56K10%23

### LQM21NNR56K10#

"#" indicates a package specification code.

# Product Data





Impedance - Current Characteristics

Q-Frequency Characteristics

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



3 of 3