

Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of LQW2BHN10NJ03# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=LQW2BHN10NJ03%23

"#" indicates a package specification code.

Size Code 2015 (0805) in mm (in inch), Wound Type


LQW2BHN10NJ03#



< List of part numbers with package codes > LQW2BHN10NJ03K LQW2BHN10NJ03L

Appearance & Shape





(in mm)

References

| Packaging | Specifications | Standard |
|-----------|------------------|----------|
| | | Packing |
| | | Quantity |
| к | 330Embossed Tape | 7500 |
| L | 180Embossed Tape | 2000 |

| Mass (typ.) | |
|-------------|--------|
| 1 piece | 0.009g |

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet

LQW2BHN10NJ03#

Note: This datasheet may be out of date. Please download the latest datasheet of LQW2BHN10NJ03# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=LQW2BHN10NJ03%23

"#" indicates a package specification code.



Specifications

| L size | 2.0±0.2mm |
|--|-----------------|
| W size | 1.5±0.2mm |
| T size | 1.7+0.08/-0.1mm |
| Size code inch (mm) | 0805 (2015) |
| Inductance | 10nH±5% |
| Inductance Test Frequency | 100MHz |
| Rated current (Itemp) (Based on Temperature rise) | 1320mA |
| Max. of DC resistance | 0.03Ω |
| Q(min.) | 30 |
| Q Test Frequency | 250MHz |
| Self resonance frequency (min.) | 3300MHz |
| Operating Temperature Range(Self-temperature rise is not included) | -40℃ to 85℃ |
| Series | LQW2BHN_03 |

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet


LQW2BHN10NJ03#

Characteristic Data


Note: This datasheet may be out of date. Please download the latest datasheet of LQW2BHN10NJ03# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=LQW2BHN10NJ03%23

"#" indicates a package specification code.



Inductance - Frequency Characteristics



Q-Frequency Characteristics

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

