GR442QR73D471KW01#

Please download the latest datasheet of GR442QR73D471KW01# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GR442QR73D471KW01%23

Note: This datasheet may be out of date.

"#" indicates a package specification code.














< List of part numbers with package codes > GR442QR73D471KW01K GR442QR73D471KW01L



Appearance & Shape







References

Packaging	Specifications	Standard Packing
		Quantity
K	330Embossed Tape	8000
L	180Embossed Tape	2000

Mass (typ.)		
	1 piece	68.0mg



Notices

LAN/DC-DC Converter Primary-Secondary Couplings only

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



GR442QR73D471KW01#

Note: This datasheet may be out of date.

 $Please\ download\ the\ latest\ data sheet\ of\ GR442QR73D471KW01\#\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GR442QR73D471KW01%23

"#" indicates a package specification code.



Specifications

Length	4.5±0.3mm
Width	2.0±0.2mm
Thickness	1.5+0/-0.3mm
Capacitance	470pF ±10%
Distance between external terminals g	2.5mm min.
External terminal size e	0.3mm min.
Operating Temperature Range	-55°C to 125°C
Rated Voltage	2000Vdc
Size code in inch(mm)	1808 (4520M)
Capacitance change rate	±15.0%
Temperature characteristics (complied standard)	X7R(EIA)
Temperature range of temperature characteristics	-55°C to 125°C

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date.

Please download the latest datasheet of GR442QR73D471KW01# from the official website of Murata Manufacturing Co., Ltd.


"#" indicates a package specification code.



Characteristic Data


GR442QR73D471KW01#


The charts below may show another part number which shares its characteristics.




DC bias characteristics











GR442QR73D471KW01 C-Temp. capchange, DCOV, AC1Vrms

3 of 4

Change Rate[%]

Cap. -80

-60

-100

400

800

DC Bias[V]

1200

1600

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




 $Please\ download\ the\ latest\ data sheet\ of\ GR442QR73D471KW01\#\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=GR442QR73D471KW01%23

Note: This datasheet may be out of date.

"#" indicates a package specification code.





GR442QR73D471KW01 S21 DC0V, 25degC

4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

