


**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** **1461860150**  
**Status:** **Active**  
**Overview:** Internet of Things (IoT) Antennas: Wi-Fi, Bluetooth, Zigbee  
**Description:** Wi-Fi 6E+GNSS Flex Cabled Balanced Antenna, 18.00mm Width, 150.00mm Cable Length, Compatible with U.FL / I-PEX MHF Connectors

**Documents:**

|   |   |
|---|---|
| <a href="#">3D Model</a>                                      | <a href="#">Application Specification AS-146186-100-001 (PDF)</a> |
| <a href="#">3D Model (PDF)</a>                                | <a href="#">Packaging Specification 1461860100-000 (PDF)</a>      |
| <a href="#">Drawing (PDF)</a>                                 | <a href="#">Datasheet (PDF)</a>                                   |
| <a href="#">Product Specification PS-146186-100-001 (PDF)</a> | <a href="#">RoHS Certificate of Compliance (PDF)</a>              |



Series image - Reference only

**General**

|                |  |
|----------------|--|
| Product Family | Antennas   |
| Series         | 146186   |
| Component Type | Flexible Antenna with Cable  |
| Function       | Signal   |
| Mates With     | 734120110 Microcoaxial RF, 50 Ohm  |
| Overview       | Internet of Things (IoT) Antennas: Wi-Fi, Bluetooth, Zigbee                  |
| Product Name   | 2.4/5GHz GPS-Wi-Fi Antenna   |
| Protocol       | BeiDou, BLE, BT, Galileo, GLONASS, GPS, Thread, Wi-Fi, Wireless Hart, Zigbee |
| Type           | Combo Wi-Fi/GNSS Antenna   |
| UPC            | 889056433624   |

**Physical**

|                   |                 |
|-------------------|-----------------|
| Cable Length      | 150.00mm        |
| Length            | 53.00mm         |
| Mounting Style    | Adhesive        |
| Net Weight        | 1.043/g         |
| Packaging Type    | PET Film        |
| Polarization      | Linear          |
| Radiation Pattern | Omnidirectional |
| Thickness         | 0.10mm          |
| Width             | 18.00mm         |

**Electrical**

|                         |   |
|-------------------------|---|
| Band#1 F_End (MHz)      | 1602  |
| Band#1 F_Start (MHz)    | 1575.42   |
| Band#2 F_End (MHz)      | 2483.5  |
| Band#2 F_Start (MHz)    | 2400  |
| Band#3 F_End (MHz)      | 5850  |
| Band#3 F_Start (MHz)    | 5150  |
| Band#4 F_End (MHz)      | 6000  |
| Band#4 F_Start (MHz)    | 3000  |
| Electrical Connectivity | Cable   |
| Peak Gain (dBi)         | 2.85 @ 1575 MHz, 2.85 @ 2.4 GHz, 3.75 @ 5 GHz, 4.5 @ 3 GHz  |
| Return Loss - S11 (dB)  | < -10   |
| Total Efficiency        | >66% @ 5 GHz, >68% @ 1575 MHz, >72% @ 2.4 GHz, >75% @ 3 GHz |

**Material Info**

**Reference - Drawing Numbers**

|                           |                   |
|---------------------------|-------------------|
| Application Specification | AS-146186-100-001 |
| Packaging Specification   | 1461860100-000    |

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant**

**REACH SVHC**

Not Contained Per - D(2020)9139-DC (19 Jan 2021)

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

Green Image

Not Relevant

Not Contained

**Search Parts in this Series**

146186 Series

This document was generated on 05/24/2021

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[146186-0150](#)